



#9010

SPECIFIER'S GUIDE

# STAIR STRINGERS AND TREADS





Featuring TimberStrand® LSL Stair Stringers and Weyerhaeuser SturdiStep® Stair Treads

- Engineered Wood Solutions for Strong, Stable Stairs
- Resists Bowing, Shrinking, and Splitting
- Straight and Consistent
- Better Nail Holding Capability
- Eliminates Adjustments for Shrinkage
- Minimizes Material Waste
- Significantly Reduces Callbacks
- Limited Product Warranty





The products in this guide are readily available through our nationwide network of distributors and dealers. For more information on other applications or other Trus Joist® products, contact your Weyerhaeuser representative.

#### **Code Evaluations:**

ICC-ES ESR-1387

#### **Canada Code Evaluation:**

CCMC 12627-R

This guide is for use with NBCC 2015 and CSA 086-14.

#### **TABLE OF CONTENTS**

Details	3
U.S. Design	4-5
Canadian Design	6-7
Product Warranty	8



Certified Sourcing
www.sfiprogram.org
sFI-00008

# This guide features the following Trus Joist® engineered lumber in the following widths and depths:

#### TimberStrand® LSL

#### 1.3E TimberStrand® LSL sizes:

Width: 11/4"

Depths: 91/2", 117/8", and 14"

#### 1.5E TimberStrand® LSL sizes:


Widths: 11/2"

Depths: 91/2", 111/8", and 14"

#### 1.55E TimberStrand® LSL sizes:

Widths: 13/4"

Depths:  $9\frac{1}{2}$ ",  $11\frac{1}{8}$ ", and 14"



## **Glossary of Terms**

Term	Definition			
(A) Material Depth	Depth of product before steps are cut.			
(B) Step Rise	Unit rise of individual step.			
(C) Step Run	Unit run of individual run (nosing ignored).			
(D) Stringer Run	Horizontal span between stairway supports.			
(E) Throat Depth	Net depth of stringer once steps are cut. Measured from step perpendicular to bottom edge of stringer.			

# Combine SturdiStep® treads with TimberStrand® LSL stair stringers for a solid, stable stair system

SturdiStep® stair treads are manufactured to be flat, straight, and a precise thickness. They are also warranted against delamination. Unlike traditional pine stair treads SturdiStep® treads are knot-free and uniform throughout, so when properly installed, they won't crack or split when nailed to the stringers.

Durable enough to withstand the demands of normal construction delays, SturdiStep® treads can be installed during the framing stage of construction, saving builders on labor and other costs associated with temporary stair treads.

Suitable for use in residential and multifamily construction, SturdiStep® treads offer precision, convenience, less waste and lower costs.

#### SturdiStep® stair treads offer:

- Sizes convenient for cutting to length at the jobsite:
   Eastern markets: 1" x 10<sup>1</sup>/<sub>4</sub>" x 16' and 1" x 11<sup>1</sup>/<sub>2</sub>" x 16'
   Western markets: 1" x 11<sup>1</sup>/<sub>2</sub>" x 12'
- · Uniform, knot-free treads that won't cup or split when properly installed
- Bullnosed edges that enhance appearance and save labor at the jobsite

#### **Installation notes**

- Clear span between stringers shall not exceed 45" and fasteners and adhesives shall be as noted below.
- SturdiStep® stair treads must be supported at both front and back by a full-length, minimum ½22" riser that is fastened with nails and subfloor adhesive that has been qualified as a Class 1/8 in., Type P/O subfloor adhesive in accordance with ASTM D3498-19.
- The back riser must extend down flush with or past the bottom of the tread.
- Treads must be glued and nailed to the front riser with 8d (0.131" x 2½") finish nails, spaced a maximum of 12" on-center.
- The nosing must not extend more than 1½" beyond the riser. Be sure tread and riser dimensions (rise and run) comply
  with applicable code requirements.




WARNING: This product can expose you to chemicals including wood dust which are known to the State of California to cause cancer, and methanol, which are known to the State of California to cause birth defects or other reproductive harm. Drilling, sawing, sanding or machining wood products can expose you to wood dust. Avoid inhaling wood dust or use a dust mask or other safeguards for personal protection. For more information go to www.P65Warnings.ca.gov and www.P65Warnings.ca.gov/wood.

## TIMBERSTRAND® LSL STAIR STRINGERS


# Suggested Residential Stringer Attachment Details for 40 psf Live Load Span Tables in this Guide.

#### Low End



(1) Minimum No. 2 hem-fir, spruce-pine-fir or better grade.





# **Ledger Connection Table**

Species of	0.131 in. x 3 in. Nails Required Per Stringer Depth <sup>(2)</sup>						
Ledger and Stud <sup>(1)</sup>	9½"	11%"	14"				
DF or SP	4	5	6				
SPF or HF	4	6	7				


(1) If ledger and stud species differ, select the larger connection value.

(2) Table based on connection to three studs.

#### CAUTION

Stair stringer tables and attachment details are intended for use with TimberStrand® LSL only.


Consult designer for attachment details for live loads greater than 40 psf.



While Detail A below is the simplest method of nailing the riser to the tread and works well with 1" and thicker stair treads, Detail B is preferred as it eliminates end-grain nailing at the back of the riser.


#### Detail A

Predrill tread end grain at midthickness with a 3/2" bit. Maintain at least 3/4" edge distance in riser.



#### Detail B (preferred)


Preferred option because it eliminates end-grain nailing at the back of the riser.




# TIMBERSTRAND® LSL STAIR STRINGERS



#### **Two Stringer Option**



## **Three Stringer Option**



# 1-PLY TIMBERSTRAND® LSL STRINGERS

# IRC Maximum Stringer Run — 40 psf Live Load/12 psf Dead Load(1)

		36" Tread Width				42" Tread Width		44" Trea	d Width	48" Tread Width		
Thickness	Material	2 Stringers		3 Stri	ingers 3 Strin		ngers 3 Stri		ngers	3 Stri	3 Stringers	
Grade	Depth <sup>(2)</sup>	Without Reinforcement	With Reinforcement									
1¼" 1.3E	9½"	5'-0''	5'-10''	5'-10''	7'-6''	5'-10''	6'-8''	5'-10''	6'-8''	5'-0''	6'-8''	
TimberStrand®	117/8"	8'-4''	10'-0''	10'-0''	10'-10''	9'-2''	10'-10''	9'-2''	10'-0''	9'-2''	10'-0''	
LSL	14"	11'-8''	11'-8''	13'-4''	13'-4''	12'-6''	12'-6''	12'-6''	12'-6''	11'-8''	11'-8''	
1½" 1.5E	9½"	5'-10''	6'-8''	6'-8''	7'-6''	6'-8''	7'-6''	5'-10''	7'-6''	5'-10''	7'-6''	
TimberStrand®	117/8"	9'-2''	10'-10''	10'-10''	12'-6''	10'-0''	11'-8''	10'-0''	11'-8''	10'-0''	10'-10''	
LSL	14"	13'-4''	13'-4''	15'-0''	15'-0''	14'-2''	14'-2''	14'-2''	14'-2''	13'-4''	13'-4''	
1¾" 1.55E	9½"	5'-10''	7'-6''	6'-8''	8'-4''	6'-8''	7'-6''	6'-8''	7'-6''	6'-8''	7'-6''	
TimberStrand®	117/8"	10'-0''	10'-10''	11'-8''	12'-6''	10'-10''	11'-8''	10'-10''	11'-8''	10'-10''	11'-8''	
LSL	14"	14'-2''	14'-2''	15'-0''	15'-0''	15'-0''	15'-0''	15'-0''	15'-0''	14'-2''	14'-2''	

<sup>(1)</sup> Tables are based on IRC requirments: maximum riser height of 73/4" and a minimum tread depth of 10", with a max story height of 151".

# IBC Maximum Stringer Run — 100 psf Live Load/12 psf Dead Load(1)

			36" Trea	ıd Width		42" Trea	nd Width	44" Trea	ad Width	48" Trea	nd Width	
Thickness	Material	2 Stri	2 Stringers		3 Stringers		3 Stringers		3 Stringers		3 Stringers	
Grade	Depth <sup>(2)</sup>	Without Reinforcement	With Reinforcement									
1¼" 1.3E	91/2"	3'-8''	4'-7''	4'-7''	5'-6''	4'-7''	4'-7''	4'-7''	4'-7''	3'-8''	4'-7''	
TimberStrand®	117/8"	6'-5''	7'-4''	7'-4''	8'-3''	7'-4''	8'-3''	7'-4''	8'-3''	7'-4''	7'-4''	
LSL	14"	9'-2''	9'-2''	10'-1''	10'-1''	10'-1''	10'-1''	9'-2''	9'-2''	9'-2''	9'-2''	
1½" 1.5E	9½"	4'-7''	5'-6''	5'-6''	6'-5''	4'-7''	5'-6''	4'-7''	5'-6''	4'-7''	5'-6''	
TimberStrand®	117/8"	7'-4''	8'-3''	8'-3''	9'-2''	8'-3''	9'-2''	8'-3''	9'-2''	7'-4''	8'-3''	
LSL	14"	10'-1''	10'-1''	11'-11''	11'-11''	11'-0''	11'-0''	11'-0''	11'-0''	10'-1''	10'-1''	
1¾" 1.55E	9½"	4'-7''	5'-6''	5'-6''	6'-5''	5'-6''	6'-5''	5'-6''	5'-6''	5'-6''	5'-6''	
TimberStrand®	117/8"	8'-3''	8'-3''	9'-2''	10'-1''	8'-3''	9'-2''	8'-3''	9'-2''	8'-3''	9'-2''	
LSL	14"	11'-0''	11'-0''	11'-11''	11'-11''	11'-11''	11'-11''	11'-0''	11'-0''	11'-0''	11'-0''	

<sup>(1)</sup> Tables are based on IBC requirments: maximum riser height of 7" and a minimum tread depth of 11", with a max story height of 144".

#### **General Notes**

- Maximum stringer runs shown are more restrictive of simple or continuous span and based on Allowable Stress Design.
- Deflection criteria of L/360 live load and L/240 total load.
- For 2-ply stringers, attach together with 2 rows of 0.131" x 2½" at 12" on center.
   Use 0.131" x 3" nails for 1¾" stringers.
- Use subfloor adhesive to improve stair performance and minimize squeaks.
   See adhesive recommendations on page 2.
- Keep materials dry. Add a vapor barrier at the bottom of the stair stringer
  if it is in contact with concrete.

- The attachment details shown are suggestions only; alternate details are possible. Responsibility remains with the design professional of record.
- For assistance with loading conditions and stair configurations not shown, contact your Weyerhaeuser representative.

# **General Guidelines for Calculating Step Rise** and Run

- The rise times the run should equal approximately 75".
- Two times the rise plus one run should equal approximately 25".
- Rise plus run should be 17" to 18".

<sup>(2)</sup> Minimum throat depths are as follows: 33/8" min. at 9½" rim board, 5¾" min. at 11½" rim board, 7½" min. at 14" rim board.

<sup>(2)</sup> Minimum throat depths are as follows: 35/8" min. at 9½" rim board, 6" min. at 117/8" rim board, 81/8" min. at 14" rim board.

# 2-PLY TIMBERSTRAND® LSL STRINGERS



# IRC Maximum Stringer Run — 40 psf Live Load/12 psf Dead Load(1)

			nd Width	42" Tread Width	44" Tread Width	48" Tread Width
Thickness Grade	Material	2 Stringers <sup>(3)</sup>	3 Stringers <sup>(3)</sup>	3 Stringers(3)	3 Stringers(3)	3 Stringers <sup>(3)</sup>
Tillokiicss urauc	Depth <sup>(2)</sup>	Without Reinforcement	Without Reinforcement	Without Reinforcement	Without Reinforcement	Without Reinforcement
2 pcs 1¼" 1.3E	9½"	6'-8''	7'-6''	7'-6''	6'-8''	6'-8''
TimberStrand®	117/8"	10'-10''	12'-6''	11'-8''	11'-8''	11'-8''
LSL	14"	15'-0''	15'-0''	15'-0''	15'-0''	15'-0''
2 pcs 1½" 1.5E	9½"	7'-6''	8'-4''	8'-4''	7'-6''	7'-6''
TimberStrand®	117/8"	11'-8''	14'-2''	13'-4''	13'-4''	12'-6''
LSL	14"	15'-0''	15'-0''	15'-0''	15'-0''	15'-0''
2 pcs 1¾" 1.55E	9½"	7'-6''	9'-2''	8'-4''	8'-4''	8'-4''
TimberStrand®	117/8"	12'-6''	15'-0''	14'-2''	14'-2''	13'-4''
LSL	14"	15'-0''	15'-0''	15'-0''	15'-0''	15'-0''

- (1) Tables are based on IRC requirments: maximum riser height of 7¾" and a minimum tread depth of 10", with a max story height of 151".
- (2) Minimum throat depths are as follows:  $3\frac{3}{8}$ " min. at  $9\frac{1}{2}$ " rim board,  $5\frac{3}{4}$ " min. at  $11\frac{7}{8}$ " rim board,  $7\frac{7}{8}$ " min. at 14" rim board.
- (3) Each stringer requires 2 pieces: 2 stringers = 4 pieces total, 3 stringers = 6 pieces total.

## IBC Maximum Stringer Run — 100 psf Live Load/12 psf Dead Load(1)

			-			
			nd Width	42" Tread Width	44" Tread Width	48" Tread Width
Thickness Grade	Material	2 Stringers <sup>(3)</sup>	3 Stringers <sup>(3)</sup>	3 Stringers <sup>(3)</sup>	3 Stringers <sup>(3)</sup>	3 Stringers <sup>(3)</sup>
Tillekiless ul auc	Depth <sup>(2)</sup>	Without Reinforcement	Without Reinforcement	Without Reinforcement	Without Reinforcement	Without Reinforcement
2 pcs 1¼" 1.3E	9½"	5'-6''	5'-6''	5'-6''	5'-6''	5'-6''
TimberStrand®	117/8"	8'-3''	10'-1''	9'-2''	9'-2''	9'-2"
LSL	14"	11'-0''	12'-10''	11'-11''	11'-11''	11'-11''
2 pcs 1½" 1.5E	9½"	5'-6''	6'-5''	6'-5''	6'-5''	6'-5''
TimberStrand® LSL	117/8"	9'-2''	11'-0''	10'-1''	10'-1''	10'-1''
LSL	14"	12'-10''	14'-8''	13'-9''	13'-9''	12'-10''
2 nec 13/4" 1 55E	9½"	6'-5''	7'-4''	6'-5''	6'-5''	6'-5''
2 pcs 1¾" 1.55E TimberStrand®	117/8"	10'-1''	11'-11''	11'-0''	11'-0''	10'-1''
LSL	14"	13'-9''	15'-7''	14'-8''	14'-8''	13'-9''

- (1) Tables are based on IBC requirments: maximum riser height of 7" and a minimum tread depth of 11", with a max story height of 144".
- (2) Minimum throat depths are as follows: 35/8" min. at 91/2" rim board, 6" min. at 117/8" rim board, 81/8" min. at 14" rim board.
- (3) Each stringer requires 2 pieces: 2 stringers = 4 pieces total, 3 stringers = 6 pieces total.

# U.S. Allowable Design Stresses (100% Load Duration)

	•					
Product Grade (Joist/ Beam Oreientation)	G Shear Modulus of Elasticity (psi)	E Modulus of Elasticity (psi)	F <sub>b</sub> Flexural Stress (psi)	F <sub>c⊥</sub> Compression perpendicular to grain <sup>(2)</sup> (psi)	F <sub>cll</sub> Compression parallel to grain (psi)	F <sub>v</sub> Horizontal shear parallel to grain (psi)
1.3E TimberStrand® LSL	81,250	1.3 x 10 <sup>6</sup>	1700(3)	710	1835	425
1.5E TimberStrand® LSL	93,750	1.5 x 10 <sup>6</sup>	2250(3)	860	2105	505
1.55E TimberStrand® LSL	96,875	1.55 x 10 <sup>6</sup>	2325(3)	900	2170	310

<sup>(1)</sup> When structural members qualify as repetitive members in accordance with the applicable building code, a 4% increase in permitted for  $F_b$  in addition to the increase permitted in footnote 3.

<sup>(2)</sup>  $F_{c\perp}$  may not be increased for duration of load.


<sup>(3)</sup> For 12" depth. For other depths, multiply F<sub>b</sub> by the appropriated factor as follows: for TimberStrand® LSL multiply by (12/d)<sup>0.092</sup>


# TIMBERSTRAND® LSL STAIR STRINGERS

**Two Stringer Option** 

#### **Three Stringer Option**







## 1-PLY TIMBERSTRAND® LSL STRINGERS

#### NBCC-Private Maximum Stringer Run — 40 psf Live Load/15 psf Dead Load(1)

			36" Trea	nd Width		42" Trea	nd Width	44" Trea	nd Width	48" Trea	nd Width
Thickness	Material	2 Stri	ngers	3 Stri	ngers	ers 3 Stringers		3 Stringers		3 Stringers	
Grade	Depth <sup>(2)</sup>	Without Reinforcement	With Reinforcement								
1¼" 1.3E	9½"	5'-0''	5'-10''	5'-10''	7'-6''	5'-10''	6'-8''	5'-0''	6'-8''	5'-0''	6'-8''
TimberStrand®	117/8"	8'-4''	9'-2''	10'-0''	10'-11''	9'-2''	10'-0''	9'-2''	10'-0''	9'-2''	10'-0''
LSL	14"	11'-9''	11'-9''	13'-5''	13'-5''	12'-7''	12'-7''	12'-7''	12'-7''	11'-9''	11'-9''
1½" 1.5E	9½"	5'-10''	6'-8''	6'-8''	7'-6''	5'-10''	7'-6''	5'-10''	7'-6''	5'-10''	6'-8''
TimberStrand®	117/8"	9'-2''	10'-0''	10'-11''	11'-9''	10'-0''	11'-9''	10'-0''	10'-11''	10'-0''	10'-11''
LSL	14"	12'-7''	12'-7''	14'-3''	14'-3''	14'-3''	14'-3''	13'-5''	13'-5''	13'-5''	13'-5''
1¾" 1.55E	9½"	5'-10''	6'-8''	6'-8''	8'-4''	6'-8''	7'-6''	6'-8''	7'-6''	6'-8''	7'-6''
TimberStrand®	117/8"	10'-0''	10'-11''	11'-9''	12'-7''	10'-11''	11'-9''	10'-11''	11'-9''	10'-0''	11'-9''
LSL	14"	13'-5''	13'-5''	14'-3''	14'-3''	14'-3''	14'-3''	14'-3''	14'-3''	14'-3''	14'-3''

<sup>(1)</sup> Tables are based on NBCC section 9.8.4.1 and 9.8.4.2. Private requirements: maximum riser height of 7.9"(200 mm) and a minimum tread depth of 10"(255 mm), with a max. story height of 145.7"(3.7 m).

# NBCC-Public Maximum Stringer Run — 100 psf Live Load/15 psf Dead Load(1)

			36" Trea	ad Width		42" Tread Width		44" Trea	ad Width	48" Tread Width	
Thickness	Material	2 Stringers		3 Stri	ngers 3 Stringers		3 Stringers		3 Stringers		
Grade	Depth <sup>(2)</sup>	Without Reinforcement	With Reinforcement								
1¼" 1.3E	9½"	3'-8''	4'-7''	4'-7''	5'-6''	4'-7''	5'-6''	4'-7''	5'-6''	4'-7''	4'-7''
TimberStrand®	117/8"	6'-5''	7'-4''	7'-4''	8'-3''	7'-4''	8'-3''	7'-4''	8'-3''	6'-5''	7'-4''
Lat	14"	9'-2''	9'-2''	10'-1''	10'-1''	10'-1''	10'-1''	9'-2''	9'-2''	9'-2''	9'-2''
1½" 1.5E	9½"	4'-7''	5'-6''	5'-6''	6'-5''	4'-7''	5'-6''	4'-7''	5'-6''	4'-7''	5'-6''
TimberStrand®	117/8"	7'-4''	8'-3''	8'-3''	9'-2''	8'-3''	9'-2''	8'-3''	8'-3''	7'-4''	8'-3''
Lat	14"	10'-1''	10'-1''	11'-0''	11'-0''	11'-0''	11'-0''	11'-0''	11'-0''	10'-1''	10'-1''
1¾" 1.55E	9½"	4'-7''	5'-6''	5'-6''	6'-5''	5'-6''	5'-6''	5'-6''	5'-6''	4'-7''	5'-6''
TimberStrand®	117/8"	8'-3''	8'-3''	9'-2''	10'-1''	8'-3''	9'-2''	8'-3''	9'-2''	8'-3''	9'-2''
LSL	14"	11'-0''	11'-0''	11'-11''	11'-11''	11'-11''	11'-11''	11'-0''	11'-0''	11'-0''	11'-0''

<sup>(1)</sup> Tables are based on NBCC section 9.8.4.1 and 9.8.4.2. Public requirements: maximum riser height of 7.1"(180 mm) and a minimum tread depth of 11"(280 mm), with a max. story height of 145.7"(3.7 m).

#### **General Notes**

- Maximum stringer runs shown are more restrictive of simple or continuous span and based on Canadian Limit States Design.
- Deflection criteria of L/360 live load and L/240 total load.
- For 2-ply stringers, attach together with 2 rows of 0.131" x 2½" at 12" on center. Use 0.131" x 3" nails for 1¾" stringers.
- Use subfloor adhesive to improve stair performance and minimize squeaks. See adhesive recommendations on page 2.
- Keep materials dry. Add a vapor barrier at the bottom of the stair stringer if it is in contact with concrete.
- The attachment details shown are suggestions only; alternate details are possible. Responsibility remains with the design professional of record.
- For assistance with loading conditions and stair configurations not shown, contact your Weyerhaeuser representative.

# General Guidelines for Calculating Step Rise and Run

- The rise times the run should equal approximately 75".
- Two times the rise plus one run should equal approximately 25".
- Rise plus run should be 17" to 18".

<sup>(2)</sup> Minimum throat depths are as follows: 33/s" min. at 9½" rim board, 5¾" min. at 11½s" rim board, 7½s" min. at 14" rim board.

<sup>(2)</sup> Minimum throat depths are as follows: 35/8" min. at 9½" rim board, 6" min. at 117/8" rim board, 81/8" min. at 14" rim board.

## 2-PLY TIMBERSTRAND® LSL STRINGERS



# NBCC-Private Maximum Stringer Run — 40 psf Live Load/15 psf Dead Load(1)

		36" Trea	nd Width	42" Tread Width	44" Tread Width	48" Tread Width
Thickness Grade	Material	2 Stringers <sup>(3)</sup>	3 Stringers <sup>(3)</sup>	3 Stringers(3)	3 Stringers(3)	3 Stringers <sup>(3)</sup>
THICKHESS OF AUG	Depth <sup>(2)</sup>	Without Reinforcement	Without Reinforcement	Without Reinforcement	Without Reinforcement	Without Reinforcement
2 pcs 1¼" 1.3E	9½"	6'-8''	7'-6''	6'-8''	6'-8''	6'-8''
TimberStrand®	117/8"	10'-11''	12'-7''	11'-9''	11'-9''	10'-11''
LSL	14"	14'-3''	14'-3''	14'-3''	14'-3''	14'-3''
2 pcs 1½" 1.5E	9½"	7'-6''	8'-4''	7'-6''	7'-6''	7'-6''
TimberStrand®	117/8"	11'-9''	13'-5''	13'-5''	12'-7''	12'-7''
LSL	14"	14'-3''	14'-3''	14'-3''	14'-3''	14'-3''
2 pcs 1¾" 1.55E	9½"	7'-6''	9'-2''	8'-4''	8'-4''	8'-4''
TimberStrand®	117/8"	12'-7''	14'-3''	14'-3''	13'-5''	13'-5''
LSL	14"	14'-3''	14'-3''	14'-3''	14'-3''	14'-3''

<sup>(1)</sup> Tables are based on NBCC section 9.8.4.1 and 9.8.4.2. Private requirements: maximum riser height of 7.9"(200 mm) and a minimum tread depth of 10"(255 mm), with a max. story height of 145.7"(3.7 m).

# NBCC-Public Maximum Stringer Run — 100 psf Live Load/15 psf Dead Load(1)

		36" Trea	nd Width	42" Tread Width	44" Tread Width	48" Tread Width	
Thickness Grade	Material	2 Stringers <sup>(3)</sup>	3 Stringers <sup>(3)</sup>	3 Stringers(3)	3 Stringers(3)	3 Stringers <sup>(3)</sup>	
Tillokiicss urauc	Depth <sup>(2)</sup>	Without Reinforcement	Without Reinforcement	Without Reinforcement	Without Reinforcement	Without Reinforcement	
2 pcs 1¼" 1.3E	9½"	5'-6''	5'-6''	5'-6''	5'-6''	5'-6''	
TimberStrand®	117/8"	8'-3''	9'-2''	9'-2''	9'-2''	8'-3''	
LSL	14"	11'-0''	12'-10''	11'-11''	11'-11''	11'-11''	
2 pcs 1½" 1.5E	9½"	5'-6''	6'-5''	6'-5''	6'-5''	5'-6''	
TimberStrand®	117/8"	9'-2''	11'-0''	10'-1''	10'-1''	10'-1''	
LSL	14"	12'-10''	14'-8''	13'-9''	13'-9''	12'-10''	
2 pcs 1¾" 1.55E	9½"	6'-5''	7'-4''	6'-5''	6'-5''	6'-5''	
TimberStrand®	117/8"	10'-1''	11'-0''	11'-0''	11'-0''	10'-1''	
LSL	14"	13'-9''	15'-7''	14'-8''	14'-8''	13'-9''	

<sup>(1)</sup> Tables are based on NBCC section 9.8.4.1 and 9.8.4.2. Public requirements: maximum riser height of 7.1"(180 mm) and a minimum tread depth of 11"(280 mm), with a max. story height of 145.7"(3.7 m).

# Specified Strengths(1) and Moduli of Elasticity (Standard Term)

Product Grade (Joist/ Beam Oreientation)	G Shear Modulus of Elasticity (psi)	E Modulus of Elasticity (psi)	f <sub>b</sub> Flexural Stress <sup>(2)</sup> (psi)	f <sub>c⊥</sub> Compression perpendicular to grain <sup>(3)</sup> (psi)	f <sub>cII</sub> Compression parallel to grain (psi)	f <sub>v</sub> Horizontal shear parallel to grain (psi)
1.3E TimberStrand® LSL	81,250	1.3 x 10 <sup>6</sup>	3,140(4)	1295	2930	780
1.5E TimberStrand® LSL	93,750	1.5 x 10 <sup>6</sup>	4160(4)	1565	3355	935
1.55E TimberStrand® LSL	96,875	1.55 x 10 <sup>6</sup>	4295(4)	1635	3465	575

<sup>(1)</sup> To obtain factored resistances, apply the appropriate formulae from CSA 086 to the specified strengths shown.

<sup>(2)</sup> Minimum throat depths are as follows: 33/8" min. at 91/2" rim board, 53/4" min. at 117/8" rim board, 77/8" min. at 14" rim board.

<sup>(3)</sup> Each stringer requires 2 pieces: 2 stringers = 4 pieces total, 3 stringers = 6 pieces total.

<sup>(2)</sup> Minimum throat depths are as follows: 35/8" min. at 9½" rim board, 6" min. at 117/8" rim board, 81/8" min. at 14" rim board.

<sup>(3)</sup> Each stringer requires 2 pieces: 2 stringers = 4 pieces total, 3 stringers = 6 pieces total.

<sup>(2)</sup> When structural members qualify as repetitive members in accordance with CSA 086, a 4% increase in permitted for fb in addition to the increases permitted in footnote 4.

<sup>(3)</sup> f<sub>c⊥</sub> may not be increased for duration of load.

<sup>(4)</sup> For 12" depth. For other depths, multiply f<sub>b</sub> by the appropriated factor as follows: for TimberStrand® LSL multiply by (12/d)<sup>0.092</sup>

# **WE CAN HELP YOU BUILD SMARTER**



You want to build solid and durable structures—we want to help. Weyerhaeuser provides high-quality building products and unparalleled technical and field assistance to support you and your project from start to finish.

Floors and Roofs: Start with the best framing components in the industry: our Trus Joist® TJI® joists; TimberStrand® LSL rim board; and TimberStrand® LSL, Microllam® LVL, and Parallam® PSL headers and beams. Pull them all together with our self-gapping and self-draining Weyerhaeuser Edge Gold™ floor panels and durable Weyerhaeuser roof sheathing.

**Walls:** Get the best value out of your framing package—use TimberStrand® LSL studs for tall walls, kitchens, and bathrooms, and our traditional, solid-sawn lumber everywhere else. Cut down installation time by using TimberStrand® LSL headers for doors and windows, and Weyerhaeuser wall sheathing with its handy two-way nail lines.

**Software Solutions:** Whether you are a design professional or lumber dealer, Weyerhaeuser offers an array of software packages to help you specify individual framing members, create cut lists, manage inventories—even help you design a complete structural frame. Contact your Weyerhaeuser representative to find out how to get the software you need.

**Technical Support:** Need technical help? Weyerhaeuser has one of the largest networks of engineers and sales representatives in the business. Call us for help, and a skilled member from our team of experts will answer your questions and work with you to develop solutions that meet all your structural framing needs.





Visit weyerhaeuser.com/woodproducts/warranty for copies of this and other Trus Joist® Engineered Wood Product warranties.

#### **CONTACT US**

1888.453.8358 • weyerhaeuser.com/woodproducts/contact

#### **Product Storage**



Protect product from sun and water

CAUTION: Wrap is slippery when wet or icy

Align stickers (2x3 or larger) directly over support blocks

Use support blocks (6x6 or larger) at 10' on-center to keep bundles out of mud and water

June 2021 • Reorder 9010

This document supersedes all previous versions. If this is more than one year old, contact your dealer or Weyerhaeuser rep.

A, Weyerhaeuser, SturdiStep, TimberStrand and Trus Joist are registered trademarks of Weyerhaeuser NR. © 2021 Weyerhaeuser NR Company. All rights reserved. Printed in the USA