

Programming Principles in Python (CSCI 503/490)

Arrays

Dr. David Koop

Match Statement

- Python 3.10 added a match statement that can be used like a switch statement
- ```
match val:
 case 1:
 print('1st')
 case 2:
 print('2nd')
 case _:
 print('???')
```
- ... but this isn't better than if/elif or a dictionary dispatch
- The reason it was introduced is that it can do **more** than a switch statement

# Structural Pattern Matching

---

- Besides literal cases, match statements can be used to
  - differentiate structure
  - assign values
  - differentiate class instances

- Example:

```
match sys.argv:
 case [_, "commit"]:
 print("Committing")
 case [_, 'add', fname]:
 print("Adding file", fname)
```

# Patterns

---

- Sequence Pattern:

```
match sys.argv:
 case [_, "commit"]:
 print("Committing")
 case [_, 'add', *fnames]:
 print("Adding files", fnames)
```

- Or and As Pattern:

```
match command.split():
 case ["go", ("north" | "south" | "east" | "west") as d]:
 current_room = current_room.neighbor(d)
```

# Mapping Pattern

---

- ```
for action in actions:  
  match action:  
    case {"text": message, "color": c}:  
      ui.set_text_color(c)  
      ui.display(message)  
    case {"sleep": duration}:  
      ui.wait(duration)  
    case {"sound": str(url), "format": "mp3"}:  
      ui.play(url)  
    case {"sound": _, "format": fmt, **rest}:  
      warning("Unsupported audio format", fmt, rest)
```
- Remember: Any unmatched key-value pairs are **ignored!**
- Can capture other pairs using `**rest`

Class Pattern

- `@dataclass`

```
class Click:
    x: float
    y: float
    button: Button # enum(LEFT, MIDDLE, RIGHT)

for event in events:
    match event:
        case Click(x, y, button=Button.LEFT):
            print("GOT a left click", x, y)
        case Click():
            print("GOT a click")
        case _:
            print("NO click")
```

Assignment 7

- Coming soon...

Arrays

What is the difference between an array and a list (or a tuple)?

Arrays

- Usually a fixed size—lists are meant to change size
- Are mutable—tuples are not
- Store only one type of data—lists and tuples can store any combination
- Are faster to access and manipulate than lists or tuples
- Can be multidimensional:
 - Can have list of lists or tuple of tuples but no guarantee on shape
 - Multidimensional arrays are rectangles, cubes, etc.

Why NumPy?

- Fast **vectorized** array operations for data munging and cleaning, subsetting and filtering, transformation, and any other kinds of computations
- Common array algorithms like sorting, unique, and set operations
- Efficient descriptive statistics and aggregating/summarizing data
- Data alignment and relational data manipulations for merging and joining together heterogeneous data sets
- Expressing conditional logic as array expressions instead of loops with `if-elif-else` branches
- Group-wise data manipulations (aggregation, transformation, function application).

[W. McKinney, Python for Data Analysis]

```
import numpy as np
```

Creating arrays

- `data1 = [6, 7, 8, 0, 1]`
`arr1 = np.array(data1)`
- `data2 = [[1.5, 2, 3, 4], [5, 6, 7, 8]]`
`arr2 = np.array(data2)`
- `data3 = np.array([6, "abc", 3.57])` # !!! check !!!
- Can check the type of an array in `dtype` property
- Types:
 - `arr1.dtype` # `dtype('int64')`
 - `arr3.dtype` # `dtype('<U21')`, unicode plus # chars

Types

- "But I thought Python wasn't stingy about types..."
- numpy aims for speed
- Able to do array arithmetic
- int16, int32, int64, float32, float64, bool, object
- Can specify type explicitly
 - `arr1_float = np.array(data1, dtype='float64')`
- `astype` method allows you to convert between different types of arrays:

```
arr = np.array([1, 2, 3, 4, 5])
arr.dtype
float_arr = arr.astype(np.float64)
```

numpy data types (dtypes)

Type	Type code	Description
int8, uint8	i1, u1	Signed and unsigned 8-bit (1 byte) integer types
int16, uint16	i2, u2	Signed and unsigned 16-bit integer types
int32, uint32	i4, u4	Signed and unsigned 32-bit integer types
int64, uint64	i8, u8	Signed and unsigned 64-bit integer types
float16	f2	Half-precision floating point
float32	f4 or f	Standard single-precision floating point; compatible with C float
float64	f8 or d	Standard double-precision floating point; compatible with C double and Python float object
float128	f16 or g	Extended-precision floating point
complex64, complex128, complex256	c8, c16, c32	Complex numbers represented by two 32, 64, or 128 floats, respectively
bool	?	Boolean type storing True and False values
object	O	Python object type; a value can be any Python object
string_	S	Fixed-length ASCII string type (1 byte per character); for example, to create a string dtype with length 10, use 'S10'
unicode_	U	Fixed-length Unicode type (number of bytes platform specific); same specification semantics as string_ (e.g., 'U10')

[W. McKinney, Python for Data Analysis]

Array Shape

- Our normal way of checking the size of a collection is... `len`
- How does this work for arrays?
- `arr1 = np.array([1, 2, 3, 6, 9])`
`len(arr1) # 5`
- `arr2 = np.array([[1.5, 2, 3, 4], [5, 6, 7, 8]])`
`len(arr2) # 2`
- All dimension lengths → shape: `arr2.shape # (2, 4)`
- Number of dimensions: `arr2.ndim # 2`
- Can also reshape an array:
 - `arr2.reshape(4, 2)`
 - `arr2.reshape(-1, 2) # what happens here?`

Speed Benefits

- Compare random number generation in pure Python versus numpy

- Python:

- `import random`

- ```
%timeit rolls_list = [random.randrange(1, 7)
 for i in range(0, 60_000)]
```

- With NumPy:

- `%timeit rolls_array = np.random.randint(1, 7, 60_000)`

- Significant speedup (80x+)



# Array Programming

---

- Lists:

- `c = []`  
  `for aa, bb in zip(a, b):`  
    `c.append(aa + bb)`

- How to improve this?

# Array Programming

---

- Lists:

- `c = []`  
  `for aa, bb in zip(a, b):`  
    `c.append(aa + bb)`
- `c = [aa + bb for aa, bb in zip(a, b)]`

- NumPy arrays:

- `c = a + b`

- More functional-style than imperative

- **Internal iteration** instead of external

# Operations

---

- `a = np.array([1, 2, 3])`  
`b = np.array([6, 4, 3])`
- (Array, Array) Operations (**Element-wise**)
  - Addition, Subtraction, Multiplication
  - `a + b` # `array([7, 6, 6])`
- (Scalar, Array) Operations (**Broadcasting**):
  - Addition, Subtraction, Multiplication, Division, Exponentiation
  - `a ** 2` # `array([1, 4, 9])`
  - `b + 3` # `array([9, 7, 6])`

# More on Array Creation

---

- Zeros: `np.zeros(10)`
- Ones: `np.ones((4,5))` # shape
- Empty: `np.empty((2,2))`
- `_like` versions: pass an existing array and matches shape with specified contents
- Range: `np.arange(15)` # constructs an array, not iterator!

# Indexing

---

- Same as with lists plus shorthand for 2D+
  - `arr1 = np.array([6, 7, 8, 0, 1])`
  - `arr1[1]`
  - `arr1[-1]`
- What about two dimensions?
  - `arr2 = np.array([[1.5, 2, 3, 4], [5, 6, 7, 8]])`
  - `arr[1][1]`
  - `arr[1,1]` # shorthand

# 2D Indexing

|        |   | axis 1 |     |     |
|--------|---|--------|-----|-----|
|        |   | 0      | 1   | 2   |
| axis 0 | 0 | 0,0    | 0,1 | 0,2 |
|        | 1 | 1,0    | 1,1 | 1,2 |
|        | 2 | 2,0    | 2,1 | 2,2 |

[W. McKinney, Python for Data Analysis]

# Slicing

---

- 1D: Similar to lists
  - `arr1 = np.array([6, 7, 8, 0, 1])`
  - `arr1[2:5]` # `np.array([8, 0, 1])`, sort of
- Can **mutate** original array:
  - `arr1[2:5] = 3` # supports assignment
  - `arr1` # the original array changed
- Slicing returns **views** (copy the array if original array shouldn't change)
  - `arr1[2:5]` # a view
  - `arr1[2:5].copy()` # a new array

# Slicing

---


- 2D+: comma separated indices as shorthand:
  - `arr2 = np.array([[1.5, 2, 3, 4], [5, 6, 7, 8]])`
  - `a[1:3, 1:3]`
  - `a[1:3, :]` # works like in single-dimensional lists
- Can combine index and slice in different dimensions
  - `a[1, :]` # gives a row
  - `a[:, 1]` # gives a column



# 2D Array Slicing

---

How to obtain the blue slice  
from array `arr`?




[W. McKinney, Python for Data Analysis]

# 2D Array Slicing

---

How to obtain the blue slice  
from array `arr`?







```
arr[:2, 1:]
```

[W. McKinney, Python for Data Analysis]

# 2D Array Slicing





How to obtain the blue slice from array `arr`?



[W. McKinney, Python for Data Analysis]

# 2D Array Slicing

How to obtain the blue slice from array `arr`?







| Expression               | Shape               |
|--------------------------|---------------------|
| <code>arr[:2, 1:]</code> | <code>(2, 2)</code> |

[W. McKinney, Python for Data Analysis]

# 2D Array Slicing

How to obtain the blue slice from array `arr`?




| Expression               | Shape               |
|--------------------------|---------------------|
| <code>arr[:2, 1:]</code> | <code>(2, 2)</code> |

|                         |                     |
|-------------------------|---------------------|
| <code>arr[2]</code>     | <code>(3,)</code>   |
| <code>arr[2, :]</code>  | <code>(3,)</code>   |
| <code>arr[2:, :]</code> | <code>(1, 3)</code> |


[W. McKinney, Python for Data Analysis]

# 2D Array Slicing


How to obtain the blue slice from array `arr`?




| Expression               | Shape               |
|--------------------------|---------------------|
| <code>arr[:2, 1:]</code> | <code>(2, 2)</code> |



|                         |                     |
|-------------------------|---------------------|
| <code>arr[2]</code>     | <code>(3,)</code>   |
| <code>arr[2, :]</code>  | <code>(3,)</code>   |
| <code>arr[2:, :]</code> | <code>(1, 3)</code> |




|                         |                     |
|-------------------------|---------------------|
| <code>arr[:, :2]</code> | <code>(3, 2)</code> |
|-------------------------|---------------------|




[W. McKinney, Python for Data Analysis]

# 2D Array Slicing


How to obtain the blue slice from array `arr`?




| Expression               | Shape               |
|--------------------------|---------------------|
| <code>arr[:2, 1:]</code> | <code>(2, 2)</code> |



|                         |                     |
|-------------------------|---------------------|
| <code>arr[2]</code>     | <code>(3,)</code>   |
| <code>arr[2, :]</code>  | <code>(3,)</code>   |
| <code>arr[2:, :]</code> | <code>(1, 3)</code> |



|                         |                     |
|-------------------------|---------------------|
| <code>arr[:, :2]</code> | <code>(3, 2)</code> |
|-------------------------|---------------------|



|                           |                     |
|---------------------------|---------------------|
| <code>arr[1, :2]</code>   | <code>(2,)</code>   |
| <code>arr[1:2, :2]</code> | <code>(1, 2)</code> |

[W. McKinney, Python for Data Analysis]

# More Reshaping

---

- reshape:
  - `arr2.reshape(4,2)` # returns new view
- resize:
  - `arr2.resize(4,2)` # no return, modifies `arr2` in place
- flatten:
  - `arr2.flatten()` # `array([1.5, 2., 3., 4., 5., 6., 7., 8.])`
- ravel:
  - `arr2.ravel()` # `array([1.5, 2., 3., 4., 5., 6., 7., 8.])`
- flatten and ravel look the same, but ravel is a **view**