

# Listing of DSM-5-TR Diagnoses and New ICD-10-CM Codes

| Disorder   | ICD-10-CM Code through September 30, 2022 | ICD-10-CM Code beginning October 1, 2022 |
|--|---|--|
| Diffuse traumatic brain injury with loss of consciousness of unspecified duration, Sequela [Example under Major or Mild Neurocognitive Disorder Due to Traumatic Brain Injury]   | S06.2X9S                                  | S06.2XAS                                 |
| Hepatic encephalopathy [Examples under Catatonic Disorder Due to Another Medical Condition and Delirium]   | K72.90                                    | K76.82                                   |
| Impairing Emotional Outbursts [Condition newly added to DSM-5-TR]  | Not applicable                            | R45.89                                   |
|  |   |  |
| Other Specified Delirium   | R41.0                                     | F05                                      |
| Unspecified Delirium   | R41.0                                     | F05                                      |
| <sup>a,c</sup> Major Neurocognitive Disorder Due to [Medical Etiology], With behavioral disturbance  | F02.81                                    | See replacement codes below              |
| <sup>a,c</sup> Major Neurocognitive Disorder Due to [Medical Etiology], Without behavioral disturbance (renamed Major neurocognitive disorder due to [Medical etiology], unspecified severity, without accompanying behavioral or psychological disturbance) | F02.80                                    | F02.80                                   |
| <sup>a</sup> Major Neurocognitive Disorder Due to [Medical Etiology], Mild, With agitation   | Not available                             | F02.A11                                  |
| <sup>a</sup> Major Neurocognitive Disorder Due to [Medical Etiology], Mild, With anxiety   | Not available                             | F02.A4                                   |
| <sup>a</sup> Major Neurocognitive Disorder Due to [Medical Etiology], Mild, With mood symptoms   | Not available                             | F02.A3                                   |
| <sup>a</sup> Major Neurocognitive Disorder Due to [Medical Etiology], Mild, With psychotic disturbance   | Not available                             | F02.A2                                   |
| <sup>a</sup> Major Neurocognitive Disorder Due to [Medical Etiology], Mild, With other behavioral or psychological disturbance   | Not available                             | F02.A18                                  |
| <sup>a</sup> Major Neurocognitive Disorder Due to [Medical Etiology], Mild, Without accompanying behavioral or psychological disturbance   | Not available                             | F02.A0                                   |
| <sup>a</sup> Major Neurocognitive Disorder Due to [Medical Etiology], Moderate, With agitation   | Not available                             | F02.B11                                  |
| <sup>a</sup> Major Neurocognitive Disorder Due to [Medical Etiology], Moderate, With anxiety   | Not available                             | F02.B4                                   |

<sup>a</sup>Medical etiologies comprise the following (with etiological codes): traumatic brain injury (code first S06.2XAS), HIV infection (code first B20), prion disease (code first A81.9), Huntington's disease (code first G10), another medical condition (code first the other medical condition), and multiple etiologies (code first all medical conditions that apply; for major neurocognitive disorder, vascular disease does not receive a medical code; if mild neurocognitive disorder due to probable vascular disease is present, code first I67.9 for vascular disease).

<sup>b</sup>Possible medical etiologies comprise the following (no additional medical code): Alzheimer's disease, frontotemporal degeneration, Lewy body disease, vascular disease, Parkinson's disease.

<sup>c</sup>Probable medical etiologies comprise the following (use etiological codes for probable diagnoses only; do not use with the possible etiologies): Alzheimer's disease (code first G30.9), frontotemporal degeneration (code first G31.09), Lewy body disease (code first G31.83), Parkinson's disease (code first G20). If mild neurocognitive disorder due to probable vascular disease is present, code first I67.9 for vascular disease. Major neurocognitive disorder due to probable vascular disease is not included here (see separate listings); vascular disease does not receive a medical code for major neurocognitive disorder.

|   |               |         |
|---|---------------|---------|
| <sup>a</sup> Major Neurocognitive Disorder Due to [Medical Etiology], <b>Moderate</b> , <b>With mood symptoms</b>   | Not available | F02.B3  |
| <sup>a</sup> Major Neurocognitive Disorder Due to [Medical Etiology], <b>Moderate</b> , <b>With psychotic disturbance</b>   | Not available | F02.B2  |
| <sup>a</sup> Major Neurocognitive Disorder Due to [Medical Etiology], <b>Moderate</b> , <b>With other behavioral or psychological disturbance</b>                       | Not available | F02.B18 |
| <sup>a</sup> Major Neurocognitive Disorder Due to [Medical Etiology], <b>Moderate</b> , <b>Without accompanying behavioral or psychological disturbance</b>             | Not available | F02.B0  |
| <sup>a</sup> Major Neurocognitive Disorder Due to [Medical Etiology], <b>Severe</b> , <b>With agitation</b>   | Not available | F02.C11 |
| <sup>a</sup> Major Neurocognitive Disorder Due to [Medical Etiology], <b>Severe</b> , <b>With anxiety</b>   | Not available | F02.C4  |
| <sup>a</sup> Major Neurocognitive Disorder Due to [Medical Etiology], <b>Severe</b> , <b>With mood symptoms</b>   | Not available | F02.C3  |
| <sup>a</sup> Major Neurocognitive Disorder Due to [Medical Etiology], <b>Severe</b> , <b>With psychotic disturbance</b>   | Not available | F02.C2  |
| <sup>a</sup> Major Neurocognitive Disorder Due to [Medical Etiology], <b>Severe</b> , <b>With other behavioral or psychological disturbance</b>                         | Not available | F02.C18 |
| <sup>a</sup> Major Neurocognitive Disorder Due to [Medical Etiology], <b>Severe</b> , <b>Without accompanying behavioral or psychological disturbance</b>               | Not available | F02.C0  |
| <sup>a</sup> Major Neurocognitive Disorder Due to [Medical Etiology], <b>Unspecified severity</b> , <b>With agitation</b>   | Not available | F02.811 |
| <sup>a</sup> Major Neurocognitive Disorder Due to [Medical Etiology], <b>Unspecified severity</b> , <b>With anxiety</b>   | Not available | F02.84  |
| <sup>a</sup> Major Neurocognitive Disorder Due to [Medical Etiology], <b>Unspecified severity</b> , <b>With mood symptoms</b>   | Not available | F02.83  |
| <sup>a</sup> Major Neurocognitive Disorder Due to [Medical Etiology], <b>Unspecified severity</b> , <b>With psychotic disturbance</b>                                   | Not available | F02.82  |
| <sup>a</sup> Major Neurocognitive Disorder Due to [Medical Etiology], <b>Unspecified severity</b> , <b>With other behavioral or psychological disturbance</b>           | Not available | F02.818 |
| <sup>a</sup> Major Neurocognitive Disorder Due to [Medical Etiology], <b>Unspecified severity</b> , <b>Without accompanying behavioral or psychological disturbance</b> | F02.80        | F02.80  |
|   |               |         |
| <sup>b</sup> Major Neurocognitive Disorder Due to <b>Possible</b> [Medical Etiology], <b>Mild</b> , <b>With agitation</b>   | Not available | F03.A11 |
| <sup>b</sup> Major Neurocognitive Disorder Due to <b>Possible</b> [Medical Etiology], <b>Mild</b> , <b>With anxiety</b>   | Not available | F03.A4  |

<sup>a</sup>Medical etiologies comprise the following (with etiological codes): traumatic brain injury (*code first S06.2XAS*), HIV infection (*code first B20*), prion disease (*code first A81.9*), Huntington's disease (*code first G10*), another medical condition (*code first the other medical condition*), and multiple etiologies (*code first all medical conditions that apply; for major neurocognitive disorder, vascular disease does not receive a medical code; if mild neurocognitive disorder due to probable vascular disease is present, code first I67.9 for vascular disease*).

<sup>b</sup>Possible medical etiologies comprise the following (no additional medical code): Alzheimer's disease, frontotemporal degeneration, Lewy body disease, vascular disease, Parkinson's disease.

<sup>c</sup>Probable medical etiologies comprise the following (use etiological codes for **probable** diagnoses only; do not use with the possible etiologies): Alzheimer's disease (*code first G30.9*), frontotemporal degeneration (*code first G31.09*), Lewy body disease (*code first G31.83*), Parkinson's disease (*code first G20*). *If mild neurocognitive disorder due to probable vascular disease is present, code first I67.9 for vascular disease. Major neurocognitive disorder due to probable vascular disease is not included here (see separate listings); vascular disease does not receive a medical code for major neurocognitive disorder.*

|   |               |         |
|---|---------------|---------|
| <sup>b</sup> Major Neurocognitive Disorder Due to Possible [Medical Etiology], Mild, With mood symptoms   | Not available | F03.A3  |
| <sup>b</sup> Major Neurocognitive Disorder Due to Possible [Medical Etiology], Mild, With psychotic disturbance                                       | Not available | F03.A2  |
| <sup>b</sup> Major Neurocognitive Disorder Due to Possible [Medical Etiology], Mild, With other behavioral or psychological disturbance               | Not available | F03.A18 |
| <sup>b</sup> Major Neurocognitive Disorder Due to Possible [Medical Etiology], Mild, Without accompanying behavioral or psychological disturbance     | Not available | F03.A0  |
| <sup>b</sup> Major Neurocognitive Disorder Due to Possible [Medical Etiology], Moderate, With agitation   | Not available | F03.B11 |
| <sup>b</sup> Major Neurocognitive Disorder Due to Possible [Medical Etiology], Moderate, With anxiety   | Not available | F03.B4  |
| <sup>b</sup> Major Neurocognitive Disorder Due to Possible [Medical Etiology], Moderate, With mood symptoms   | Not available | F03.B3  |
| <sup>b</sup> Major Neurocognitive Disorder Due to Possible [Medical Etiology], Moderate, With psychotic disturbance                                   | Not available | F03.B2  |
| <sup>b</sup> Major Neurocognitive Disorder Due to Possible [Medical Etiology], Moderate, With other behavioral or psychological disturbance           | Not available | F03.B18 |
| <sup>b</sup> Major Neurocognitive Disorder Due to Possible [Medical Etiology], Moderate, Without accompanying behavioral or psychological disturbance | Not available | F03.B0  |
| <sup>b</sup> Major Neurocognitive Disorder Due to Possible [Medical Etiology], Severe, With agitation   | Not available | F03.C11 |
| <sup>b</sup> Major Neurocognitive Disorder Due to Possible [Medical Etiology], Severe, With anxiety   | Not available | F03.C4  |
| <sup>b</sup> Major Neurocognitive Disorder Due to Possible [Medical Etiology], Severe, With mood symptoms   | Not available | F03.C3  |
| <sup>b</sup> Major Neurocognitive Disorder Due to Possible [Medical Etiology], Severe, With psychotic disturbance                                     | Not available | F03.C2  |
| <sup>b</sup> Major Neurocognitive Disorder Due to Possible [Medical Etiology], Severe, With other behavioral or psychological disturbance             | Not available | F03.C18 |
| <sup>b</sup> Major Neurocognitive Disorder Due to Possible [Medical Etiology], Severe, Without accompanying behavioral or psychological disturbance   | Not available | F03.C0  |
| <sup>b</sup> Major Neurocognitive Disorder Due to Possible [Medical Etiology], Unspecified severity, With agitation                                   | Not available | F03.911 |
| <sup>b</sup> Major Neurocognitive Disorder Due to Possible [Medical Etiology], Unspecified severity, With anxiety                                     | Not available | F03.94  |

<sup>a</sup>Medical etiologies comprise the following (with etiological codes): traumatic brain injury (code first **S06.2XAS**), HIV infection (code first **B20**), prion disease (code first **A81.9**), Huntington's disease (code first **G10**), another medical condition (code first the other medical condition), and multiple etiologies (code first all medical conditions that apply; for major neurocognitive disorder, vascular disease does not receive a medical code; if mild neurocognitive disorder due to probable vascular disease is present, code first **I67.9** for vascular disease).

<sup>b</sup>Possible medical etiologies comprise the following (no additional medical code): Alzheimer's disease, frontotemporal degeneration, Lewy body disease, vascular disease, Parkinson's disease.

<sup>c</sup>Probable medical etiologies comprise the following (use etiological codes for **probable** diagnoses only; do not use with the possible etiologies): Alzheimer's disease (code first **G30.9**), frontotemporal degeneration (code first **G31.09**), Lewy body disease (code first **G31.83**), Parkinson's disease (code first **G20**). If mild neurocognitive disorder due to probable vascular disease is present, code first **I67.9** for vascular disease. Major neurocognitive disorder due to probable vascular disease is not included here (see separate listings); vascular disease does not receive a medical code for major neurocognitive disorder.

|   |               |         |
|---|---------------|---------|
| <sup>b</sup> Major Neurocognitive Disorder Due to Possible [Medical Etiology], Unspecified severity, With mood symptoms   | Not available | F03.93  |
| <sup>b</sup> Major Neurocognitive Disorder Due to Possible [Medical Etiology], Unspecified severity, With psychotic disturbance                                   | Not available | F03.92  |
| <sup>b</sup> Major Neurocognitive Disorder Due to Possible [Medical Etiology], Unspecified severity, With other behavioral or psychological disturbance           | Not available | F03.918 |
| <sup>b</sup> Major Neurocognitive Disorder Due to Possible [Medical Etiology], Unspecified severity, Without accompanying behavioral or psychological disturbance | Not available | F03.90  |
|   |               |         |
| <sup>c</sup> Major Neurocognitive Disorder Due to Probable [Medical Etiology], Mild, With agitation   | Not available | F02.A11 |
| <sup>c</sup> Major Neurocognitive Disorder Due to Probable [Medical Etiology], Mild, With anxiety   | Not available | F02.A4  |
| <sup>c</sup> Major Neurocognitive Disorder Due to Probable [Medical Etiology], Mild, With mood symptoms   | Not available | F02.A3  |
| <sup>c</sup> Major Neurocognitive Disorder Due to Probable [Medical Etiology], Mild, With psychotic disturbance   | Not available | F02.A2  |
| <sup>c</sup> Major Neurocognitive Disorder Due to Probable [Medical Etiology], Mild, With other behavioral or psychological disturbance                           | Not available | F02.A18 |
| <sup>c</sup> Major Neurocognitive Disorder Due to Probable [Medical Etiology], Mild, Without accompanying behavioral or psychological disturbance                 | Not available | F02.A0  |
| <sup>c</sup> Major Neurocognitive Disorder Due to Probable [Medical Etiology], Moderate, With agitation   | Not available | F02.B11 |
| <sup>c</sup> Major Neurocognitive Disorder Due to Probable [Medical Etiology], Moderate, With anxiety   | Not available | F02.B4  |
| <sup>c</sup> Major Neurocognitive Disorder Due to Probable [Medical Etiology], Moderate, With mood symptoms   | Not available | F02.B3  |
| <sup>c</sup> Major Neurocognitive Disorder Due to Probable [Medical Etiology], Moderate, With psychotic disturbance   | Not available | F02.B2  |
| <sup>c</sup> Major Neurocognitive Disorder Due to Probable [Medical Etiology], Moderate, With other behavioral or psychological disturbance                       | Not available | F02.B18 |
| <sup>c</sup> Major Neurocognitive Disorder Due to Probable [Medical Etiology], Moderate, Without accompanying behavioral or psychological disturbance             | Not available | F02.B0  |
| <sup>c</sup> Major Neurocognitive Disorder Due to Probable [Medical Etiology], Severe, With agitation   | Not available | F02.C11 |
| <sup>c</sup> Major Neurocognitive Disorder Due to Probable [Medical Etiology], Severe, With anxiety   | Not available | F02.C4  |

<sup>a</sup>Medical etiologies comprise the following (with etiological codes): traumatic brain injury (code first S06.2XAS), HIV infection (code first B20), prion disease (code first A81.9), Huntington's disease (code first G10), another medical condition (code first the other medical condition), and multiple etiologies (code first all medical conditions that apply; for major neurocognitive disorder, vascular disease does not receive a medical code; if mild neurocognitive disorder due to probable vascular disease is present, code first I67.9 for vascular disease).

<sup>b</sup>Possible medical etiologies comprise the following (no additional medical code): Alzheimer's disease, frontotemporal degeneration, Lewy body disease, vascular disease, Parkinson's disease.

<sup>c</sup>Probable medical etiologies comprise the following (use etiological codes for probable diagnoses only; do not use with the possible etiologies): Alzheimer's disease (code first G30.9), frontotemporal degeneration (code first G31.09), Lewy body disease (code first G31.83), Parkinson's disease (code first G20). If mild neurocognitive disorder due to probable vascular disease is present, code first I67.9 for vascular disease. Major neurocognitive disorder due to probable vascular disease is not included here (see separate listings); vascular disease does not receive a medical code for major neurocognitive disorder.

|  |               |                         |
|--|---------------|-------------------------|
| Major Neurocognitive Disorder Due to Probable [Medical Etiology], Severe, With mood symptoms   | Not available | F02.C3                  |
| Major Neurocognitive Disorder Due to Probable [Medical Etiology], Severe, With psychotic disturbance   | Not available | F02.C2                  |
| Major Neurocognitive Disorder Due to Probable [Medical Etiology], Severe, With other behavioral or psychological disturbance                         | Not available | F02.C18                 |
| Major Neurocognitive Disorder Due to Probable [Medical Etiology], Severe, Without accompanying behavioral or psychological disturbance               | Not available | F02.C0                  |
| Major Neurocognitive Disorder Due to Probable [Medical Etiology], Unspecified severity, With agitation   | Not available | F02.811                 |
| Major Neurocognitive Disorder Due to Probable [Medical Etiology], Unspecified severity, With anxiety   | Not available | F02.84                  |
| Major Neurocognitive Disorder Due to Probable [Medical Etiology], Unspecified severity, With mood symptoms   | Not available | F02.83                  |
| Major Neurocognitive Disorder Due to Probable [Medical Etiology], Unspecified severity, With psychotic disturbance                                   | Not available | F02.82                  |
| Major Neurocognitive Disorder Due to Probable [Medical Etiology], Unspecified severity, With other behavioral or psychological disturbance           | Not available | F02.818                 |
| Major Neurocognitive Disorder Due to Probable [Medical Etiology], Unspecified severity, Without accompanying behavioral or psychological disturbance | Not available | F02.80                  |
| Major Neurocognitive Disorder Due to Vascular Disease, With behavioral disturbance   | F01.51        | See new F01 codes below |
| Major Neurocognitive Disorder Due to Probable Vascular Disease, Mild, With agitation   | Not available | F01.A11                 |
| Major Neurocognitive Disorder Due to Probable Vascular Disease, Mild, With anxiety   | Not available | F01.A4                  |
| Major Neurocognitive Disorder Due to Probable Vascular Disease, Mild, With mood symptoms   | Not available | F01.A3                  |
| Major Neurocognitive Disorder Due to Probable Vascular Disease, Mild, With psychotic disturbance   | Not available | F01.A2                  |
| Major Neurocognitive Disorder Due to Probable Vascular Disease, Mild, With other behavioral or psychological disturbance                             | Not available | F01.A18                 |
| Major Neurocognitive Disorder Due to Probable Vascular Disease, Mild, Without accompanying behavioral or psychological disturbance                   | Not available | F01.A0                  |
| Major Neurocognitive Disorder Due to Probable Vascular Disease, Moderate, With agitation   | Not available | F01.B11                 |

<sup>a</sup>Medical etiologies comprise the following (with etiological codes): traumatic brain injury (code first S06.2XAS), HIV infection (code first B20), prion disease (code first A81.9), Huntington's disease (code first G10), another medical condition (code first the other medical condition), and multiple etiologies (code first all medical conditions that apply; for major neurocognitive disorder, vascular disease does not receive a medical code; if mild neurocognitive disorder due to probable vascular disease is present, code first I67.9 for vascular disease).

<sup>b</sup>Possible medical etiologies comprise the following (no additional medical code): Alzheimer's disease, frontotemporal degeneration, Lewy body disease, vascular disease, Parkinson's disease.

<sup>c</sup>Probable medical etiologies comprise the following (use etiological codes for probable diagnoses only; do not use with the possible etiologies): Alzheimer's disease (code first G30.9), frontotemporal degeneration (code first G31.09), Lewy body disease (code first G31.83), Parkinson's disease (code first G20). If mild neurocognitive disorder due to probable vascular disease is present, code first I67.9 for vascular disease. Major neurocognitive disorder due to probable vascular disease is not included here (see separate listings); vascular disease does not receive a medical code for major neurocognitive disorder.

|  |               |         |
|--|---------------|---------|
| Major Neurocognitive Disorder Due to Probable Vascular Disease, Moderate, With anxiety   | Not available | F01.B4  |
| Major Neurocognitive Disorder Due to Probable Vascular Disease, Moderate, With mood symptoms   | Not available | F01.B3  |
| Major Neurocognitive Disorder Due to Probable Vascular Disease, Moderate, With psychotic disturbance   | Not available | F01.B2  |
| Major Neurocognitive Disorder Due to Probable Vascular Disease, Moderate, With other behavioral or psychological disturbance                       | Not available | F01.B18 |
| Major Neurocognitive Disorder Due to Probable Vascular Disease, Moderate, Without other behavioral or psychological disturbance                    | Not available | F01.B0  |
| Major Neurocognitive Disorder Due to Probable Vascular Disease, Severe, With agitation   | Not available | F01.C11 |
| Major Neurocognitive Disorder Due to Probable Vascular Disease, Severe, With anxiety   | Not available | F01.C4  |
| Major Neurocognitive Disorder Due to Probable Vascular Disease, Severe, With mood symptoms   | Not available | F01.C3  |
| Major Neurocognitive Disorder Due to Probable Vascular Disease, Severe, With psychotic disturbance   | Not available | F01.C2  |
| Major Neurocognitive Disorder Due to Probable Vascular Disease, Severe, With other behavioral or psychological disturbance                         | Not available | F01.C18 |
| Major Neurocognitive Disorder Due to Probable Vascular Disease, Severe, Without accompanying behavioral or psychological disturbance               | Not available | F01.C0  |
| Major Neurocognitive Disorder Due to Probable Vascular Disease, Unspecified severity, With agitation   | Not available | F01.511 |
| Major Neurocognitive Disorder Due to Probable Vascular Disease, Unspecified severity, With anxiety   | Not available | F01.54  |
| Major Neurocognitive Disorder Due to Probable Vascular Disease, Unspecified severity, With mood symptoms   | Not available | F01.53  |
| Major Neurocognitive Disorder Due to Probable Vascular Disease, Unspecified severity, With psychotic disturbance                                   | Not available | F01.52  |
| Major Neurocognitive Disorder Due to Probable Vascular Disease, Unspecified severity, With other behavioral or psychological disturbance           | Not available | F01.518 |
| Major Neurocognitive Disorder Due to Probable Vascular Disease, Unspecified severity, Without accompanying behavioral or psychological disturbance | F01.50        | F01.50  |
| Major Neurocognitive Disorder Due to Unknown Etiology, Mild, With agitation  | Not available | F03.A11 |

<sup>a</sup>Medical etiologies comprise the following (with etiological codes): traumatic brain injury (code first S06.2XAS), HIV infection (code first B20), prion disease (code first A81.9), Huntington's disease (code first G10), another medical condition (code first the other medical condition), and multiple etiologies (code first all medical conditions that apply; for major neurocognitive disorder, vascular disease does not receive a medical code; if mild neurocognitive disorder due to probable vascular disease is present, code first I67.9 for vascular disease).

<sup>b</sup>Possible medical etiologies comprise the following (no additional medical code): Alzheimer's disease, frontotemporal degeneration, Lewy body disease, vascular disease, Parkinson's disease.

<sup>c</sup>Probable medical etiologies comprise the following (use etiological codes for probable diagnoses only; do not use with the possible etiologies): Alzheimer's disease (code first G30.9), frontotemporal degeneration (code first G31.09), Lewy body disease (code first G31.83), Parkinson's disease (code first G20). If mild neurocognitive disorder due to probable vascular disease is present, code first I67.9 for vascular disease. Major neurocognitive disorder due to probable vascular disease is not included here (see separate listings); vascular disease does not receive a medical code for major neurocognitive disorder.

|  |               |         |
|--|---------------|---------|
| Major Neurocognitive Disorder Due to Unknown Etiology, <b>Mild</b> , <b>With anxiety</b>   | Not available | F03.A4  |
| Major Neurocognitive Disorder Due to Unknown Etiology, <b>Mild</b> , <b>With mood symptoms</b>   | Not available | F03.A3  |
| Major Neurocognitive Disorder Due to Unknown Etiology, <b>Mild</b> , <b>With psychotic disturbance</b>                                       | Not available | F03.A2  |
| Major Neurocognitive Disorder Due to Unknown Etiology, <b>Mild</b> , <b>With other behavioral or psychological disturbance</b>               | Not available | F03.A18 |
| Major Neurocognitive Disorder Due to Unknown Etiology, <b>Mild</b> , <b>Without accompanying behavioral or psychological disturbance</b>     | Not available | F03.A0  |
| Major Neurocognitive Disorder Due to Unknown Etiology, <b>Moderate</b> , <b>With agitation</b>   | Not available | F03.B11 |
| Major Neurocognitive Disorder Due to Unknown Etiology, <b>Moderate</b> , <b>With anxiety</b>   | Not available | F03.B4  |
| Major Neurocognitive Disorder Due to Unknown Etiology, <b>Moderate</b> , <b>With mood symptoms</b>   | Not available | F03.B3  |
| Major Neurocognitive Disorder Due to Unknown Etiology, <b>Moderate</b> , <b>With psychotic disturbance</b>                                   | Not available | F03.B2  |
| Major Neurocognitive Disorder Due to Unknown Etiology, <b>Moderate</b> , <b>With other behavioral or psychological disturbance</b>           | Not available | F03.B18 |
| Major Neurocognitive Disorder Due to Unknown Etiology, <b>Moderate</b> , <b>Without accompanying behavioral or psychological disturbance</b> | Not available | F03.B0  |
| Major Neurocognitive Disorder Due to Unknown Etiology, <b>Severe</b> , <b>With agitation</b>   | Not available | F03.C11 |
| Major Neurocognitive Disorder Due to Unknown Etiology, <b>Severe</b> , <b>With anxiety</b>   | Not available | F03.C4  |
| Major Neurocognitive Disorder Due to Unknown Etiology, <b>Severe</b> , <b>With mood symptoms</b>   | Not available | F03.C3  |
| Major Neurocognitive Disorder Due to Unknown Etiology, <b>Severe</b> , <b>With psychotic disturbance</b>                                     | Not available | F03.C2  |
| Major Neurocognitive Disorder Due to Unknown Etiology, <b>Severe</b> , <b>With other behavioral or psychological disturbance</b>             | Not available | F03.C18 |
| Major Neurocognitive Disorder Due to Unknown Etiology, <b>Severe</b> , <b>Without accompanying behavioral or psychological disturbance</b>   | Not available | F03.C0  |
| Major Neurocognitive Disorder Due to Unknown Etiology, <b>Unspecified severity</b> , <b>With agitation</b>                                   | Not available | F03.911 |

<sup>a</sup>Medical etiologies comprise the following (with etiological codes): traumatic brain injury (*code first S06.2XAS*), HIV infection (*code first B20*), prion disease (*code first A81.9*), Huntington's disease (*code first G10*), another medical condition (*code first the other medical condition*), and multiple etiologies (*code first all medical conditions that apply; for major neurocognitive disorder, vascular disease does not receive a medical code; if mild neurocognitive disorder due to probable vascular disease is present, code first I67.9 for vascular disease*).

<sup>b</sup>Possible medical etiologies comprise the following (no additional medical code): Alzheimer's disease, frontotemporal degeneration, Lewy body disease, vascular disease, Parkinson's disease.

<sup>c</sup>Probable medical etiologies comprise the following (use etiological codes for **probable** diagnoses only; do not use with the possible etiologies): Alzheimer's disease (*code first G30.9*), frontotemporal degeneration (*code first G31.09*), Lewy body disease (*code first G31.83*), Parkinson's disease (*code first G20*). *If mild neurocognitive disorder due to probable vascular disease is present, code first I67.9 for vascular disease. Major neurocognitive disorder due to probable vascular disease is not included here (see separate listings); vascular disease does not receive a medical code for major neurocognitive disorder.*

|  |               |         |
|--|---------------|---------|
| Major Neurocognitive Disorder Due to Unknown Etiology, <b>Unspecified severity</b> , <b>With anxiety</b>   | Not available | F03.94  |
| Major Neurocognitive Disorder Due to Unknown Etiology, <b>unspecified severity</b> , <b>With mood symptoms</b>   | Not available | F03.93  |
| Major Neurocognitive Disorder Due to Unknown Etiology, <b>Unspecified severity</b> , <b>With psychotic disturbance</b>                                   | Not available | F03.92  |
| Major Neurocognitive Disorder Due to Unknown Etiology, <b>Unspecified severity</b> , <b>With other behavioral or psychological disturbance</b>           | Not available | F03.918 |
| Major Neurocognitive Disorder Due to Unknown Etiology, <b>Unspecified severity</b> , <b>Without accompanying behavioral or psychological disturbance</b> | Not available | F03.90  |
|  |               |         |
| <sup>a</sup> Mild Neurocognitive Disorder Due to [Medical Etiology], With behavioral disturbance   | G31.84        | F06.71  |
| <sup>a</sup> Mild Neurocognitive Disorder Due to [Medical Etiology], Without behavioral disturbance  | G31.84        | F06.70  |
| <sup>b</sup> Mild Neurocognitive Disorder Due to <b>Possible</b> [Medical Etiology], With behavioral disturbance   | G31.84        | G31.84  |
| <sup>b</sup> Mild Neurocognitive Disorder Due to <b>Possible</b> [Medical Etiology], Without behavioral disturbance                                      | G31.84        | G31.84  |
| <sup>c</sup> Mild Neurocognitive Disorder Due to <b>Probable</b> [Medical Etiology], With behavioral disturbance   | G31.84        | F06.71  |
| <sup>c</sup> Mild Neurocognitive Disorder Due to <b>Probable</b> [Medical Etiology], Without behavioral disturbance                                      | G31.84        | F06.70  |
| Mild Neurocognitive Disorder Due to Unknown Etiology   | G31.84        | G31.84  |
|  |               |         |
| Nonadherence to Medical Treatment  | Z91.19        | Z91.199 |
| Other Specified Trauma- and Stressor-Related Disorder  | F43.8         | F43.89  |
| Prolonged Grief Disorder   | F43.8         | F43.81  |

<sup>a</sup>Medical etiologies comprise the following (with etiological codes): traumatic brain injury (*code first S06.2XAS*), HIV infection (*code first B20*), prion disease (*code first A81.9*), Huntington's disease (*code first G10*), another medical condition (*code first the other medical condition*), and multiple etiologies (*code first all medical conditions that apply; for major neurocognitive disorder, vascular disease does not receive a medical code; if mild neurocognitive disorder due to probable vascular disease is present, code first I67.9 for vascular disease*).

<sup>b</sup>Possible medical etiologies comprise the following (no additional medical code): Alzheimer's disease, frontotemporal degeneration, Lewy body disease, vascular disease, Parkinson's disease.

<sup>c</sup>Probable medical etiologies comprise the following (use etiological codes for **probable** diagnoses only; do not use with the possible etiologies): Alzheimer's disease (*code first G30.9*), frontotemporal degeneration (*code first G31.09*), Lewy body disease (*code first G31.83*), Parkinson's disease (*code first G20*). *If mild neurocognitive disorder due to probable vascular disease is present, code first I67.9 for vascular disease. Major neurocognitive disorder due to probable vascular disease is not included here (see separate listings); vascular disease does not receive a medical code for major neurocognitive disorder.*



## Coding Corrections (Effective Immediately)

| Disorder  | Prior Code | Correct Code |
|---|------------|--------------|
| Food insecurity   | F59.41     | Z59.41       |
| Opioid-Induced Anxiety Disorder, With mild use disorder               | F11.180    | F11.188      |
| Opioid-Induced Anxiety Disorder, With moderate or severe use disorder | F11.280    | F11.288      |
| Opioid-Induced Anxiety Disorder, Without use disorder                 | F11.980    | F11.988      |
| Current Suicidal Behavior, Initial encounter                          | T14.91A    | T14.91XA     |
| Current Suicidal Behavior, Subsequent encounter                       | T14.91D    | T14.91XD     |