



Pearson

Pearson Edexcel Level 3 Advanced Subsidiary and Advanced GCE in Statistics

Statistical formulae and tables

For first certification from June 2018 for:
Advanced Subsidiary GCE in Statistics (8ST0)

For first certification from June 2019 for:
Advanced GCE in Statistics (9ST0)

This copy is the property of Pearson. It is not to be removed from the examination room or marked in any way.

P58394A

©2017 Pearson Education Ltd.

1/1/1/1/1/1/

Edexcel, BTEC and LCCI qualifications

Edexcel, BTEC and LCCI qualifications are awarded by Pearson, the UK's largest awarding body offering academic and vocational qualifications that are globally recognised and benchmarked. For further information, please visit our qualification website at qualifications.pearson.com. Alternatively, you can get in touch with us using the details on our contact us page at qualifications.pearson.com/contactus

About Pearson

Pearson is the world's leading learning company, with 35,000 employees in more than 70 countries working to help people of all ages to make measurable progress in their lives through learning. We put the learner at the centre of everything we do, because wherever learning flourishes, so do people. Find out more about how we can help you and your learners at qualifications.pearson.com

All information in this document is correct at time of publication.

ISBN 978 1 4469 4764 7

All the material in this publication is copyright
© Pearson Education Limited 2017

Contents

1	Introduction	1
2	AS Level in Statistics	2
3	A Level in Statistics	4
4	Statistical Tables	8
	Table 1: Cumulative Binomial Distribution Function	8
	Table 2: Cumulative Poisson Distribution Function	15
	Table 3: Normal Distribution Function	17
	Table 4: Percentage Points of the Normal Distribution	18
	Table 5: Percentage Points of the Student's t -distribution	19
	Table 6: Percentage Points of the χ^2 Distribution	20
	Table 7: Percentage Points of the F -distribution	21
	Table 8: Critical Values of the Product Moment Correlation Coefficient	23
	Table 9: Critical Values of Spearman's Rank Correlation Coefficient	24
	Table 10: Critical Values of the Wilcoxon Signed-Rank Statistic	25
	Table 11: Critical Values of the Wilcoxon Rank-Sum	26

1 Introduction

The formulae in this booklet have been arranged by qualification. Students sitting AS Statistics papers should refer to Section 2, pages 2 – 3. Students sitting A Level Statistics papers should refer to Section 3, pages 4 – 7.

2 AS Level in Statistics

Population variance, σ^2 , =

$$\left(\frac{\sum x^2}{N} - \mu^2 \right) = \frac{1}{N} \sum (x - \mu)^2$$

Population standard deviation, σ , =

$$\sqrt{\left(\frac{\sum x^2}{N} - \mu^2 \right)} = \sqrt{\frac{1}{N} \sum (x - \mu)^2}$$

Sample variance =

$$\frac{1}{n-1} \left(\sum x^2 - \frac{(\sum x)^2}{n} \right) = \frac{1}{n-1} \sum (x - \bar{x})^2$$

Sample standard deviation =

$$\sqrt{\frac{1}{n-1} \left(\sum x^2 - \frac{(\sum x)^2}{n} \right)} = \sqrt{\frac{1}{n-1} \sum (x - \bar{x})^2}$$

Binomial probability calculations:

$$P(X = x) = \binom{n}{x} p^x (1-p)^{n-x}$$

Mean = np

Variance = $np(1-p)$

For a random sample of n_x observations from $N(\mu, \sigma^2)$

$$\frac{\bar{X} - \mu}{\frac{\sigma}{\sqrt{n}}} \sim N(0, 1)$$

Test statistic for a binomial proportion using normal distribution:

$$\frac{\hat{p} - p}{\sqrt{\frac{p(1-p)}{n}}} \sim N(0, 1)$$

Product moment correlation coefficient:

$$r = \frac{S_{xy}}{\sqrt{S_{xx} \times S_{yy}}} = \frac{\sum (x_i - \bar{x})(y_i - \bar{y})}{\sqrt{\left\{ \sum (x_i - \bar{x})^2 \right\} \left\{ \sum (y_i - \bar{y})^2 \right\}}} = \frac{\sum x_i y_i - \frac{(\sum x_i)(\sum y_i)}{n}}{\sqrt{\left(\sum x_i^2 - \frac{(\sum x_i)^2}{n} \right) \left(\sum y_i^2 - \frac{(\sum y_i)^2}{n} \right)}}$$

Coefficients for least squares regression line:

least squares regression line of y on x is $y = a + bx$, where

$$a = \bar{y} - b\bar{x}$$

the regression coefficient of y on x is $b = \frac{S_{xy}}{S_{xx}} = \frac{\sum (x_i - \bar{x})(y_i - \bar{y})}{\sum (x_i - \bar{x})^2}$

Test for association:

$$\sum \frac{(O_i - E_i)^2}{E_i} \text{ is approximately distributed as } \chi^2$$

3 A Level in Statistics

Population variance, σ^2 , =

$$\left(\frac{\sum x^2}{N} - \mu^2 \right) = \frac{1}{N} \sum (x - \mu)^2$$

Population standard deviation, σ , =

$$\sqrt{\left(\frac{\sum x^2}{N} - \mu^2 \right)} = \sqrt{\frac{1}{N} \sum (x - \mu)^2}$$

Sample variance, s^2 , =

$$\frac{1}{n-1} \left(\sum x^2 - \frac{(\sum x)^2}{n} \right) = \frac{1}{n-1} \sum (x - \bar{x})^2$$

Sample standard deviation, s , =

$$\sqrt{\frac{1}{n-1} \left(\sum x^2 - \frac{(\sum x)^2}{n} \right)} = \sqrt{\frac{1}{n-1} \sum (x - \bar{x})^2}$$

Binomial probability calculations:

$$P(X = x) = \binom{n}{x} p^x (1-p)^{n-x}$$

Binomial mean = np

Binomial variance = $np(1-p)$

For a random sample of n_x observations from $N(\mu, \sigma^2)$

$$\frac{\bar{X} - \mu}{\frac{\sigma}{\sqrt{n}}} \sim N(0, 1)$$

Test statistic for a binomial proportion using normal distribution:

$$\frac{\hat{p} - p}{\sqrt{\frac{p(1-p)}{n}}} \sim N(0, 1)$$

Product moment correlation coefficient:

$$r = \frac{S_{xy}}{\sqrt{S_{xx} \times S_{yy}}} = \frac{\sum (x_i - \bar{x})(y_i - \bar{y})}{\sqrt{\left\{ \sum (x_i - \bar{x})^2 \right\} \left\{ \sum (y_i - \bar{y})^2 \right\}}} = \frac{\sum x_i y_i - \frac{(\sum x_i)(\sum y_i)}{n}}{\sqrt{\left(\sum x_i^2 - \frac{(\sum x_i)^2}{n} \right) \left(\sum y_i^2 - \frac{(\sum y_i)^2}{n} \right)}}$$

Coefficients for least squares regression line:

least squares regression line of y on x is $y = a + bx$, where

$$a = \bar{y} - b\bar{x}$$

the regression coefficient of y on x is $b = \frac{S_{xy}}{S_{xx}} = \frac{\sum (x_i - \bar{x})(y_i - \bar{y})}{\sum (x_i - \bar{x})^2}$

Bayes' theorem for up to three events:

$$P(A_j|B) = \frac{P(A_j) \times P(B|A_j)}{\sum_{i=1}^n P(A_i) \times P(B|A_i)}$$

The Poisson probability formula:

$$P(X = x) = e^{-\lambda} \frac{\lambda^x}{x!}$$

Poisson mean = λ

Poisson variance = λ

The exponential cumulative probability formula:

$$P(X \leq x) = 1 - e^{-\lambda x}$$

$$\text{Exponential mean} = \frac{1}{\lambda}$$

$$\text{Exponential variance} = \frac{1}{\lambda^2}$$

$$E(aX \pm bY) = aE(X) \pm bE(Y)$$

$$\text{Var}(aX \pm bY) = a^2 \text{Var}(X) + b^2 \text{Var}(Y), \text{ for independent variables } X \text{ and } Y$$

For a random sample of n_x observations from $N(\mu, \sigma^2)$

$$\frac{\bar{X} - \mu}{\frac{S}{\sqrt{n}}} \sim t_{n-1} \text{ (also valid in matched-pairs situations)}$$

For a random sample of n_x observations from $N(\mu_x, \sigma_x^2)$ and, independently, a random sample of n_y observations from $N(\mu_y, \sigma_y^2)$

$$\frac{(\bar{X} - \bar{Y}) - (\mu_x - \mu_y)}{\sqrt{\frac{\sigma_x^2}{n_x} + \frac{\sigma_y^2}{n_y}}} \sim N(0, 1)$$

For a random sample of n_x observations from $N(\mu_x, \sigma_x^2)$ and, independently, a random sample of n_y observations from $N(\mu_y, \sigma_y^2)$ where $\sigma_x^2 = \sigma_y^2 = \sigma^2$ (unknown)

$$\frac{(\bar{X} - \bar{Y}) - (\mu_x - \mu_y)}{\sqrt{S_p^2 \left(\frac{1}{n_x} + \frac{1}{n_y} \right)}} \sim t_{n_x+n_y-2} \text{ where}$$

$$S_p^2 = \frac{(n_x - 1)S_x^2 + (n_y - 1)S_y^2}{n_x + n_y - 2}$$

Test statistic for the difference in two binomial proportions:

$$\frac{p_1 - p_2}{\text{standard error}} \text{ where standard error} = \sqrt{p \times (1 - p) \times \left(\frac{1}{n_1} + \frac{1}{n_2} \right)}$$

$$\text{where } p = \frac{p_1 \times n_1 + p_2 \times n_2}{n_1 + n_2}$$

Test for association and goodness of fit test:

$$\sum \frac{(O_i - E_i)^2}{E_i} \text{ is approximately distributed as } \chi^2$$

Analysis of variance (one-way and two-way):

one-factor model $x_{ij} = \mu + \alpha_i + \varepsilon_{ij}$, where $\varepsilon_{ij} \sim N(0, \sigma^2)$

$$\text{total sum of squares } SS_T = \sum_i \sum_j x_{ij}^2 - \frac{T^2}{n}$$

$$\text{between groups sum of squares } SS_B = \sum_i \frac{T_i^2}{n_i} - \frac{T^2}{n}$$

two-factor model (with m rows and n columns)

$x_{ij} = \mu + \alpha_i + \beta_j + \varepsilon_{ij}$, where $\varepsilon_{ij} \sim N(0, \sigma^2)$

$$\text{total sum of squares } SS_T = \sum_i \sum_j x_{ij}^2 - \frac{T^2}{mn}$$

$$\text{between rows sum of squares } SS_R = \sum_i \frac{R_i^2}{n} - \frac{T^2}{mn}$$

$$\text{between columns sum of squares } SS_C = \sum_j \frac{C_j^2}{m} - \frac{T^2}{mn}$$

Cohen's d formula:

$$d = \frac{(\bar{x}_1 - \bar{x}_2)}{s}$$

$$\text{where } s = \sqrt{\frac{(n_1 - 1)s_1^2 + (n_2 - 1)s_2^2}{n_1 + n_2 - 2}}$$

4 Statistical Tables

Table 1: Cumulative Binomial Distribution Function

The tabulated value is $P(X \leq x)$, where X has a binomial distribution with parameters n and p .

p	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09	0.10	0.15	0.20	0.25	0.30	0.35	0.40	0.45	0.50	p
x	$n=2$																		x
0	0.9801	0.9604	0.9409	0.9216	0.9025	0.8836	0.8649	0.8464	0.8281	0.8100	0.7225	0.6400	0.5625	0.4900	0.4225	0.3600	0.3025	0.2500	0
1	0.9999	0.9996	0.9991	0.9984	0.9975	0.9964	0.9951	0.9936	0.9919	0.9900	0.9775	0.9600	0.9375	0.9100	0.8775	0.8400	0.7975	0.7500	1
2	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	2
x	$n=3$																		x
0	0.9703	0.9412	0.9127	0.8847	0.8574	0.8306	0.8044	0.7787	0.7536	0.7290	0.6141	0.5120	0.4219	0.3430	0.2746	0.2160	0.1664	0.1250	0
1	0.9997	0.9988	0.9974	0.9953	0.9928	0.9896	0.9860	0.9818	0.9772	0.9720	0.9393	0.8960	0.8438	0.7840	0.7183	0.6480	0.5748	0.5000	1
2	1.0000	1.0000	1.0000	0.9999	0.9999	0.9998	0.9997	0.9995	0.9993	0.9990	0.9966	0.9920	0.9844	0.9730	0.9571	0.9360	0.9089	0.8750	2
3				1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	3
x	$n=4$																		x
0	0.9606	0.9224	0.8853	0.8493	0.8145	0.7807	0.7481	0.7164	0.6857	0.6561	0.5220	0.4096	0.3164	0.2401	0.1785	0.1296	0.0915	0.0625	0
1	0.9994	0.9977	0.9948	0.9909	0.9860	0.9801	0.9733	0.9656	0.9570	0.9477	0.8905	0.8192	0.7383	0.6517	0.5630	0.4752	0.3910	0.3125	1
2	1.0000	1.0000	0.9999	0.9998	0.9995	0.9992	0.9987	0.9981	0.9973	0.9963	0.9880	0.9728	0.9492	0.9163	0.8735	0.8208	0.7585	0.6875	2
3			1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	0.9999	0.9999	0.9995	0.9984	0.9961	0.9919	0.9850	0.9744	0.9590	0.9375	3
4									1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	4
x	$n=5$																		x
0	0.9510	0.9039	0.8587	0.8154	0.7738	0.7339	0.6957	0.6591	0.6240	0.5905	0.4437	0.3277	0.2373	0.1681	0.1160	0.0778	0.0503	0.0313	0
1	0.9990	0.9962	0.9915	0.9852	0.9774	0.9681	0.9575	0.9456	0.9326	0.9185	0.8352	0.7373	0.6328	0.5282	0.4284	0.3370	0.2562	0.1875	1
2	1.0000	0.9999	0.9997	0.9994	0.9988	0.9980	0.9969	0.9955	0.9937	0.9914	0.9734	0.9421	0.8965	0.8369	0.7648	0.6826	0.5931	0.5000	2
3		1.0000	1.0000	1.0000	1.0000	0.9999	0.9999	0.9998	0.9997	0.9995	0.9978	0.9933	0.9844	0.9692	0.9460	0.9130	0.8688	0.8125	3
4						1.0000	1.0000	1.0000	1.0000	1.0000	0.9999	0.9997	0.9990	0.9976	0.9947	0.9898	0.9815	0.9688	4
5											1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	5
x	$n=6$																		x
0	0.9415	0.8858	0.8330	0.7828	0.7351	0.6899	0.6470	0.6064	0.5679	0.5314	0.3771	0.2621	0.1780	0.1176	0.0754	0.0467	0.0277	0.0156	0
1	0.9985	0.9943	0.9875	0.9784	0.9672	0.9541	0.9392	0.9227	0.9048	0.8857	0.7765	0.6554	0.5339	0.4202	0.3191	0.2333	0.1636	0.1094	1
2	1.0000	0.9998	0.9995	0.9988	0.9978	0.9962	0.9942	0.9915	0.9882	0.9842	0.9527	0.9011	0.8306	0.7443	0.6471	0.5443	0.4415	0.3438	2
3		1.0000	1.0000	1.0000	0.9999	0.9998	0.9997	0.9995	0.9992	0.9987	0.9941	0.9830	0.9624	0.9295	0.8826	0.8208	0.7447	0.6563	3
4					1.0000	1.0000	1.0000	1.0000	1.0000	0.9999	0.9996	0.9984	0.9954	0.9891	0.9777	0.9590	0.9308	0.8906	4
5										1.0000	1.0000	0.9999	0.9998	0.9993	0.9982	0.9959	0.9917	0.9844	5
6												1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	6
x	$n=7$																		x
0	0.9321	0.8681	0.8080	0.7514	0.6983	0.6485	0.6017	0.5578	0.5168	0.4783	0.3206	0.2097	0.1335	0.0824	0.0490	0.0280	0.0152	0.0078	0
1	0.9980	0.9921	0.9829	0.9706	0.9556	0.9382	0.9187	0.8974	0.8745	0.8503	0.7166	0.5767	0.4449	0.3294	0.2338	0.1586	0.1024	0.0625	1
2	1.0000	0.9997	0.9991	0.9980	0.9962	0.9937	0.9903	0.9860	0.9807	0.9743	0.9262	0.8520	0.7564	0.6471	0.5323	0.4199	0.3164	0.2266	2
3		1.0000	1.0000	0.9999	0.9998	0.9996	0.9993	0.9988	0.9982	0.9973	0.9879	0.9667	0.9294	0.8740	0.8002	0.7102	0.6083	0.5000	3
4				1.0000	1.0000	1.0000	1.0000	0.9999	0.9999	0.9998	0.9988	0.9953	0.9871	0.9712	0.9444	0.9037	0.8471	0.7734	4
5								1.0000	1.0000	1.0000	0.9999	0.9996	0.9987	0.9962	0.9910	0.9812	0.9643	0.9375	5
6											1.0000	1.0000	0.9999	0.9998	0.9994	0.9984	0.9963	0.9922	6
7													1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	7
x	$n=8$																		x
0	0.9227	0.8508	0.7837	0.7214	0.6634	0.6096	0.5596	0.5132	0.4703	0.4305	0.2725	0.1678	0.1001	0.0576	0.0319	0.0168	0.0084	0.0039	0
1	0.9973	0.9897	0.9777	0.9619	0.9428	0.9208	0.8965	0.8702	0.8423	0.8131	0.6572	0.5033	0.3671	0.2553	0.1691	0.1064	0.0632	0.0352	1
2	0.9999	0.9996	0.9987	0.9969	0.9942	0.9904	0.9853	0.9789	0.9711	0.9619	0.8948	0.7969	0.6785	0.5518	0.4278	0.3154	0.2201	0.1445	2
3	1.0000	1.0000	0.9999	0.9998	0.9996	0.9993	0.9987	0.9978	0.9966	0.9950	0.9786	0.9437	0.8862	0.8059	0.7064	0.5941	0.4770	0.3633	3
4			1.0000	1.0000	1.0000	1.0000	0.9999	0.9999	0.9997	0.9996	0.9971	0.9896	0.9727	0.9420	0.8939	0.8263	0.7396	0.6367	4
5							1.0000	1.0000	1.0000	1.0000	0.9998	0.9988	0.9958	0.9887	0.9747	0.9502	0.9115	0.8555	5
6											1.0000	0.9999	0.9996	0.9987	0.9964	0.9915	0.9819	0.9648	6
7												1.0000	1.0000	0.9999	0.9998	0.9993	0.9983	0.9961	7
8															1.0000	1.0000	1.0000	1.0000	8

<i>p</i>	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09	0.10	0.15	0.20	0.25	0.30	0.35	0.40	0.45	0.50	<i>p</i>
<i>x</i>	<i>n</i> =9																		<i>x</i>
0	0.9135	0.8337	0.7602	0.6925	0.6302	0.5730	0.5204	0.4722	0.4279	0.3874	0.2316	0.1342	0.0751	0.0404	0.0207	0.0101	0.0046	0.0020	0
1	0.9966	0.9869	0.9718	0.9522	0.9288	0.9022	0.8729	0.8417	0.8088	0.7748	0.5995	0.4362	0.3003	0.1960	0.1211	0.0705	0.0385	0.0195	1
2	0.9999	0.9994	0.9980	0.9955	0.9916	0.9862	0.9791	0.9702	0.9595	0.9470	0.8591	0.7382	0.6007	0.4628	0.3373	0.2318	0.1495	0.0898	2
3	1.0000	1.0000	0.9999	0.9997	0.9994	0.9987	0.9977	0.9963	0.9943	0.9917	0.9661	0.9144	0.8343	0.7297	0.6089	0.4826	0.3614	0.2539	3
4			1.0000	1.0000	1.0000	0.9999	0.9998	0.9997	0.9995	0.9991	0.9944	0.9804	0.9511	0.9012	0.8283	0.7334	0.6214	0.5000	4
5						1.0000	1.0000	1.0000	1.0000	0.9999	0.9994	0.9969	0.9900	0.9747	0.9464	0.9006	0.8342	0.7461	5
6										1.0000	1.0000	0.9997	0.9987	0.9957	0.9888	0.9750	0.9502	0.9102	6
7												1.0000	0.9999	0.9996	0.9986	0.9962	0.9909	0.9805	7
8													1.0000	1.0000	0.9999	0.9997	0.9992	0.9980	8
9															1.0000	1.0000	1.0000	1.0000	9
<i>x</i>	<i>n</i> =10																		<i>x</i>
0	0.9044	0.8171	0.7374	0.6648	0.5987	0.5386	0.4840	0.4344	0.3894	0.3487	0.1969	0.1074	0.0563	0.0282	0.0135	0.0060	0.0025	0.0010	0
1	0.9957	0.9838	0.9655	0.9418	0.9139	0.8824	0.8483	0.8121	0.7746	0.7361	0.5443	0.3758	0.2440	0.1493	0.0860	0.0464	0.0233	0.0107	1
2	0.9999	0.9991	0.9972	0.9938	0.9885	0.9812	0.9717	0.9599	0.9460	0.9298	0.8202	0.6778	0.5256	0.3828	0.2616	0.1673	0.0996	0.0547	2
3	1.0000	1.0000	0.9999	0.9996	0.9990	0.9980	0.9964	0.9942	0.9912	0.9872	0.9500	0.8791	0.7759	0.6496	0.5138	0.3823	0.2660	0.1719	3
4			1.0000	1.0000	0.9999	0.9998	0.9997	0.9994	0.9990	0.9984	0.9901	0.9672	0.9219	0.8497	0.7515	0.6331	0.5044	0.3770	4
5					1.0000	1.0000	1.0000	1.0000	0.9999	0.9999	0.9986	0.9936	0.9803	0.9527	0.9051	0.8338	0.7384	0.6230	5
6									1.0000	1.0000	0.9999	0.9991	0.9965	0.9894	0.9740	0.9452	0.8980	0.8281	6
7										1.0000	0.9999	0.9996	0.9984	0.9952	0.9877	0.9726	0.9453		7
8											1.0000	1.0000	0.9999	0.9995	0.9983	0.9955	0.9893		8
9													1.0000	1.0000	0.9999	0.9997	0.9990		9
10															1.0000	1.0000	1.0000		10
<i>x</i>	<i>n</i> =11																		<i>x</i>
0	0.8953	0.8007	0.7153	0.6382	0.5688	0.5063	0.4501	0.3996	0.3544	0.3138	0.1673	0.0859	0.0422	0.0198	0.0088	0.0036	0.0014	0.0005	0
1	0.9948	0.9805	0.9587	0.9308	0.8981	0.8618	0.8228	0.7819	0.7399	0.6974	0.4922	0.3221	0.1971	0.1130	0.0606	0.0302	0.0139	0.0059	1
2	0.9998	0.9988	0.9963	0.9917	0.9848	0.9752	0.9630	0.9481	0.9305	0.9104	0.7788	0.6174	0.4552	0.3127	0.2001	0.1189	0.0652	0.0327	2
3	1.0000	1.0000	0.9998	0.9993	0.9984	0.9970	0.9947	0.9915	0.9871	0.9815	0.9306	0.8389	0.7133	0.5696	0.4256	0.2963	0.1911	0.1133	3
4			1.0000	1.0000	0.9999	0.9997	0.9995	0.9990	0.9983	0.9972	0.9841	0.9496	0.8854	0.7897	0.6683	0.5328	0.3971	0.2744	4
5					1.0000	1.0000	1.0000	0.9999	0.9998	0.9997	0.9973	0.9883	0.9657	0.9218	0.8513	0.7535	0.6331	0.5000	5
6								1.0000	1.0000	1.0000	0.9997	0.9980	0.9924	0.9784	0.9499	0.9006	0.8262	0.7256	6
7										1.0000	0.9998	0.9988	0.9957	0.9878	0.9707	0.9390	0.8867		7
8											1.0000	0.9999	0.9994	0.9980	0.9941	0.9852	0.9673		8
9												1.0000	1.0000	0.9998	0.9993	0.9978	0.9941		9
10														1.0000	1.0000	0.9998	0.9995		10
11																1.0000	1.0000		11
<i>x</i>	<i>n</i> =12																		<i>x</i>
0	0.8864	0.7847	0.6938	0.6127	0.5404	0.4759	0.4186	0.3677	0.3225	0.2824	0.1422	0.0687	0.0317	0.0138	0.0057	0.0022	0.0008	0.0002	0
1	0.9938	0.9769	0.9514	0.9191	0.8816	0.8405	0.7967	0.7513	0.7052	0.6590	0.4435	0.2749	0.1584	0.0850	0.0424	0.0196	0.0083	0.0032	1
2	0.9998	0.9985	0.9952	0.9893	0.9804	0.9684	0.9532	0.9348	0.9134	0.8891	0.7358	0.5583	0.3907	0.2528	0.1513	0.0834	0.0421	0.0193	2
3	1.0000	0.9999	0.9997	0.9990	0.9978	0.9957	0.9925	0.9880	0.9820	0.9744	0.9078	0.7946	0.6488	0.4925	0.3467	0.2253	0.1345	0.0730	3
4		1.0000	1.0000	0.9999	0.9998	0.9996	0.9991	0.9984	0.9973	0.9957	0.9761	0.9274	0.8424	0.7237	0.5833	0.4382	0.3044	0.1938	4
5			1.0000	1.0000	1.0000	0.9999	0.9998	0.9997	0.9995	0.9954	0.9806	0.9456	0.8822	0.7873	0.6652	0.5269	0.3872		5
6						1.0000	1.0000	1.0000	0.9999	0.9993	0.9961	0.9857	0.9614	0.9154	0.8418	0.7393	0.6128		6
7									1.0000	0.9999	0.9994	0.9972	0.9905	0.9745	0.9427	0.8883	0.8062		7
8										1.0000	0.9999	0.9996	0.9983	0.9944	0.9847	0.9644	0.9270		8
9											1.0000	1.0000	0.9998	0.9992	0.9972	0.9921	0.9807		9
10													1.0000	0.9999	0.9997	0.9989	0.9968		10
11															1.0000	1.0000	0.9999	0.9998	11
12																1.0000	1.0000		12

p	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09	0.10	0.15	0.20	0.25	0.30	0.35	0.40	0.45	0.50	p	
x	$n=13$																		x	
0	0.8775	0.7690	0.6730	0.5882	0.5133	0.4474	0.3893	0.3383	0.2935	0.2542	0.1209	0.0550	0.0238	0.0097	0.0037	0.0013	0.0004	0.0001	0	
1	0.9928	0.9730	0.9436	0.9068	0.8646	0.8186	0.7702	0.7206	0.6707	0.6213	0.3983	0.2336	0.1267	0.0637	0.0296	0.0126	0.0049	0.0017	1	
2	0.9997	0.9980	0.9938	0.9865	0.9755	0.9608	0.9422	0.9201	0.8946	0.8661	0.6920	0.5017	0.3326	0.2025	0.1132	0.0579	0.0269	0.0112	2	
3	1.0000	0.9999	0.9995	0.9986	0.9969	0.9940	0.9897	0.9837	0.9758	0.9658	0.8820	0.7473	0.5843	0.4206	0.2783	0.1686	0.0929	0.0461	3	
4		1.0000	1.0000	0.9999	0.9997	0.9993	0.9987	0.9976	0.9959	0.9935	0.9658	0.9009	0.7940	0.6543	0.5005	0.3530	0.2279	0.1334	4	
5				1.0000	1.0000	0.9999	0.9999	0.9997	0.9995	0.9991	0.9925	0.9700	0.9198	0.8346	0.7159	0.5744	0.4268	0.2905	5	
6						1.0000	1.0000	1.0000	0.9999	0.9999	0.9987	0.9930	0.9757	0.9376	0.8705	0.7712	0.6437	0.5000	6	
7									1.0000	1.0000	0.9998	0.9988	0.9944	0.9818	0.9538	0.9023	0.8212	0.7095	7	
8											1.0000	0.9998	0.9990	0.9960	0.9874	0.9679	0.9302	0.8666	8	
9												1.0000	0.9999	0.9993	0.9975	0.9922	0.9797	0.9539	9	
10													1.0000	0.9999	0.9997	0.9987	0.9959	0.9888	10	
11														1.0000	1.0000	0.9999	0.9995	0.9983	11	
12																1.0000	1.0000	0.9999	12	
13																		1.0000	13	
x	$n=14$																		x	
0	0.8687	0.7536	0.6528	0.5647	0.4877	0.4205	0.3620	0.3112	0.2670	0.2288	0.1028	0.0440	0.0178	0.0068	0.0024	0.0008	0.0002	0.0001	0	
1	0.9916	0.9690	0.9355	0.8941	0.8470	0.7963	0.7436	0.6900	0.6368	0.5846	0.3567	0.1979	0.1010	0.0475	0.0205	0.0081	0.0029	0.0009	1	
2	0.9997	0.9975	0.9923	0.9833	0.9699	0.9522	0.9302	0.9042	0.8745	0.8416	0.6479	0.4481	0.2811	0.1608	0.0839	0.0398	0.0170	0.0065	2	
3	1.0000	0.9999	0.9994	0.9981	0.9958	0.9920	0.9864	0.9786	0.9685	0.9559	0.8535	0.6982	0.5213	0.3552	0.2205	0.1243	0.0632	0.0287	3	
4		1.0000	1.0000	0.9998	0.9996	0.9990	0.9980	0.9965	0.9941	0.9908	0.9533	0.8702	0.7415	0.5842	0.4227	0.2793	0.1672	0.0898	4	
5				1.0000	1.0000	0.9999	0.9998	0.9996	0.9992	0.9985	0.9885	0.9561	0.8883	0.7805	0.6405	0.4859	0.3373	0.2120	5	
6						1.0000	1.0000	1.0000	0.9999	0.9998	0.9978	0.9884	0.9617	0.9067	0.8164	0.6925	0.5461	0.3953	6	
7									1.0000	1.0000	0.9997	0.9976	0.9897	0.9685	0.9247	0.8499	0.7414	0.6047	7	
8											1.0000	0.9996	0.9978	0.9917	0.9757	0.9417	0.8811	0.7880	8	
9												1.0000	0.9997	0.9983	0.9940	0.9825	0.9574	0.9102	9	
10													1.0000	0.9998	0.9989	0.9961	0.9886	0.9713	10	
11														1.0000	0.9999	0.9994	0.9978	0.9935	11	
12															1.0000	0.9999	0.9997	0.9991	12	
13																1.0000	1.0000	0.9999	13	
14																		1.0000	14	
x	$n=15$																		x	
0	0.8601	0.7386	0.6333	0.5421	0.4633	0.3953	0.3367	0.2863	0.2430	0.2059	0.0874	0.0352	0.0134	0.0047	0.0016	0.0005	0.0001	0.0000	0	
1	0.9904	0.9647	0.9270	0.8809	0.8290	0.7738	0.7168	0.6597	0.6035	0.5490	0.3186	0.1671	0.0802	0.0353	0.0142	0.0052	0.0017	0.0005	1	
2	0.9996	0.9970	0.9906	0.9797	0.9638	0.9429	0.9171	0.8870	0.8531	0.8159	0.6042	0.3980	0.2361	0.1268	0.0617	0.0271	0.0107	0.0037	2	
3	1.0000	0.9998	0.9992	0.9976	0.9945	0.9896	0.9825	0.9727	0.9601	0.9444	0.8227	0.6482	0.4613	0.2969	0.1727	0.0905	0.0424	0.0176	3	
4		1.0000	0.9999	0.9998	0.9994	0.9986	0.9972	0.9950	0.9918	0.9873	0.9383	0.8358	0.6865	0.5155	0.3519	0.2173	0.1204	0.0592	4	
5			1.0000	1.0000	0.9999	0.9999	0.9997	0.9993	0.9987	0.9978	0.9832	0.9389	0.8516	0.7216	0.5643	0.4032	0.2608	0.1509	5	
6					1.0000	1.0000	1.0000	0.9999	0.9998	0.9997	0.9964	0.9819	0.9434	0.8689	0.7548	0.6098	0.4522	0.3036	6	
7								1.0000	1.0000	1.0000	0.9994	0.9958	0.9827	0.9500	0.8868	0.7869	0.6535	0.5000	7	
8											0.9999	0.9992	0.9958	0.9848	0.9578	0.9050	0.8182	0.6964	8	
9												1.0000	0.9999	0.9992	0.9963	0.9876	0.9662	0.9231	0.8491	9
10													1.0000	0.9999	0.9993	0.9972	0.9907	0.9745	0.9408	10
11														1.0000	0.9999	0.9995	0.9981	0.9937	0.9824	11
12															1.0000	0.9999	0.9997	0.9989	0.9963	12
13																1.0000	1.0000	0.9999	0.9995	13
14																		1.0000	1.0000	14

<i>p</i>	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09	0.10	0.15	0.20	0.25	0.30	0.35	0.40	0.45	0.50	<i>p</i>		
<i>x</i>	<i>n</i> =20																		<i>x</i>		
0	0.8179	0.6676	0.5438	0.4420	0.3585	0.2901	0.2342	0.1887	0.1516	0.1216	0.0388	0.0115	0.0032	0.0008	0.0002	0.0000	0.0000	0.0000	0		
1	0.9831	0.9401	0.8802	0.8103	0.7358	0.6605	0.5869	0.5169	0.4516	0.3917	0.1756	0.0692	0.0243	0.0076	0.0021	0.0005	0.0001	0.0000	1		
2	0.9990	0.9929	0.9790	0.9561	0.9245	0.8850	0.8390	0.7879	0.7334	0.6769	0.4049	0.2061	0.0913	0.0355	0.0121	0.0036	0.0009	0.0002	2		
3	1.0000	0.9994	0.9973	0.9926	0.9841	0.9710	0.9529	0.9294	0.9007	0.8670	0.6477	0.4114	0.2252	0.1071	0.0444	0.0160	0.0049	0.0013	3		
4		1.0000	0.9997	0.9990	0.9974	0.9944	0.9893	0.9817	0.9710	0.9568	0.8298	0.6296	0.4148	0.2375	0.1182	0.0510	0.0189	0.0059	4		
5			1.0000	0.9999	0.9997	0.9991	0.9981	0.9962	0.9932	0.9887	0.9327	0.8042	0.6172	0.4164	0.2454	0.1256	0.0553	0.0207	5		
6				1.0000	1.0000	0.9999	0.9997	0.9994	0.9987	0.9976	0.9781	0.9133	0.7858	0.6080	0.4166	0.2500	0.1299	0.0577	6		
7						1.0000	1.0000	0.9999	0.9998	0.9996	0.9941	0.9679	0.8982	0.7723	0.6010	0.4159	0.2520	0.1316	7		
8								1.0000	1.0000	0.9999	0.9987	0.9900	0.9591	0.8867	0.7624	0.5956	0.4143	0.2517	8		
9										1.0000	0.9998	0.9974	0.9861	0.9520	0.8782	0.7553	0.5914	0.4119	9		
10											1.0000	0.9994	0.9961	0.9829	0.9468	0.8725	0.7507	0.5881	10		
11												0.9999	0.9991	0.9949	0.9804	0.9435	0.8692	0.7483	11		
12												1.0000	0.9998	0.9987	0.9940	0.9790	0.9420	0.8684	12		
13													1.0000	0.9997	0.9985	0.9935	0.9786	0.9423	13		
14														1.0000	0.9997	0.9984	0.9936	0.9793	14		
15															1.0000	0.9997	0.9985	0.9941	15		
16																1.0000	0.9997	0.9987	16		
17																	1.0000	0.9998	17		
18																		1.0000	18		
<i>x</i>	<i>n</i> =25																		<i>x</i>		
0	0.7778	0.6035	0.4670	0.3604	0.2774	0.2129	0.1630	0.1244	0.0946	0.0718	0.0172	0.0038	0.0008	0.0001	0.0000	0.0000	0.0000	0.0000	0		
1	0.9742	0.9114	0.8280	0.7358	0.6424	0.5527	0.4696	0.3947	0.3286	0.2712	0.0931	0.0274	0.0070	0.0016	0.0003	0.0001	0.0000	0.0000	1		
2	0.9980	0.9868	0.9620	0.9235	0.8729	0.8129	0.7466	0.6768	0.6063	0.5371	0.2537	0.0982	0.0321	0.0090	0.0021	0.0004	0.0001	0.0000	2		
3	0.9999	0.9986	0.9938	0.9835	0.9659	0.9402	0.9064	0.8649	0.8169	0.7636	0.4711	0.2340	0.0962	0.0332	0.0097	0.0024	0.0005	0.0001	3		
4	1.0000	0.9999	0.9992	0.9972	0.9928	0.9850	0.9726	0.9549	0.9314	0.9020	0.6821	0.4207	0.2137	0.0905	0.0320	0.0095	0.0023	0.0005	4		
5		1.0000	0.9999	0.9996	0.9988	0.9969	0.9935	0.9877	0.9790	0.9666	0.8385	0.6167	0.3783	0.1935	0.0826	0.0294	0.0086	0.0020	5		
6			1.0000	1.0000	0.9998	0.9995	0.9987	0.9972	0.9946	0.9905	0.9305	0.7800	0.5611	0.3407	0.1734	0.0736	0.0258	0.0073	6		
7					1.0000	0.9999	0.9998	0.9995	0.9989	0.9977	0.9745	0.8909	0.7265	0.5118	0.3061	0.1536	0.0639	0.0216	7		
8						1.0000	1.0000	0.9999	0.9998	0.9995	0.9920	0.9532	0.8506	0.6769	0.4668	0.2735	0.1340	0.0539	8		
9								1.0000	1.0000	0.9999	0.9979	0.9827	0.9287	0.8106	0.6303	0.4246	0.2424	0.1148	9		
10										1.0000	0.9995	0.9944	0.9703	0.9022	0.7712	0.5858	0.3843	0.2122	10		
11											0.9999	0.9985	0.9893	0.9558	0.8746	0.7323	0.5426	0.3450	11		
12											1.0000	0.9996	0.9966	0.9825	0.9396	0.8462	0.6937	0.5000	12		
13												0.9999	0.9991	0.9940	0.9745	0.9222	0.8173	0.6550	13		
14												1.0000	0.9998	0.9982	0.9907	0.9656	0.9040	0.7878	14		
15													1.0000	0.9995	0.9971	0.9868	0.9560	0.8852	15		
16														0.9999	0.9992	0.9957	0.9826	0.9461	16		
17															1.0000	0.9998	0.9988	0.9942	0.9784	17	
18																1.0000	0.9997	0.9984	0.9927	18	
19																	0.9999	0.9996	0.9980	19	
20																		1.0000	0.9999	0.9995	20
21																			1.0000	0.9999	21
22																				1.0000	22

<i>p</i>	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09	0.10	0.15	0.20	0.25	0.30	0.35	0.40	0.45	0.50	<i>p</i>		
<i>x</i>	<i>n=30</i>																		<i>x</i>		
0	0.7397	0.5455	0.4010	0.2939	0.2146	0.1563	0.1134	0.0820	0.0591	0.0424	0.0076	0.0012	0.0002	0.0000	0.0000	0.0000	0.0000	0.0000	0		
1	0.9639	0.8795	0.7731	0.6612	0.5535	0.4555	0.3694	0.2958	0.2343	0.1837	0.0480	0.0105	0.0020	0.0003	0.0000	0.0000	0.0000	0.0000	1		
2	0.9967	0.9783	0.9399	0.8831	0.8122	0.7324	0.6487	0.5654	0.4855	0.4114	0.1514	0.0442	0.0106	0.0021	0.0003	0.0000	0.0000	0.0000	2		
3	0.9998	0.9971	0.9881	0.9694	0.9392	0.8974	0.8450	0.7842	0.7175	0.6474	0.3217	0.1227	0.0374	0.0093	0.0019	0.0003	0.0000	0.0000	3		
4	1.0000	0.9997	0.9982	0.9937	0.9844	0.9685	0.9447	0.9126	0.8723	0.8245	0.5245	0.2552	0.0979	0.0302	0.0075	0.0015	0.0002	0.0000	4		
5		1.0000	0.9998	0.9989	0.9967	0.9921	0.9838	0.9707	0.9519	0.9268	0.7106	0.4275	0.2026	0.0766	0.0233	0.0057	0.0011	0.0002	5		
6			1.0000	0.9999	0.9994	0.9983	0.9960	0.9918	0.9848	0.9742	0.8474	0.6070	0.3481	0.1595	0.0586	0.0172	0.0040	0.0007	6		
7				1.0000	0.9999	0.9997	0.9992	0.9980	0.9959	0.9922	0.9302	0.7608	0.5143	0.2814	0.1238	0.0435	0.0121	0.0026	7		
8					1.0000	1.0000	0.9999	0.9996	0.9990	0.9980	0.9722	0.8713	0.6736	0.4315	0.2247	0.0940	0.0312	0.0081	8		
9							1.0000	0.9999	0.9998	0.9995	0.9903	0.9389	0.8034	0.5888	0.3575	0.1763	0.0694	0.0214	9		
10								1.0000	1.0000	0.9999	0.9971	0.9744	0.8943	0.7304	0.5078	0.2915	0.1350	0.0494	10		
11									1.0000	0.9992	0.9905	0.9493	0.8407	0.6548	0.4311	0.2327	0.1002		11		
12										0.9998	0.9969	0.9784	0.9155	0.7802	0.5785	0.3592	0.1808		12		
13										1.0000	0.9991	0.9918	0.9599	0.8737	0.7145	0.5025	0.2923		13		
14											0.9998	0.9973	0.9831	0.9348	0.8246	0.6448	0.4278		14		
15											0.9999	0.9992	0.9936	0.9699	0.9029	0.7691	0.5722		15		
16											1.0000	0.9998	0.9979	0.9876	0.9519	0.8644	0.7077		16		
17												0.9999	0.9994	0.9955	0.9788	0.9286	0.8192		17		
18													1.0000	0.9998	0.9986	0.9917	0.9666	0.8998	18		
19														1.0000	0.9996	0.9971	0.9862	0.9506	19		
20															0.9999	0.9991	0.9950	0.9786	20		
21																1.0000	0.9998	0.9984	0.9919	21	
22																	1.0000	0.9996	0.9974	22	
23																		0.9999	0.9993	23	
24																			1.0000	0.9998	24
25																				1.0000	25

<i>p</i>	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09	0.10	0.15	0.20	0.25	0.30	0.35	0.40	0.45	0.50	<i>p</i>		
<i>x</i>	<i>n</i> =40																		<i>x</i>		
0	0.6690	0.4457	0.2957	0.1954	0.1285	0.0842	0.0549	0.0356	0.0230	0.0148	0.0015	0.0001	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0		
1	0.9393	0.8095	0.6615	0.5210	0.3991	0.2990	0.2201	0.1594	0.1140	0.0805	0.0121	0.0015	0.0001	0.0000	0.0000	0.0000	0.0000	0.0000	1		
2	0.9925	0.9543	0.8822	0.7855	0.6767	0.5665	0.4625	0.3694	0.2894	0.2228	0.0486	0.0079	0.0010	0.0001	0.0000	0.0000	0.0000	0.0000	2		
3	0.9993	0.9918	0.9686	0.9252	0.8619	0.7827	0.6937	0.6007	0.5092	0.4231	0.1302	0.0285	0.0047	0.0006	0.0001	0.0000	0.0000	0.0000	3		
4	1.0000	0.9988	0.9933	0.9790	0.9520	0.9104	0.8546	0.7868	0.7103	0.6290	0.2633	0.0759	0.0160	0.0026	0.0003	0.0000	0.0000	0.0000	4		
5		0.9999	0.9988	0.9951	0.9861	0.9691	0.9419	0.9033	0.8535	0.7937	0.4325	0.1613	0.0433	0.0086	0.0013	0.0001	0.0000	0.0000	5		
6		1.0000	0.9998	0.9990	0.9966	0.9909	0.9801	0.9624	0.9361	0.9005	0.6067	0.2859	0.0962	0.0238	0.0044	0.0006	0.0001	0.0000	6		
7			1.0000	0.9998	0.9993	0.9977	0.9942	0.9873	0.9758	0.9581	0.7559	0.4371	0.1820	0.0553	0.0124	0.0021	0.0002	0.0000	7		
8				1.0000	0.9999	0.9995	0.9985	0.9963	0.9919	0.9845	0.8646	0.5931	0.2998	0.1110	0.0303	0.0061	0.0009	0.0001	8		
9					1.0000	0.9999	0.9997	0.9990	0.9976	0.9949	0.9328	0.7318	0.4395	0.1959	0.0644	0.0156	0.0027	0.0003	9		
10						1.0000	0.9999	0.9998	0.9994	0.9985	0.9701	0.8392	0.5839	0.3087	0.1215	0.0352	0.0074	0.0011	10		
11							1.0000	1.0000	0.9999	0.9996	0.9880	0.9125	0.7151	0.4406	0.2053	0.0709	0.0179	0.0032	11		
12									1.0000	0.9999	0.9957	0.9568	0.8209	0.5772	0.3143	0.1285	0.0386	0.0083	12		
13										1.0000	0.9986	0.9806	0.8968	0.7032	0.4408	0.2112	0.0751	0.0192	13		
14											0.9996	0.9921	0.9456	0.8074	0.5721	0.3174	0.1326	0.0403	14		
15											0.9999	0.9971	0.9738	0.8849	0.6946	0.4402	0.2142	0.0769	15		
16											1.0000	0.9990	0.9884	0.9367	0.7978	0.5681	0.3185	0.1341	16		
17												0.9997	0.9953	0.9680	0.8761	0.6885	0.4391	0.2148	17		
18												0.9999	0.9983	0.9852	0.9301	0.7911	0.5651	0.3179	18		
19												1.0000	0.9994	0.9937	0.9637	0.8702	0.6844	0.4373	19		
20													0.9998	0.9976	0.9827	0.9256	0.7870	0.5627	20		
21													1.0000	0.9991	0.9925	0.9608	0.8669	0.6821	21		
22														0.9997	0.9970	0.9811	0.9233	0.7852	22		
23														0.9999	0.9989	0.9917	0.9595	0.8659	23		
24														1.0000	0.9996	0.9966	0.9804	0.9231	24		
25															0.9999	0.9988	0.9914	0.9597	25		
26															1.0000	0.9996	0.9966	0.9808	26		
27																0.9999	0.9988	0.9917	27		
28																1.0000	0.9996	0.9968	28		
29																	0.9999	0.9989	29		
30																		1.0000	0.9997	30	
31																			0.9999	31	
32																				1.0000	32

<i>p</i>	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09	0.10	0.15	0.20	0.25	0.30	0.35	0.40	0.45	0.50	<i>p</i>
<i>x</i>	<i>n</i> =50																		<i>x</i>
0	0.6050	0.3642	0.2181	0.1299	0.0769	0.0453	0.0266	0.0155	0.0090	0.0052	0.0003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0
1	0.9106	0.7358	0.5553	0.4005	0.2794	0.1900	0.1265	0.0827	0.0532	0.0338	0.0029	0.0002	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	1
2	0.9862	0.9216	0.8108	0.6767	0.5405	0.4162	0.3108	0.2260	0.1605	0.1117	0.0142	0.0013	0.0001	0.0000	0.0000	0.0000	0.0000	0.0000	2
3	0.9984	0.9822	0.9372	0.8609	0.7604	0.6473	0.5327	0.4253	0.3303	0.2503	0.0460	0.0057	0.0005	0.0000	0.0000	0.0000	0.0000	0.0000	3
4	0.9999	0.9968	0.9832	0.9510	0.8964	0.8206	0.7290	0.6290	0.5277	0.4312	0.1121	0.0185	0.0021	0.0002	0.0000	0.0000	0.0000	0.0000	4
5	1.0000	0.9995	0.9963	0.9856	0.9622	0.9224	0.8650	0.7919	0.7072	0.6161	0.2194	0.0480	0.0070	0.0007	0.0001	0.0000	0.0000	0.0000	5
6		0.9999	0.9993	0.9964	0.9882	0.9711	0.9417	0.8981	0.8404	0.7702	0.3613	0.1034	0.0194	0.0025	0.0002	0.0000	0.0000	0.0000	6
7		1.0000	0.9999	0.9992	0.9968	0.9906	0.9780	0.9562	0.9232	0.8779	0.5188	0.1904	0.0453	0.0073	0.0008	0.0001	0.0000	0.0000	7
8			1.0000	0.9999	0.9992	0.9973	0.9927	0.9833	0.9672	0.9421	0.6681	0.3073	0.0916	0.0183	0.0025	0.0002	0.0000	0.0000	8
9				1.0000	0.9998	0.9993	0.9978	0.9944	0.9875	0.9755	0.7911	0.4437	0.1637	0.0402	0.0067	0.0008	0.0001	0.0000	9
10					1.0000	0.9998	0.9994	0.9983	0.9957	0.9906	0.8801	0.5836	0.2622	0.0789	0.0160	0.0022	0.0002	0.0000	10
11						1.0000	0.9999	0.9995	0.9987	0.9968	0.9372	0.7107	0.3816	0.1390	0.0342	0.0057	0.0006	0.0000	11
12							1.0000	0.9999	0.9996	0.9990	0.9699	0.8139	0.5110	0.2229	0.0661	0.0133	0.0018	0.0002	12
13								1.0000	0.9999	0.9997	0.9868	0.8894	0.6370	0.3279	0.1163	0.0280	0.0045	0.0005	13
14									1.0000	0.9999	0.9947	0.9393	0.7481	0.4468	0.1878	0.0540	0.0104	0.0013	14
15										1.0000	0.9981	0.9692	0.8369	0.5692	0.2801	0.0955	0.0220	0.0033	15
16											0.9993	0.9856	0.9017	0.6839	0.3889	0.1561	0.0427	0.0077	16
17											0.9998	0.9937	0.9449	0.7822	0.5060	0.2369	0.0765	0.0164	17
18											0.9999	0.9975	0.9713	0.8594	0.6216	0.3356	0.1273	0.0325	18
19										1.0000	0.9991	0.9861	0.9152	0.7264	0.4465	0.1974	0.0595		19
20											0.9997	0.9937	0.9522	0.8139	0.5610	0.2862	0.1013		20
21											0.9999	0.9974	0.9749	0.8813	0.6701	0.3900	0.1611		21
22											1.0000	0.9990	0.9877	0.9290	0.7660	0.5019	0.2399		22
23												0.9996	0.9944	0.9604	0.8438	0.6134	0.3359		23
24												0.9999	0.9976	0.9793	0.9022	0.7160	0.4439		24
25												1.0000	0.9991	0.9900	0.9427	0.8034	0.5561		25
26													0.9997	0.9955	0.9686	0.8721	0.6641		26
27													0.9999	0.9981	0.9840	0.9220	0.7601		27
28													1.0000	0.9993	0.9924	0.9556	0.8389		28
29														0.9997	0.9966	0.9765	0.8987		29
30														0.9999	0.9986	0.9884	0.9405		30
31														1.0000	0.9995	0.9947	0.9675		31
32															0.9998	0.9978	0.9836		32
33															0.9999	0.9991	0.9923		33
34															1.0000	0.9997	0.9967		34
35																0.9999	0.9987		35
36																1.0000	0.9995		36
37																	0.9998		37
38																	1.0000		38

Table 2: Cumulative Poisson Distribution Function

The tabulated value is $P(X \leq x)$, where X has a Poisson distribution with mean λ .

λ	0.10	0.20	0.30	0.40	0.50	0.60	0.70	0.80	0.90	1.0	1.2	1.4	1.6	1.8	λ
x															x
0	0.9048	0.8187	0.7408	0.6703	0.6065	0.5488	0.4966	0.4493	0.4066	0.3679	0.3012	0.2466	0.2019	0.1653	0
1	0.9953	0.9825	0.9631	0.9384	0.9098	0.8781	0.8442	0.8088	0.7725	0.7358	0.6626	0.5918	0.5249	0.4628	1
2	0.9998	0.9989	0.9964	0.9921	0.9856	0.9769	0.9659	0.9526	0.9371	0.9197	0.8795	0.8335	0.7834	0.7306	2
3	1.0000	0.9999	0.9997	0.9992	0.9982	0.9966	0.9942	0.9909	0.9865	0.9810	0.9662	0.9463	0.9212	0.8913	3
4		1.0000	1.0000	0.9999	0.9998	0.9996	0.9992	0.9986	0.9977	0.9963	0.9923	0.9857	0.9763	0.9636	4
5				1.0000	1.0000	1.0000	0.9999	0.9998	0.9997	0.9994	0.9985	0.9968	0.9940	0.9896	5
6							1.0000	1.0000	1.0000	0.9999	0.9997	0.9994	0.9987	0.9974	6
7										1.0000	1.0000	0.9999	0.9997	0.9994	7
8												1.0000	1.0000	0.9999	8
9														1.0000	9
λ	2.0	2.2	2.4	2.6	2.8	3.0	3.2	3.4	3.6	3.8	4.0	4.5	5.0	5.5	λ
x															x
0	0.1353	0.1108	0.0907	0.0743	0.0608	0.0498	0.0408	0.0334	0.0273	0.0224	0.0183	0.0111	0.0067	0.0041	0
1	0.4060	0.3546	0.3084	0.2674	0.2311	0.1991	0.1712	0.1468	0.1257	0.1074	0.0916	0.0611	0.0404	0.0266	1
2	0.6767	0.6227	0.5697	0.5184	0.4695	0.4232	0.3799	0.3397	0.3027	0.2689	0.2381	0.1736	0.1247	0.0884	2
3	0.8571	0.8194	0.7787	0.7360	0.6919	0.6472	0.6025	0.5584	0.5152	0.4735	0.4335	0.3423	0.2650	0.2017	3
4	0.9473	0.9275	0.9041	0.8774	0.8477	0.8153	0.7806	0.7442	0.7064	0.6678	0.6288	0.5321	0.4405	0.3575	4
5	0.9834	0.9751	0.9643	0.9510	0.9349	0.9161	0.8946	0.8705	0.8441	0.8156	0.7851	0.7029	0.6160	0.5289	5
6	0.9955	0.9925	0.9884	0.9828	0.9756	0.9665	0.9554	0.9421	0.9267	0.9091	0.8893	0.8311	0.7622	0.6860	6
7	0.9989	0.9980	0.9967	0.9947	0.9919	0.9881	0.9832	0.9769	0.9692	0.9599	0.9489	0.9134	0.8666	0.8095	7
8	0.9998	0.9995	0.9991	0.9985	0.9976	0.9962	0.9943	0.9917	0.9883	0.9840	0.9786	0.9597	0.9319	0.8944	8
9	1.0000	0.9999	0.9998	0.9996	0.9993	0.9989	0.9982	0.9973	0.9960	0.9942	0.9919	0.9829	0.9682	0.9462	9
10		1.0000	1.0000	0.9999	0.9998	0.9997	0.9995	0.9992	0.9987	0.9981	0.9972	0.9933	0.9863	0.9747	10
11				1.0000	1.0000	0.9999	0.9999	0.9998	0.9996	0.9994	0.9991	0.9976	0.9945	0.9890	11
12						1.0000	1.0000	0.9999	0.9999	0.9998	0.9997	0.9992	0.9980	0.9955	12
13								1.0000	1.0000	1.0000	0.9999	0.9997	0.9993	0.9983	13
14											1.0000	0.9999	0.9998	0.9994	14
15												1.0000	0.9999	0.9998	15
16													1.0000	0.9999	16
17														1.0000	17

λ	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0	11.0	12.0	13.0	14.0	15.0	λ
x															x
0	0.0025	0.0015	0.0009	0.0006	0.0003	0.0002	0.0001	0.0001	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0
1	0.0174	0.0113	0.0073	0.0047	0.0030	0.0019	0.0012	0.0008	0.0005	0.0002	0.0001	0.0000	0.0000	0.0000	1
2	0.0620	0.0430	0.0296	0.0203	0.0138	0.0093	0.0062	0.0042	0.0028	0.0012	0.0005	0.0002	0.0001	0.0000	2
3	0.1512	0.1118	0.0818	0.0591	0.0424	0.0301	0.0212	0.0149	0.0103	0.0049	0.0023	0.0011	0.0005	0.0002	3
4	0.2851	0.2237	0.1730	0.1321	0.0996	0.0744	0.0550	0.0403	0.0293	0.0151	0.0076	0.0037	0.0018	0.0009	4
5	0.4457	0.3690	0.3007	0.2414	0.1912	0.1496	0.1157	0.0885	0.0671	0.0375	0.0203	0.0107	0.0055	0.0028	5
6	0.6063	0.5265	0.4497	0.3782	0.3134	0.2562	0.2068	0.1649	0.1301	0.0786	0.0458	0.0259	0.0142	0.0076	6
7	0.7440	0.6728	0.5987	0.5246	0.4530	0.3856	0.3239	0.2687	0.2202	0.1432	0.0895	0.0540	0.0316	0.0180	7
8	0.8472	0.7916	0.7291	0.6620	0.5925	0.5231	0.4557	0.3918	0.3328	0.2320	0.1550	0.0998	0.0621	0.0374	8
9	0.9161	0.8774	0.8305	0.7764	0.7166	0.6530	0.5874	0.5218	0.4579	0.3405	0.2424	0.1658	0.1094	0.0699	9
10	0.9574	0.9332	0.9015	0.8622	0.8159	0.7634	0.7060	0.6453	0.5830	0.4599	0.3472	0.2517	0.1757	0.1185	10
11	0.9799	0.9661	0.9467	0.9208	0.8881	0.8487	0.8030	0.7520	0.6968	0.5793	0.4616	0.3532	0.2600	0.1848	11
12	0.9912	0.9840	0.9730	0.9573	0.9362	0.9091	0.8758	0.8364	0.7916	0.6887	0.5760	0.4631	0.3585	0.2676	12
13	0.9964	0.9929	0.9872	0.9784	0.9658	0.9486	0.9261	0.8981	0.8645	0.7813	0.6815	0.5730	0.4644	0.3632	13
14	0.9986	0.9970	0.9943	0.9897	0.9827	0.9726	0.9585	0.9400	0.9165	0.8540	0.7720	0.6751	0.5704	0.4657	14
15	0.9995	0.9988	0.9976	0.9954	0.9918	0.9862	0.9780	0.9665	0.9513	0.9074	0.8444	0.7636	0.6694	0.5681	15
16	0.9998	0.9996	0.9990	0.9980	0.9963	0.9934	0.9889	0.9823	0.9730	0.9441	0.8987	0.8355	0.7559	0.6641	16
17	0.9999	0.9998	0.9996	0.9992	0.9984	0.9970	0.9947	0.9911	0.9857	0.9678	0.9370	0.8905	0.8272	0.7489	17
18	1.0000	0.9999	0.9999	0.9997	0.9993	0.9987	0.9976	0.9957	0.9928	0.9823	0.9626	0.9302	0.8826	0.8195	18
19		1.0000	1.0000	0.9999	0.9997	0.9995	0.9989	0.9980	0.9965	0.9907	0.9787	0.9573	0.9235	0.8752	19
20				1.0000	0.9999	0.9998	0.9996	0.9991	0.9984	0.9953	0.9884	0.9750	0.9521	0.9170	20
21					1.0000	0.9999	0.9998	0.9996	0.9993	0.9977	0.9939	0.9859	0.9712	0.9469	21
22						1.0000	0.9999	0.9999	0.9997	0.9990	0.9970	0.9924	0.9833	0.9673	22
23							1.0000	0.9999	0.9999	0.9995	0.9985	0.9960	0.9907	0.9805	23
24								1.0000	1.0000	0.9998	0.9993	0.9980	0.9950	0.9888	24
25										0.9999	0.9997	0.9990	0.9974	0.9938	25
26										1.0000	0.9999	0.9995	0.9987	0.9967	26
27											0.9999	0.9998	0.9994	0.9983	27
28											1.0000	0.9999	0.9997	0.9991	28
29												1.0000	0.9999	0.9996	29
30													0.9999	0.9998	30
31													1.0000	0.9999	31
32														1.0000	32

Table 3: Normal Distribution Function

The table gives the probability, p , that a normally distributed random variable Z , with mean = 0 and variance = 1, is less than or equal to z .

z	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09	z
0.0	0.50000	0.50399	0.50798	0.51197	0.51595	0.51994	0.52392	0.52790	0.53188	0.53586	0.0
0.1	0.53983	0.54380	0.54776	0.55172	0.55567	0.55962	0.56356	0.56749	0.57142	0.57535	0.1
0.2	0.57926	0.58317	0.58706	0.59095	0.59483	0.59871	0.60257	0.60642	0.61026	0.61409	0.2
0.3	0.61791	0.62172	0.62552	0.62930	0.63307	0.63683	0.64058	0.64431	0.64803	0.65173	0.3
0.4	0.65542	0.65910	0.66276	0.66640	0.67003	0.67364	0.67724	0.68082	0.68439	0.68793	0.4
0.5	0.69146	0.69497	0.69847	0.70194	0.70540	0.70884	0.71226	0.71566	0.71904	0.72240	0.5
0.6	0.72575	0.72907	0.73237	0.73565	0.73891	0.74215	0.74537	0.74857	0.75175	0.75490	0.6
0.7	0.75804	0.76115	0.76424	0.76730	0.77035	0.77337	0.77637	0.77935	0.78230	0.78524	0.7
0.8	0.78814	0.79103	0.79389	0.79673	0.79955	0.80234	0.80511	0.80785	0.81057	0.81327	0.8
0.9	0.81594	0.81859	0.82121	0.82381	0.82639	0.82894	0.83147	0.83398	0.83646	0.83891	0.9
1.0	0.84134	0.84375	0.84614	0.84849	0.85083	0.85314	0.85543	0.85769	0.85993	0.86214	1.0
1.1	0.86433	0.86650	0.86864	0.87076	0.87286	0.87493	0.87698	0.87900	0.88100	0.88298	1.1
1.2	0.88493	0.88686	0.88877	0.89065	0.89251	0.89435	0.89617	0.89796	0.89973	0.90147	1.2
1.3	0.90320	0.90490	0.90658	0.90824	0.90988	0.91149	0.91309	0.91466	0.91621	0.91774	1.3
1.4	0.91924	0.92073	0.92220	0.92364	0.92507	0.92647	0.92785	0.92922	0.93056	0.93189	1.4
1.5	0.93319	0.93448	0.93574	0.93699	0.93822	0.93943	0.94062	0.94179	0.94295	0.94408	1.5
1.6	0.94520	0.94630	0.94738	0.94845	0.94950	0.95053	0.95154	0.95254	0.95352	0.95449	1.6
1.7	0.95543	0.95637	0.95728	0.95818	0.95907	0.95994	0.96080	0.96164	0.96246	0.96327	1.7
1.8	0.96407	0.96485	0.96562	0.96638	0.96712	0.96784	0.96856	0.96926	0.96995	0.97062	1.8
1.9	0.97128	0.97193	0.97257	0.97320	0.97381	0.97441	0.97500	0.97558	0.97615	0.97670	1.9
2.0	0.97725	0.97778	0.97831	0.97882	0.97932	0.97982	0.98030	0.98077	0.98124	0.98169	2.0
2.1	0.98214	0.98257	0.98300	0.98341	0.98382	0.98422	0.98461	0.98500	0.98537	0.98574	2.1
2.2	0.98610	0.98645	0.98679	0.98713	0.98745	0.98778	0.98809	0.98840	0.98870	0.98899	2.2
2.3	0.98928	0.98956	0.98983	0.99010	0.99036	0.99061	0.99086	0.99111	0.99134	0.99158	2.3
2.4	0.99180	0.99202	0.99224	0.99245	0.99266	0.99286	0.99305	0.99324	0.99343	0.99361	2.4
2.5	0.99379	0.99396	0.99413	0.99430	0.99446	0.99461	0.99477	0.99492	0.99506	0.99520	2.5
2.6	0.99534	0.99547	0.99560	0.99573	0.99585	0.99598	0.99609	0.99621	0.99632	0.99643	2.6
2.7	0.99653	0.99664	0.99674	0.99683	0.99693	0.99702	0.99711	0.99720	0.99728	0.99736	2.7
2.8	0.99744	0.99752	0.99760	0.99767	0.99774	0.99781	0.99788	0.99795	0.99801	0.99807	2.8
2.9	0.99813	0.99819	0.99825	0.99831	0.99836	0.99841	0.99846	0.99851	0.99856	0.99861	2.9
3.0	0.99865	0.99869	0.99874	0.99878	0.99882	0.99886	0.99889	0.99893	0.99896	0.99900	3.0
3.1	0.99903	0.99906	0.99910	0.99913	0.99916	0.99918	0.99921	0.99924	0.99926	0.99929	3.1
3.2	0.99931	0.99934	0.99936	0.99938	0.99940	0.99942	0.99944	0.99946	0.99948	0.99950	3.2
3.3	0.99952	0.99953	0.99955	0.99957	0.99958	0.99960	0.99961	0.99962	0.99964	0.99965	3.3
3.4	0.99966	0.99968	0.99969	0.99970	0.99971	0.99972	0.99973	0.99974	0.99975	0.99976	3.4
3.5	0.99977	0.99978	0.99978	0.99979	0.99980	0.99981	0.99981	0.99982	0.99983	0.99983	3.5
3.6	0.99984	0.99985	0.99985	0.99986	0.99986	0.99987	0.99987	0.99988	0.99988	0.99989	3.6
3.7	0.99989	0.99990	0.99990	0.99990	0.99991	0.99991	0.99992	0.99992	0.99992	0.99992	3.7
3.8	0.99993	0.99993	0.99993	0.99994	0.99994	0.99994	0.99994	0.99995	0.99995	0.99995	3.8
3.9	0.99995	0.99995	0.99996	0.99996	0.99996	0.99996	0.99996	0.99996	0.99997	0.99997	3.9

Table 4: Percentage Points of the Normal Distribution

The table gives the values of z satisfying $P(Z \leq z) = p$, where Z is the normally distributed random variable with mean = 0 and variance = 1.

<i>p</i>	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09	<i>p</i>
0.5	0.0000	0.0251	0.0502	0.0753	0.1004	0.1257	0.1510	0.1764	0.2019	0.2275	0.5
0.6	0.2533	0.2793	0.3055	0.3319	0.3585	0.3853	0.4125	0.4399	0.4677	0.4958	0.6
0.7	0.5244	0.5534	0.5828	0.6128	0.6433	0.6745	0.7063	0.7388	0.7722	0.8064	0.7
0.8	0.8416	0.8779	0.9154	0.9542	0.9945	1.0364	1.0803	1.1264	1.1750	1.2265	0.8
0.9	1.2816	1.3408	1.4051	1.4758	1.5548	1.6449	1.7507	1.8808	2.0537	2.3263	0.9
<i>p</i>	0.000	0.001	0.002	0.003	0.004	0.005	0.006	0.007	0.008	0.009	<i>p</i>
0.95	1.6449	1.6546	1.6646	1.6747	1.6849	1.6954	1.7060	1.7169	1.7279	1.7392	0.95
0.96	1.7507	1.7624	1.7744	1.7866	1.7991	1.8119	1.8250	1.8384	1.8522	1.8663	0.96
0.97	1.8808	1.8957	1.9110	1.9268	1.9431	1.9600	1.9774	1.9954	2.0141	2.0335	0.97
0.98	2.0537	2.0749	2.0969	2.1201	2.1444	2.1701	2.1973	2.2262	2.2571	2.2904	0.98
0.99	2.3263	2.3656	2.4089	2.4573	2.5121	2.5758	2.6521	2.7478	2.8782	3.0902	0.99

Table 5: Percentage Points of the Student's t -distribution

The table gives the values of x satisfying $P(X \leq x) = p$, where X is a random variable having the Student's t -distribution with ν degrees of freedom.

p	0.9	0.95	0.975	0.99	0.995	p	0.9	0.95	0.975	0.99	0.995
ν						ν					
1	3.078	6.314	12.706	31.821	63.657	29	1.311	1.699	2.045	2.462	2.756
2	1.886	2.920	4.303	6.965	9.925	30	1.310	1.697	2.042	2.457	2.750
3	1.638	2.353	3.182	4.541	5.841	31	1.309	1.696	2.040	2.453	2.744
4	1.533	2.132	2.776	3.747	4.604	32	1.309	1.694	2.037	2.449	2.738
5	1.476	2.015	2.571	3.365	4.032	33	1.308	1.692	2.035	2.445	2.733
6	1.440	1.943	2.447	3.143	3.707	34	1.307	1.691	2.032	2.441	2.728
7	1.415	1.895	2.365	2.998	3.499	35	1.306	1.690	2.030	2.438	2.724
8	1.397	1.860	2.306	2.896	3.355	36	1.306	1.688	2.028	2.434	2.719
9	1.383	1.833	2.262	2.821	3.250	37	1.305	1.687	2.026	2.431	2.715
10	1.372	1.812	2.228	2.764	3.169	38	1.304	1.686	2.024	2.429	2.712
11	1.363	1.796	2.201	2.718	3.106	39	1.304	1.685	2.023	2.426	2.708
12	1.356	1.782	2.179	2.681	3.055	40	1.303	1.684	2.021	2.423	2.704
13	1.350	1.771	2.160	2.650	3.012	45	1.301	1.679	2.014	2.412	2.690
14	1.345	1.761	2.145	2.624	2.977	50	1.299	1.676	2.009	2.403	2.678
15	1.341	1.753	2.131	2.602	2.947	55	1.297	1.673	2.004	2.396	2.668
16	1.337	1.746	2.121	2.583	2.921	60	1.296	1.671	2.000	2.390	2.660
17	1.333	1.740	2.110	2.567	2.898	65	1.295	1.669	1.997	2.385	2.654
18	1.330	1.734	2.101	2.552	2.878	70	1.294	1.667	1.994	2.381	2.648
19	1.328	1.729	2.093	2.539	2.861	75	1.293	1.665	1.992	2.377	2.643
20	1.325	1.725	2.086	2.528	2.845	80	1.292	1.664	1.990	2.374	2.639
21	1.323	1.721	2.080	2.518	2.831	85	1.292	1.663	1.998	2.371	2.635
22	1.321	1.717	2.074	2.508	2.819	90	1.291	1.662	1.987	2.368	2.632
23	1.319	1.714	2.069	2.500	2.807	95	1.291	1.661	1.985	2.366	2.629
24	1.318	1.711	2.064	2.492	2.797	100	1.290	1.660	1.984	2.364	2.626
25	1.316	1.708	2.060	2.485	2.787	125	1.288	1.657	1.979	2.357	2.616
26	1.315	1.706	2.056	2.479	2.779	150	1.287	1.655	1.976	2.351	2.609
27	1.314	1.703	2.052	2.473	2.771	200	1.286	1.653	1.972	2.345	2.601
28	1.313	1.701	2.048	2.467	2.763	∞	1.282	1.645	1.960	2.326	2.576

Table 6: Percentage Points of the χ^2 Distribution

The table gives the values of x satisfying $P(X \leq x) = p$, where X is a random variable having the χ^2 distribution with ν degrees of freedom.

p	0.005	0.01	0.025	0.05	0.1	0.9	0.95	0.975	0.99	0.995	p
ν											ν
1	0.00004	0.0002	0.001	0.004	0.016	2.706	3.841	5.024	6.635	7.879	1
2	0.010	0.020	0.051	0.103	0.211	4.605	5.991	7.378	9.210	10.597	2
3	0.072	0.115	0.216	0.352	0.584	6.251	7.815	9.348	11.345	12.838	3
4	0.207	0.297	0.484	0.711	1.064	7.779	9.488	11.143	13.277	14.860	4
5	0.412	0.554	0.831	1.145	1.610	9.236	11.070	12.833	15.086	16.750	5
6	0.676	0.872	1.237	1.635	2.204	10.645	12.592	14.449	16.812	18.548	6
7	0.989	1.239	1.690	2.167	2.833	12.017	14.067	16.013	18.475	20.278	7
8	1.344	1.646	2.180	2.733	3.490	13.362	15.507	17.535	20.090	21.955	8
9	1.735	2.088	2.700	3.325	4.168	14.684	16.919	19.023	21.666	23.589	9
10	2.156	2.558	3.247	3.940	4.865	15.987	18.307	20.483	23.209	25.188	10
11	2.603	3.053	3.816	4.575	5.578	17.275	19.675	21.920	24.725	26.757	11
12	3.074	3.571	4.404	5.226	6.304	18.549	21.026	23.337	26.217	28.300	12
13	3.565	4.107	5.009	5.892	7.042	19.812	22.362	24.736	27.688	29.819	13
14	4.075	4.660	5.629	6.571	7.790	21.064	23.685	26.119	29.141	31.319	14
15	4.601	5.229	6.262	7.261	8.547	22.307	24.996	27.488	30.578	32.801	15
16	5.142	5.812	6.908	7.962	9.312	23.542	26.296	28.845	32.000	34.267	16
17	5.697	6.408	7.564	8.672	10.085	24.769	27.587	30.191	33.409	35.718	17
18	6.265	7.015	8.231	9.390	10.865	25.989	28.869	31.526	34.805	37.156	18
19	6.844	7.633	8.907	10.117	11.651	27.204	30.144	32.852	36.191	38.582	19
20	7.434	8.260	9.591	10.851	12.443	28.412	31.410	34.170	37.566	39.997	20
21	8.034	8.897	10.283	11.591	13.240	29.615	32.671	35.479	38.932	41.401	21
22	8.643	9.542	10.982	12.338	14.041	30.813	33.924	36.781	40.289	42.796	22
23	9.260	10.196	11.689	13.091	14.848	32.007	35.172	38.076	41.638	44.181	23
24	9.886	10.856	12.401	13.848	15.659	33.196	36.415	39.364	42.980	45.559	24
25	10.520	11.524	13.120	14.611	16.473	34.382	37.652	40.646	44.314	46.928	25
26	11.160	12.198	13.844	15.379	17.292	35.563	38.885	41.923	45.642	48.290	26
27	11.808	12.879	14.573	16.151	18.114	36.741	40.113	43.195	46.963	49.645	27
28	12.461	13.565	15.308	16.928	18.939	37.916	41.337	44.461	48.278	50.993	28
29	13.121	14.256	16.047	17.708	19.768	39.087	42.557	45.722	49.588	52.336	29
30	13.787	14.953	16.791	18.493	20.599	40.256	43.773	46.979	50.892	53.672	30
31	14.458	15.655	17.539	19.281	21.434	41.422	44.985	48.232	52.191	55.003	31
32	15.134	16.362	18.291	20.072	22.271	42.585	46.194	49.480	53.486	56.328	32
33	15.815	17.074	19.047	20.867	23.110	43.745	47.400	50.725	54.776	57.648	33
34	16.501	17.789	19.806	21.664	23.952	44.903	48.602	51.996	56.061	58.964	34
35	17.192	18.509	20.569	22.465	24.797	46.059	49.802	53.203	57.342	60.275	35
36	17.887	19.223	21.336	23.269	25.643	47.212	50.998	54.437	58.619	61.581	36
37	18.586	19.960	22.106	24.075	26.492	48.363	52.192	55.668	59.892	62.883	37
38	19.289	20.691	22.878	24.884	27.343	49.513	53.384	56.896	61.162	64.181	38
39	19.996	21.426	23.654	25.695	28.196	50.660	54.572	58.120	62.428	65.476	39
40	20.707	22.164	24.433	26.509	29.051	51.805	55.758	59.342	63.691	66.766	40
45	24.311	25.901	28.366	30.612	33.350	57.505	61.656	65.410	69.957	73.166	45
50	27.991	29.707	32.357	34.764	37.689	63.167	67.505	71.420	76.154	79.490	50
55	31.735	33.570	36.398	38.958	42.060	68.796	73.311	77.380	82.292	85.749	55
60	35.534	37.485	40.482	43.188	46.459	74.397	79.082	83.298	88.379	91.952	60
65	39.383	41.444	44.603	47.450	50.883	79.973	84.821	89.177	94.422	98.105	65
70	43.275	45.442	48.758	51.739	55.329	85.527	90.531	95.023	100.425	104.215	70
75	47.206	49.475	52.942	56.054	59.795	91.061	96.217	100.839	106.393	110.286	75
80	51.172	53.540	57.153	60.391	64.278	96.578	101.879	106.629	112.329	116.321	80
85	55.170	57.634	61.389	64.749	68.777	102.079	107.522	112.393	118.236	122.325	85
90	59.196	61.754	65.647	69.126	73.291	107.565	113.145	118.136	124.116	128.299	90
95	63.250	65.898	69.925	73.520	77.818	113.038	118.752	123.858	129.973	134.247	95
100	67.328	70.065	74.222	77.929	82.358	118.498	124.342	129.561	135.807	140.169	100

Table 7: Percentage Points of the F -distribution

The tables give the values of x satisfying $P(X \leq x) = p$, where X is a random variable having the F -distribution with ν_1 degrees of freedom in the numerator and ν_2 degrees of freedom in the denominator.

F -distribution ($p = 0.995$)

Use for one-tail tests at significance level 0.5% or two-tail tests at significance level 1%.

ν_1	1	2	3	4	5	6	7	8	9	10	11	12	15	20	25	30	40	50	100	∞	ν_2
1	16211	20000	21615	22500	23056	23437	23715	23925	24091	24224	24334	24426	24630	24836	24960	25044	25148	25211	25337	25464	1
2	198.5	199.0	199.2	199.2	199.3	199.3	199.3	199.4	199.4	199.4	199.4	199.4	199.4	199.4	199.5	199.5	199.5	199.5	199.5	199.5	2
3	55.55	49.80	47.47	46.19	45.39	44.84	44.43	44.13	43.88	43.69	43.52	43.39	43.08	42.78	42.59	42.47	42.31	42.21	42.02	41.83	3
4	31.33	26.28	24.26	23.15	22.46	21.97	21.62	21.35	21.14	20.97	20.82	20.70	20.44	20.17	20.00	19.89	19.75	19.67	19.50	19.32	4
5	22.78	18.31	16.53	15.56	14.94	14.51	14.20	13.96	13.77	13.62	13.49	13.38	13.15	12.90	12.76	12.66	12.53	12.45	12.30	12.14	5
6	18.635	14.544	12.917	12.028	11.464	11.073	10.786	10.566	10.391	10.250	10.133	10.034	9.814	9.589	9.451	9.358	9.241	9.170	9.026	8.879	6
7	16.236	12.404	10.882	10.050	9.522	9.155	8.885	8.678	8.514	8.380	8.270	8.176	7.968	7.754	7.623	7.534	7.422	7.354	7.217	7.076	7
8	14.688	11.042	9.596	8.805	8.302	7.952	7.694	7.496	7.339	7.211	7.104	7.015	6.814	6.608	6.482	6.396	6.288	6.222	6.088	5.951	8
9	13.614	10.107	8.717	7.956	7.471	7.134	6.885	6.693	6.541	6.417	6.314	6.227	6.032	5.832	5.708	5.625	5.519	5.454	5.322	5.188	9
10	12.826	9.427	8.081	7.343	6.872	6.545	6.302	6.116	5.968	5.847	5.746	5.661	5.471	5.274	5.153	5.071	4.966	4.902	4.772	4.639	10
11	12.226	8.912	7.600	6.881	6.422	6.102	5.865	5.682	5.537	5.418	5.320	5.236	5.049	4.855	4.736	4.654	4.551	4.488	4.359	4.226	11
12	11.754	8.510	7.226	6.521	6.071	5.757	5.525	5.345	5.202	5.085	4.988	4.906	4.721	4.530	4.412	4.331	4.228	4.165	4.037	3.904	12
13	11.374	8.186	6.926	6.233	5.791	5.482	5.253	5.076	4.935	4.820	4.724	4.643	4.460	4.270	4.153	4.073	3.970	3.908	3.780	3.647	13
14	11.060	7.922	6.680	5.998	5.562	5.257	5.031	4.857	4.717	4.603	4.508	4.428	4.247	4.059	3.942	3.862	3.760	3.697	3.569	3.436	14
15	10.798	7.701	6.476	5.803	5.372	5.071	4.847	4.674	4.536	4.424	4.329	4.250	4.070	3.883	3.766	3.687	3.585	3.523	3.394	3.260	15
20	9.944	6.986	5.818	5.174	4.762	4.472	4.257	4.090	3.956	3.847	3.756	3.678	3.502	3.318	3.203	3.123	3.022	2.959	2.828	2.690	20
25	9.475	6.598	5.462	4.835	4.433	4.150	3.939	3.776	3.645	3.537	3.447	3.370	3.196	3.013	2.898	2.819	2.716	2.652	2.519	2.377	25
30	9.180	6.355	5.239	4.623	4.228	3.949	3.742	3.580	3.450	3.344	3.255	3.179	3.006	2.823	2.708	2.628	2.524	2.459	2.323	2.176	30
40	8.828	6.066	4.976	4.374	3.986	3.713	3.509	3.350	3.222	3.117	3.028	2.953	2.781	2.598	2.482	2.401	2.296	2.230	2.088	1.932	40
50	8.626	5.902	4.826	4.232	3.849	3.579	3.376	3.219	3.092	2.988	2.900	2.825	2.653	2.470	2.353	2.272	2.164	2.097	1.951	1.786	50
100	8.241	5.589	4.542	3.963	3.589	3.325	3.127	2.972	2.847	2.744	2.657	2.583	2.411	2.227	2.108	2.024	1.912	1.840	1.681	1.485	100
∞	7.879	5.298	4.279	3.715	3.350	3.091	2.897	2.744	2.621	2.519	2.432	2.358	2.187	2.000	1.877	1.789	1.669	1.590	1.402	1.001	∞

F -distribution ($p = 0.99$)

Use for one-tail tests at significance level 1% or two-tail tests at significance level 2%.

ν_1	1	2	3	4	5	6	7	8	9	10	11	12	15	20	25	30	40	50	100	∞	ν_2
1	4052	5000	5403	5625	5764	5859	5928	5981	6022	6056	6083	6106	6157	6209	6240	6261	6287	6303	6334	6366	1
2	98.50	99.00	99.17	99.25	99.30	99.33	99.36	99.37	99.39	99.40	99.41	99.42	99.43	99.45	99.46	99.47	99.47	99.48	99.49	99.50	2
3	34.12	30.82	29.46	28.71	28.24	27.91	27.67	27.49	27.35	27.23	27.13	27.05	26.87	26.69	26.58	26.50	26.41	26.35	26.24	26.13	3
4	21.20	18.00	16.69	15.98	15.52	15.21	14.98	14.80	14.66	14.55	14.45	14.37	14.20	14.02	13.91	13.84	13.75	13.69	13.58	13.46	4
5	16.26	13.27	12.06	11.39	10.97	10.67	10.46	10.29	10.16	10.05	9.96	9.89	9.72	9.55	9.45	9.38	9.29	9.24	9.13	9.02	5
6	13.745	10.925	9.780	9.148	8.746	8.466	8.260	8.102	7.976	7.874	7.790	7.718	7.559	7.396	7.296	7.229	7.143	7.091	6.987	6.880	6
7	12.246	9.547	8.451	7.847	7.460	7.191	6.993	6.840	6.719	6.620	6.538	6.469	6.314	6.155	6.058	5.992	5.908	5.858	5.755	5.650	7
8	11.259	8.649	7.591	7.006	6.632	6.371	6.178	6.029	5.911	5.814	5.734	5.667	5.515	5.359	5.263	5.198	5.116	5.065	4.963	4.859	8
9	10.561	8.022	6.992	6.422	6.057	5.802	5.613	5.467	5.351	5.257	5.178	5.111	4.962	4.808	4.713	4.649	4.567	4.517	4.415	4.311	9
10	10.044	7.559	6.552	5.994	5.636	5.386	5.200	5.057	4.942	4.849	4.772	4.706	4.558	4.405	4.311	4.247	4.165	4.115	4.014	3.909	10
11	9.646	7.206	6.217	5.668	5.316	5.069	4.886	4.744	4.632	4.539	4.462	4.397	4.251	4.099	4.005	3.941	3.860	3.810	3.708	3.602	11
12	9.330	6.927	5.953	5.412	5.064	4.821	4.640	4.499	4.388	4.296	4.220	4.155	4.010	3.858	3.765	3.701	3.619	3.569	3.467	3.361	12
13	9.074	6.701	5.739	5.205	4.862	4.620	4.441	4.302	4.191	4.100	4.025	3.960	3.815	3.665	3.571	3.507	3.425	3.375	3.272	3.165	13
14	8.862	6.515	5.564	5.035	4.695	4.456	4.278	4.140	4.030	3.939	3.864	3.800	3.656	3.505	3.412	3.348	3.266	3.215	3.112	3.004	14
15	8.683	6.359	5.417	4.893	4.556	4.318	4.142	4.004	3.895	3.805	3.730	3.666	3.522	3.372	3.278	3.214	3.132	3.081	2.977	2.868	15
20	8.096	5.849	4.938	4.431	4.103	3.871	3.699	3.564	3.457	3.368	3.294	3.231	3.088	2.938	2.843	2.778	2.695	2.643	2.535	2.421	20
25	7.770	5.568	4.675	4.177	3.855	3.627	3.457	3.324	3.217	3.129	3.056	2.993	2.850	2.699	2.604	2.538	2.453	2.400	2.289	2.169	25
30	7.562	5.390	4.510	4.018	3.699	3.473	3.304	3.173	3.067	2.979	2.906	2.843	2.700	2.549	2.453	2.386	2.299	2.245	2.131	2.006	30
40	7.314	5.179	4.313	3.828	3.514	3.291	3.124	2.993	2.888	2.801	2.727	2.665	2.522	2.369	2.271	2.203	2.114	2.058	1.938	1.805	40
50	7.171	5.057	4.199	3.720	3.408	3.186	3.020	2.890	2.785	2.698	2.625	2.562	2.419	2.265	2.167	2.098	2.007	1.949	1.825	1.683	50
100	6.895	4.824	3.984	3.513	3.206	2.988	2.823	2.694	2.590	2.503	2.430	2.368	2.223	2.067	1.965	1.893	1.797	1.735	1.598	1.427	100
∞	6.635	4.605	3.782	3.319	3.017	2.802	2.639	2.511	2.407	2.321	2.248	2.185	2.039	1.878	1.773	1.696	1.592	1.523	1.358	1.000	∞

F-distribution ($p = 0.975$)

Use for one-tail tests at significance level 2.5% or two-tail tests at significance level 5%.

v_1	1	2	3	4	5	6	7	8	9	10	11	12	15	20	25	30	40	50	100	∞	v_1	
v_2																						v_2
1	647.8	799.5	864.2	899.6	921.8	937.1	948.2	956.7	963.3	968.6	973.0	976.7	984.9	993.1	998.1	1001.4	1005.6	1008.1	1013.2	1018.3	1	
2	38.51	39.00	39.17	39.25	39.30	39.33	39.36	39.37	39.39	39.40	39.41	39.41	39.43	39.45	39.46	39.46	39.47	39.48	39.49	39.50	2	
3	17.44	16.04	15.44	15.10	14.88	14.73	14.62	14.54	14.47	14.42	14.37	14.34	14.25	14.17	14.12	14.08	14.04	14.01	13.96	13.90	3	
4	12.22	10.65	9.98	9.60	9.36	9.20	9.07	8.98	8.90	8.84	8.79	8.75	8.66	8.56	8.50	8.46	8.41	8.38	8.32	8.26	4	
5	10.01	8.43	7.76	7.39	7.15	6.98	6.85	6.76	6.68	6.62	6.57	6.52	6.43	6.33	6.27	6.23	6.18	6.14	6.08	6.02	5	
6	8.813	7.260	6.599	6.227	5.988	5.820	5.695	5.600	5.523	5.461	5.410	5.366	5.269	5.168	5.107	5.065	5.012	4.980	4.915	4.849	6	
7	8.073	6.542	5.890	5.523	5.285	5.119	4.995	4.899	4.823	4.761	4.709	4.666	4.568	4.467	4.405	4.362	4.309	4.276	4.210	4.142	7	
8	7.571	6.059	5.416	5.053	4.817	4.652	4.529	4.433	4.357	4.295	4.243	4.200	4.101	3.999	3.937	3.894	3.840	3.807	3.739	3.670	8	
9	7.209	5.715	5.078	4.718	4.484	4.320	4.197	4.102	4.026	3.964	3.912	3.868	3.769	3.667	3.604	3.560	3.505	3.472	3.403	3.333	9	
10	6.937	5.456	4.826	4.468	4.236	4.072	3.950	3.855	3.779	3.717	3.665	3.621	3.522	3.419	3.355	3.311	3.255	3.221	3.152	3.080	10	
11	6.724	5.256	4.630	4.275	4.044	3.881	3.759	3.664	3.588	3.526	3.474	3.430	3.330	3.226	3.162	3.118	3.061	3.027	2.956	2.883	11	
12	6.554	5.096	4.474	4.121	3.891	3.728	3.607	3.512	3.436	3.374	3.321	3.277	3.177	3.073	3.008	2.963	2.906	2.871	2.800	2.725	12	
13	6.414	4.965	4.347	3.996	3.767	3.604	3.483	3.388	3.312	3.250	3.197	3.153	3.053	2.948	2.882	2.837	2.780	2.744	2.671	2.595	13	
14	6.298	4.857	4.242	3.892	3.663	3.501	3.380	3.285	3.209	3.147	3.095	3.050	2.949	2.844	2.778	2.732	2.674	2.638	2.565	2.487	14	
15	6.200	4.765	4.153	3.804	3.576	3.415	3.293	3.199	3.123	3.060	3.008	2.963	2.862	2.756	2.689	2.644	2.585	2.549	2.474	2.395	15	
20	5.871	4.461	3.859	3.515	3.289	3.128	3.007	2.913	2.837	2.774	2.721	2.676	2.573	2.464	2.396	2.349	2.287	2.249	2.170	2.085	20	
25	5.686	4.291	3.694	3.353	3.129	2.969	2.848	2.753	2.677	2.613	2.560	2.515	2.411	2.300	2.230	2.182	2.118	2.079	1.996	1.906	25	
30	5.568	4.182	3.589	3.250	3.026	2.867	2.746	2.651	2.575	2.511	2.458	2.412	2.307	2.195	2.124	2.074	2.009	1.968	1.882	1.787	30	
40	5.424	4.051	3.463	3.126	2.904	2.744	2.624	2.529	2.452	2.388	2.334	2.288	2.182	2.068	1.994	1.943	1.875	1.832	1.741	1.637	40	
50	5.340	3.975	3.390	3.054	2.833	2.674	2.553	2.458	2.381	2.317	2.263	2.216	2.109	1.993	1.919	1.866	1.796	1.752	1.656	1.545	50	
100	5.179	3.828	3.250	2.917	2.696	2.537	2.417	2.321	2.244	2.179	2.125	2.077	1.968	1.849	1.770	1.715	1.640	1.592	1.483	1.347	100	
∞	5.024	3.689	3.116	2.786	2.567	2.408	2.288	2.192	2.114	2.048	1.993	1.945	1.833	1.708	1.626	1.566	1.484	1.428	1.296	1.000	∞	

F-distribution ($p = 0.95$)

Use for one-tail tests at significance level 5% or two-tail tests at significance level 10%.

v_1	1	2	3	4	5	6	7	8	9	10	11	12	15	20	25	30	40	50	100	∞	v_1	
v_2																						v_2
1	161.4	199.5	215.7	224.6	230.2	234.0	236.8	238.9	240.5	241.9	243.0	243.9	245.9	248.0	249.3	250.1	251.1	251.8	253.0	254.3	1	
2	18.51	19.00	19.16	19.25	19.30	19.33	19.35	19.37	19.38	19.40	19.40	19.41	19.43	19.45	19.46	19.46	19.47	19.48	19.49	19.50	2	
3	10.13	9.55	9.28	9.12	9.01	8.94	8.89	8.85	8.81	8.79	8.76	8.74	8.70	8.66	8.63	8.62	8.59	8.58	8.55	8.53	3	
4	7.71	6.94	6.59	6.39	6.26	6.16	6.09	6.04	6.00	5.96	5.94	5.91	5.86	5.80	5.77	5.75	5.72	5.70	5.66	5.63	4	
5	6.61	5.79	5.41	5.19	5.05	4.95	4.88	4.82	4.77	4.74	4.70	4.68	4.62	4.56	4.52	4.50	4.46	4.44	4.41	4.36	5	
6	5.987	5.143	4.757	4.534	4.387	4.284	4.207	4.147	4.099	4.060	4.027	4.000	3.938	3.874	3.835	3.808	3.774	3.754	3.712	3.669	6	
7	5.591	4.737	4.347	4.120	3.972	3.866	3.787	3.726	3.677	3.637	3.603	3.575	3.511	3.445	3.404	3.376	3.340	3.319	3.275	3.230	7	
8	5.318	4.459	4.066	3.838	3.688	3.581	3.500	3.438	3.388	3.347	3.313	3.284	3.218	3.150	3.108	3.079	3.043	3.020	2.975	2.928	8	
9	5.117	4.256	3.863	3.633	3.482	3.374	3.293	3.230	3.179	3.137	3.102	3.073	3.006	2.936	2.893	2.864	2.826	2.803	2.756	2.707	9	
10	4.965	4.103	3.708	3.478	3.326	3.217	3.135	3.072	3.020	2.978	2.943	2.913	2.845	2.774	2.730	2.700	2.661	2.637	2.588	2.538	10	
11	4.844	3.982	3.587	3.357	3.204	3.095	3.012	2.948	2.896	2.854	2.818	2.788	2.719	2.646	2.601	2.570	2.531	2.507	2.457	2.404	11	
12	4.747	3.885	3.490	3.259	3.106	2.996	2.913	2.849	2.796	2.753	2.717	2.687	2.617	2.544	2.498	2.466	2.426	2.401	2.350	2.296	12	
13	4.667	3.806	3.411	3.179	3.025	2.915	2.832	2.767	2.714	2.671	2.635	2.604	2.533	2.459	2.412	2.380	2.339	2.314	2.261	2.206	13	
14	4.600	3.739	3.344	3.112	2.958	2.848	2.764	2.699	2.646	2.602	2.565	2.534	2.463	2.388	2.341	2.308	2.266	2.241	2.187	2.131	14	
15	4.543	3.682	3.287	3.056	2.901	2.790	2.707	2.641	2.588	2.544	2.507	2.475	2.403	2.328	2.280	2.247	2.204	2.178	2.123	2.066	15	
20	4.351	3.493	3.098	2.866	2.711	2.599	2.514	2.447	2.393	2.348	2.310	2.278	2.203	2.124	2.074	2.039	1.994	1.966	1.907	1.843	20	
25	4.242	3.385	2.991	2.759	2.603	2.490	2.405	2.337	2.282	2.236	2.198	2.165	2.089	2.007	1.955	1.919	1.872	1.842	1.779	1.711	25	
30	4.171	3.316	2.922	2.690	2.534	2.421	2.334	2.266	2.211	2.165	2.126	2.092	2.015	1.932	1.878	1.841	1.792	1.761	1.695	1.622	30	
40	4.085	3.232	2.839	2.606	2.449	2.336	2.249	2.180	2.124	2.077	2.038	2.003	1.924	1.839	1.783	1.744	1.693	1.660	1.589	1.509	40	
50	4.034	3.183	2.790	2.557	2.400	2.286	2.199	2.130	2.073	2.026	1.986	1.952	1.871	1.784	1.727	1.687	1.634	1.599	1.525	1.438	50	
100	3.936	3.087	2.696	2.463	2.305	2.191	2.103	2.032	1.975	1.927	1.886	1.850	1.768	1.676	1.616	1.573	1.515	1.477	1.392	1.283	100	
∞	3.841	2.996	2.605	2.372	2.214	2.099	2.010	1.938	1.880	1.831	1.789	1.752	1.666	1.571	1.506	1.459	1.394	1.350	1.243	1.000	∞	

Table 8: Critical Values of the Product Moment Correlation Coefficient

The table gives the critical values, for different significance levels, of the product moment correlation coefficient, r , for varying sample sizes, n .

One tail Two tail	10% 20%	5% 10%	2.5% 5%	1% 2%	0.5% 1%	One tail Two tail
<i>n</i>						<i>n</i>
4	0.8000	0.9000	0.9500	0.9800	0.9900	4
5	0.6870	0.8054	0.8783	0.9343	0.9587	5
6	0.6084	0.7293	0.8114	0.8822	0.9172	6
7	0.5509	0.6694	0.7545	0.8329	0.8745	7
8	0.5067	0.6215	0.7067	0.7887	0.8343	8
9	0.4716	0.5822	0.6664	0.7498	0.7977	9
10	0.4428	0.5494	0.6319	0.7155	0.7646	10
11	0.4187	0.5214	0.6021	0.6851	0.7348	11
12	0.3981	0.4973	0.5760	0.6581	0.7079	12
13	0.3802	0.4762	0.5529	0.6339	0.6835	13
14	0.3646	0.4575	0.5324	0.6120	0.6614	14
15	0.3507	0.4409	0.5140	0.5923	0.6411	15
16	0.3383	0.4259	0.4973	0.5742	0.6226	16
17	0.3271	0.4124	0.4821	0.5577	0.6055	17
18	0.3170	0.4000	0.4683	0.5425	0.5897	18
19	0.3077	0.3887	0.4555	0.5285	0.5751	19
20	0.2992	0.3783	0.4438	0.5155	0.5614	20
21	0.2914	0.3687	0.4329	0.5034	0.5487	21
22	0.2841	0.3598	0.4227	0.4921	0.5368	22
23	0.2774	0.3515	0.4132	0.4815	0.5256	23
24	0.2711	0.3438	0.4044	0.4716	0.5151	24
25	0.2653	0.3365	0.3961	0.4622	0.5052	25
26	0.2598	0.3297	0.3882	0.4534	0.4958	26
27	0.2546	0.3233	0.3809	0.4451	0.4869	27
28	0.2497	0.3172	0.3739	0.4372	0.4785	28
29	0.2451	0.3115	0.3673	0.4297	0.4705	29
30	0.2407	0.3061	0.3610	0.4226	0.4629	30
31	0.2366	0.3009	0.3550	0.4158	0.4556	31
32	0.2327	0.2960	0.3494	0.4093	0.4487	32
33	0.2289	0.2913	0.3440	0.4032	0.4421	33
34	0.2254	0.2869	0.3388	0.3972	0.4357	34
35	0.2220	0.2826	0.3338	0.3916	0.4296	35
36	0.2187	0.2785	0.3291	0.3862	0.4238	36
37	0.2156	0.2746	0.3246	0.3810	0.4182	37
38	0.2126	0.2709	0.3202	0.3760	0.4128	38
39	0.2097	0.2673	0.3160	0.3712	0.4076	39
40	0.2070	0.2638	0.3120	0.3665	0.4026	40
41	0.2043	0.2605	0.3081	0.3621	0.3978	41
42	0.2018	0.2573	0.3044	0.3578	0.3932	42
43	0.1993	0.2542	0.3008	0.3536	0.3887	43
44	0.1970	0.2512	0.2973	0.3496	0.3843	44
45	0.1947	0.2483	0.2940	0.3457	0.3801	45
46	0.1925	0.2455	0.2907	0.3420	0.3761	46
47	0.1903	0.2429	0.2876	0.3384	0.3721	47
48	0.1883	0.2403	0.2845	0.3348	0.3683	48
49	0.1863	0.2377	0.2816	0.3314	0.3646	49
50	0.1843	0.2353	0.2787	0.3281	0.3610	50
60	0.1678	0.2144	0.2542	0.2997	0.3301	60
70	0.1550	0.1982	0.2352	0.2776	0.3060	70
80	0.1448	0.1852	0.2199	0.2597	0.2864	80
90	0.1364	0.1745	0.2072	0.2449	0.2702	90
100	0.1292	0.1654	0.1966	0.2324	0.2565	100

Table 9: Critical Values of Spearman's Rank Correlation Coefficient

The table gives the critical values, for different significance levels, of Spearman's rank correlation coefficient, r_s , for varying sample sizes, n . Since r_s is discrete, exact significance levels cannot be obtained in most cases. The critical values given are those with significance levels closest to the stated value.

One tail Two tail	10% 20%	5% 10%	2.5% 5%	1% 2%	0.5% 1%	One tail Two tail
<i>n</i>						<i>n</i>
4	1.0000	1.0000	1.0000	1.0000	1.0000	4
5	0.7000	0.9000	0.9000	1.0000	1.0000	5
6	0.6571	0.7714	0.8286	0.9429	0.9429	6
7	0.5714	0.6786	0.7857	0.8571	0.8929	7
8	0.5476	0.6429	0.7381	0.8095	0.8571	8
9	0.4833	0.6000	0.6833	0.7667	0.8167	9
10	0.4424	0.5636	0.6485	0.7333	0.7818	10
11	0.4182	0.5273	0.6091	0.7000	0.7545	11
12	0.3986	0.5035	0.5874	0.6713	0.7273	12
13	0.3791	0.4780	0.5604	0.6484	0.6978	13
14	0.3670	0.4593	0.5385	0.6220	0.6747	14
15	0.3500	0.4429	0.5179	0.6000	0.6536	15
16	0.3382	0.4265	0.5029	0.5824	0.6324	16
17	0.3271	0.4124	0.4821	0.5577	0.6055	17
18	0.3170	0.4000	0.4683	0.5425	0.5897	18
19	0.3077	0.3887	0.4555	0.5285	0.5751	19
20	0.2992	0.3783	0.4438	0.5155	0.5614	20
21	0.2914	0.3687	0.4329	0.5034	0.5487	21
22	0.2841	0.3598	0.4227	0.4921	0.5368	22
23	0.2774	0.3515	0.4132	0.4815	0.5256	23
24	0.2711	0.3438	0.4044	0.4716	0.5151	24
25	0.2653	0.3365	0.3961	0.4622	0.5052	25
26	0.2598	0.3297	0.3882	0.4534	0.4958	26
27	0.2546	0.3233	0.3809	0.4451	0.4869	27
28	0.2497	0.3172	0.3739	0.4372	0.4785	28
29	0.2451	0.3115	0.3673	0.4297	0.4705	29
30	0.2407	0.3061	0.3610	0.4226	0.4629	30
31	0.2366	0.3009	0.3550	0.4158	0.4556	31
32	0.2327	0.2960	0.3494	0.4093	0.4487	32
33	0.2289	0.2913	0.3440	0.4032	0.4421	33
34	0.2254	0.2869	0.3388	0.3972	0.4357	34
35	0.2220	0.2826	0.3338	0.3916	0.4296	35
36	0.2187	0.2785	0.3291	0.3862	0.4238	36
37	0.2156	0.2746	0.3246	0.3810	0.4182	37
38	0.2126	0.2709	0.3202	0.3760	0.4128	38
39	0.2097	0.2673	0.3160	0.3712	0.4076	39
40	0.2070	0.2638	0.3120	0.3665	0.4026	40
41	0.2043	0.2605	0.3081	0.3621	0.3978	41
42	0.2018	0.2573	0.3044	0.3578	0.3932	42
43	0.1993	0.2542	0.3008	0.3536	0.3887	43
44	0.1970	0.2512	0.2973	0.3496	0.3843	44
45	0.1947	0.2483	0.2940	0.3457	0.3801	45
46	0.1925	0.2455	0.2907	0.3420	0.3761	46
47	0.1903	0.2429	0.2876	0.3384	0.3721	47
48	0.1883	0.2403	0.2845	0.3348	0.3683	48
49	0.1863	0.2377	0.2816	0.3314	0.3646	49
50	0.1843	0.2353	0.2787	0.3281	0.3610	50
60	0.1678	0.2144	0.2542	0.2997	0.3301	60
70	0.1550	0.1982	0.2352	0.2776	0.3060	70
80	0.1448	0.1852	0.2199	0.2597	0.2864	80
90	0.1364	0.1745	0.2072	0.2449	0.2702	90
100	0.1292	0.1654	0.1966	0.2324	0.2565	100

Table 10: Critical Values of the Wilcoxon Signed-Rank Statistic

The table gives the lower tail critical values of the statistic T .

The upper tail critical values are given by $\frac{1}{2}n(n+1) - T$.

T is the sum of the ranks of observations with the same sign.

Since T is discrete, exact significance levels cannot usually be obtained.

The critical values tabulated are those with significance levels closest to the stated value.

The critical region includes the tabulated value.

	One tail		Two tail		
	10%	5%	2.5%	1%	0.5%
	20%	10%	5%	2%	1%
n					
3	0				
4	1	0			
5	2	1	0		
6	4	2	1	0	
7	6	4	2	0	0
8	8	6	4	2	0
9	11	8	6	3	2
10	14	11	8	5	3
11	18	14	11	7	5
12	22	17	14	10	7
13	26	21	17	13	10
14	31	26	21	16	13
15	37	30	25	20	16
16	42	36	30	24	19
20	70	60	52	43	37

Table 11: Critical Values of the Wilcoxon Rank-Sum

The table gives the lower tail critical values of the statistic U .

The upper tail critical values are given by $mn - U$.

$U = T - \frac{n(n+1)}{2}$ where T is the sum of the ranks of the sample of size n .

Since U is discrete, exact significance levels cannot be obtained.

The critical values tabulated are those with significance levels closest to the stated value.

The critical region includes the tabulated value.

One tail 5% Two tail 10%

m	2	3	4	5	6	7	8	9	10	11	12
n											
2		0	0	0	0	1	1	1	2	2	2
3	0	0	1	1	2	3	3	4	5	5	6
4	0	1	2	3	4	5	6	7	8	9	10
5	0	1	3	4	5	7	8	10	11	12	14
6	0	2	4	5	7	9	11	12	14	16	18
7	1	3	5	7	9	11	13	15	18	20	22
8	1	3	6	8	11	13	16	18	21	24	26
9	1	4	7	10	12	15	18	21	24	27	30
10	2	5	8	11	14	18	21	24	28	31	34
11	2	5	9	12	16	20	24	27	31	35	39
12	2	6	10	14	18	22	26	30	34	39	43

One tail 2.5% Two tail 5%

m	2	3	4	5	6	7	8	9	10	11	12
n											
2				0	0	0	0	0	1	1	1
3			0	0	1	2	2	3	3	4	4
4		0	1	2	2	3	4	5	6	7	8
5	0	0	2	3	4	5	6	7	9	10	11
6	0	1	2	4	5	7	8	10	12	13	15
7	0	2	3	5	7	9	11	13	15	17	18
8	0	2	4	6	8	11	13	15	18	20	22
9	0	3	5	7	10	13	15	18	21	23	26
10	1	3	6	9	12	15	18	21	24	27	30
11	1	4	7	10	13	17	20	23	27	30	34
12	1	4	8	11	15	18	22	26	30	34	38

