

The Mental Health Benefits of Exercise

By Lawrence Robinson, Jeanne Segal, Ph.D. and Melinda Smith, M.A.



What are the mental health benefits of exercise?

Exercise is not just about aerobic capacity and muscle size. Sure, exercise can improve your physical health and your physique, trim your waistline, improve your sex life, and even add years to your life. But that's not what motivates most people to stay active.

People who exercise regularly tend to do so because it gives them an enormous sense of well-being. They feel more energetic throughout the day, sleep better at night, have sharper memories, and feel more relaxed and positive about themselves and their lives. And it's also a powerful medicine for many common mental health challenges.

Regular exercise can have a profoundly positive impact on depression, anxiety, and ADHD. It also relieves stress, improves memory, helps you sleep better, and boosts your overall mood. And you don't have to be a fitness fanatic to reap the benefits. Research indicates that modest amounts of exercise can make a real difference. No matter your age or fitness level, you can learn to use exercise as a powerful tool to deal with mental health problems, improve your energy and outlook, and get more out of life.

Exercise and depression

Studies show that exercise can treat mild to moderate depression as effectively as antidepressant medication—but without the side-effects, of course. As one example, a recent study done by the Harvard T.H. Chan School of Public Health found that running for 15 minutes a day or walking for an hour reduces the risk of major depression by 26%. In addition to relieving [depression symptoms](#), research also shows that maintaining an exercise schedule can prevent you from relapsing.

Exercise is a powerful depression fighter for several reasons. Most importantly, it promotes all kinds of changes in the brain, including neural growth, reduced inflammation, and new activity patterns that promote feelings of calm and well-being. It also releases endorphins, powerful chemicals in your brain that energize your spirits and make you feel good. Finally, exercise can also serve as a distraction, allowing you to find some quiet time to break out of the cycle of negative thoughts that feed depression.

Exercise and anxiety

Exercise is a natural and effective [anti-anxiety treatment](#). It relieves tension and stress, boosts physical and mental energy, and enhances well-being through the release of endorphins. Anything that gets you moving can help, but you'll get a bigger benefit if you

pay attention instead of zoning out.

Try to notice the sensation of your feet hitting the ground, for example, or the rhythm of your breathing, or the feeling of the wind on your skin. By adding this mindfulness element—really focusing on your body and how it feels as you exercise—you'll not only improve your physical condition faster, but you may also be able to interrupt the flow of constant worries running through your head.

Exercise and stress

Ever noticed how your body feels when you're **under stress**? Your muscles may be tense, especially in your face, neck, and shoulders, leaving you with back or neck pain, or painful headaches. You may feel a tightness in your chest, a pounding pulse, or muscle cramps. You may also experience problems such as insomnia, heartburn, stomachache, diarrhea, or frequent urination. The worry and discomfort of all these physical symptoms can in turn lead to even more stress, creating a vicious cycle between your mind and body.

Exercising is an effective way to break this cycle. As well as releasing endorphins in the brain, physical activity helps to relax the muscles and relieve tension in the body. Since the body and mind are so closely linked, when your body feels better so, too, will your mind.

Exercise and ADHD

Exercising regularly is one of the easiest and most effective ways to reduce the **symptoms of ADHD** and improve concentration, motivation, memory, and mood. Physical activity immediately boosts the brain's dopamine, norepinephrine, and serotonin levels—all of which affect focus and attention. In this way, exercise works in much the same way as ADHD medications such as Ritalin and Adderall.

Exercise and PTSD and trauma

Evidence suggests that by really focusing on your body and how it feels as you exercise, you can actually help your nervous system become “unstuck” and begin to move out of the immobilization stress response that characterizes **PTSD** or trauma. Instead of allowing your mind to wander, pay close attention to the physical sensations in your joints and muscles, even your insides as your body moves. Exercises that involve cross movement and that engage both arms and legs—such as walking (especially in sand), running, swimming, weight training, or dancing—are some of your best choices.

Outdoor activities like hiking, sailing, mountain biking, rock climbing, whitewater rafting, and skiing (downhill and cross-country) have also been shown to reduce the symptoms of PTSD.

Other mental health benefits of exercise

Even if you're not suffering from a mental health problem, regular physical activity can still offer a welcome boost to your mood, outlook, and mental well-being.

Exercise can help provide:

Sharper memory and thinking. The same endorphins that make you feel better also help you concentrate and feel mentally sharp for tasks at hand. Exercise also stimulates the growth of new brain cells and helps prevent **age-related decline**.

Higher self-esteem. Regular activity is an investment in your mind, body, and soul. When it becomes habit, it can foster your sense of self-worth and make you feel strong and powerful. You'll feel better about your appearance and, by meeting even small exercise goals, you'll feel a sense of achievement.

Better sleep. Even short bursts of exercise in the morning or afternoon can help **regulate your sleep patterns**. If you prefer to exercise at night, relaxing exercises such as yoga or gentle stretching can help promote sleep.

More energy. Increasing your heart rate several times a week will give you more get-up-and-go. Start off with just a few minutes of exercise per day, and increase your workout as you feel more energized.

Stronger resilience. When faced with mental or emotional challenges in life, exercise can help you **build resilience** and cope in a healthy way, instead of resorting to alcohol, drugs, or other negative behaviors that ultimately only make your symptoms worse. Regular exercise can also help boost your immune system and reduce the impact of stress.

Reaping the mental health benefits of exercise is easier than you think

You don't need to devote hours out of your busy day to train at the gym, sweat buckets, or run mile after monotonous mile to reap all the physical and mental health benefits of exercise. Just 30-minutes of moderate exercise five times a week is enough. And even that can be broken down into two 15-minute or even three 10-minute exercise sessions if that's easier.

Even a little bit of activity is better than nothing

If you don't have time for 15 or 30 minutes of exercise, or if your body tells you to take a break after 5 or 10 minutes, for example, that's okay, too. Start with 5- or 10-minute sessions and slowly increase your time. The more you exercise, the more energy you'll have, so eventually you'll feel ready for a little more. The key is to commit to some moderate physical activity—however little—on most days. As exercising becomes a habit, you can slowly add extra minutes or try different types of activities. If you keep at it, the benefits of exercise will begin to pay off.

You don't have to suffer to get results

Research shows that moderate levels of exercise are **best for most people**. Moderate means:

1. That you breathe a little heavier than normal, but are not out of breath. For example, you should be able to chat with your walking partner, but not easily sing a song.
2. That your body feels warmer as you move, but not overheated or very sweaty.

Can't find time to exercise during the week? Be a weekend warrior

A recent study in the United Kingdom found that people who squeeze their exercise routines into one or two sessions during the weekend experience almost as many health benefits as those who work out more often. So don't let a busy schedule at work, home, or school be an excuse to avoid activity. Get moving whenever you can find the time—your mind and body will thank you!

Overcoming obstacles to exercise

Even when you know that exercise will help you feel better, taking that first step is still easier said than done. Obstacles to exercising are very real—particularly when you're also struggling with a mental health issue.

Here are some common barriers and how you can get past them.

Feeling exhausted. When you're tired, depressed, or stressed, it seems that working out will just make you feel worse. But the truth is that physical activity is a powerful energizer. Studies show that regular exercise can dramatically reduce fatigue and increase your energy levels. If you are really feeling tired, promise yourself a quick, 5-minute walk. Chances are, once you get moving you'll have more energy and be able to walk for longer.

Feeling overwhelmed. When you're stressed or depressed, the thought of adding another obligation to your busy daily schedule can seem overwhelming. Working out just doesn't

seem practical. If you have children, finding childcare while you exercise can also be a big hurdle. However, if you begin thinking of physical activity as a priority (a necessity for your mental well-being), you'll soon find ways to fit small amounts of exercise into even the busiest schedule.

Feeling hopeless. Even if you've never exercised before, you can still find ways to comfortably get active. Start slow with easy, low-impact activities a few minutes each day, such as walking or dancing.

Feeling bad about yourself. Are you your own worst critic? It's time to try a new way of thinking about your body. No matter your weight, age or fitness level, there are plenty of others in the same boat. Ask a friend to exercise with you. Accomplishing even the smallest fitness goals will help you gain body confidence and improve how you think about yourself.

Feeling pain. If you have a disability, severe weight problem, arthritis, or any injury or illness that limits your mobility, talk to your doctor [about ways to safely exercise](#). You shouldn't ignore pain, but rather do what you can, when you can. Divide your exercise into shorter, more frequent chunks of time if that helps, or try exercising in water to reduce joint or muscle discomfort.

Getting started with exercise when you have a mental health issue

Many of us find it hard enough to motivate ourselves to exercise at the best of times. But when you feel depressed, anxious, stressed or have another mental health problem, it can seem doubly difficult. This is especially true of depression and anxiety, which can leave you feeling trapped in a catch-22 situation. You know exercise will make you feel better, but depression has robbed you of the energy and motivation you need to work out, or your [social anxiety](#) means you can't bear the thought of being seen at an exercise class or running through the park.

Start small. When you're under the cloud of anxiety or depression and haven't exercised for a long time, setting extravagant goals like completing a marathon or working out for an hour every morning will only leave you more despondent if you fall short. Better to set achievable goals and build up from there.

Schedule workouts when your energy is highest. Perhaps you have most energy first thing in the morning before work or school or at lunchtime before the mid-afternoon lull hits? Or maybe you do better exercising for longer at the weekends. If depression or anxiety has you feeling tired and unmotivated all day long, try dancing to some music or simply going for a walk. Even a short, 15-minute walk can help clear your mind, improve your mood, and boost your energy level. As you move and start to feel a little better, you'll often boost your energy enough to exercise more vigorously—by walking further, breaking into a run, or adding a bike ride, for example.

Focus on activities you enjoy. Any activity that gets you moving counts. That could include throwing a Frisbee with a dog or friend, walking laps of a mall window shopping, or cycling to the grocery store. If you've never exercised before or don't know what you might enjoy, try a few different things. Activities such as gardening or tackling a home improvement project can be great ways to start moving more when you have a mood disorder—as well as helping you become more active, they can also leave you with a sense of purpose and accomplishment.

Be comfortable. Wear clothing that's comfortable and choose a setting that you find calming or energizing. That may be a quiet corner of your home, a scenic path, or your favorite city park.

Reward yourself. Part of the reward of completing an activity is how much better you'll feel afterwards, but it always helps your motivation to promise yourself an extra treat for exercising. Reward yourself with a hot bubble bath after a workout, a delicious smoothie, or with an extra episode of your favorite TV show, for example.

Make exercise a social activity. Exercising with a friend or loved one, or even your kids, will not only make exercising more fun and enjoyable, it can also help motivate you to stick to a workout routine. You'll also feel better than if you were exercising alone. In fact, when

you're suffering from a mood disorder such as depression, the companionship can be just as important as the exercise.

Easy ways to move more that don't involve the gym

Don't have a 30-minute block of time to dedicate to yoga or a bike ride? Don't worry. Think about physical activity as a lifestyle rather than just a single task to check off your to-do list. Look at your daily routine and consider ways to sneak in activity here, there, and everywhere.

Move in and around your home. Clean the house, wash the car, tend to the yard and garden, mow the lawn with a push mower, sweep the sidewalk or patio with a broom.

Sneak activity in at work or on the go. Bike or walk to an appointment rather than drive, use stairs instead of elevators, briskly walk to the bus stop then get off one stop early, park at the back of the lot and walk into the store or office, or take a vigorous walk during your coffee break.

Get active with the family. Jog around the soccer field during your kid's practice, make a neighborhood bike ride part of your weekend routine, play tag with your children in the yard, go canoeing at a lake, walk the dog in a new place.

Get creative with exercise ideas. Pick fruit at an orchard, boogie to music, go to the beach or take a hike, gently stretch while watching television, organize an office bowling team, take a class in martial arts, dance, or yoga.

Make exercise a fun part of your everyday life

You don't have to spend hours in a gym or force yourself into long, monotonous workouts to experience the many benefits of exercise. These tips can help you [find activities you enjoy](#) and start to feel better, look better, and get more out of life.

More Information

References

1. Greer, T. L., Trombello, J. M., Rethorst, C. D., Carmody, T. J., Jha, M. K., Liao, A., Grannemann, B. D., Chambliss, H. O., Church, T. S., & Trivedi, M. H. (2016). Improvements in psychosocial functioning and health-related quality of life following exercise augmentation in patients with treatment response but non-remitted major depressive disorder: Results from the TREAD study. *Depression and Anxiety, 33*(9), 870–881.
2. Kandola, A., Vancampfort, D., Herring, M., Rebar, A., Hallgren, M., Firth, J., & Stubbs, B. (2018). Moving to Beat Anxiety: Epidemiology and Therapeutic Issues with Physical Activity for Anxiety. *Current Psychiatry Reports, 20*(8), 63.
3. Aylett, E., Small, N., & Bower, P. (2018). Exercise in the treatment of clinical anxiety in general practice – a systematic review and meta-analysis. *BMC Health Services Research, 18*(1), 559.
4. Stubbs, B., Vancampfort, D., Rosenbaum, S., Firth, J., Cosco, T., Veronese, N., Salum, G. A., & Schuch, F. B. (2017). An examination of the anxiolytic effects of exercise for people with anxiety and stress-related disorders: A meta-analysis. *Psychiatry Research, 249*, 102–108.
5. Kandola, A. A., Osborn, D. P. J., Stubbs, B., Choi, K. W., & Hayes, J. F. (2020). Individual and combined associations between cardiorespiratory fitness and grip strength with common mental disorders: A prospective cohort study in the UK Biobank. *BMC Medicine, 18*(1), 303.