



Test Yourself Question: A 31-year-old male presenting with a 1-year history of a non-tender lump over the thoracolumbar spine

Susan Hesni¹ · Daniel Lindsay² · Philippa Tyler¹

Received: 19 September 2022 / Revised: 23 November 2022 / Accepted: 2 December 2022 / Published online: 16 December 2022
© The Author(s), under exclusive licence to International Skeletal Society (ISS) 2022

See Figs. 1, 2, and 3.

Fig. 1 **a** Ultrasound image of the mass at the posterior midline at the level of the thoracolumbar junction. **b** Ultrasound image of the same area with Doppler vascularity





Fig. 2 MRI of the thoracolumbar junction. **a** Coronal T1W MR image, **b** axial PDW FS MR image, and **c** sagittal T2W MR image



The diagnosis can be found at <https://doi.org/10.1007/s00256-022-04252-w>.

✉ Susan Hesni
susan.hesni@nhs.net

¹ Department of Radiology, Royal National Orthopaedic Hospital (RNOH), Stanmore, UK

² Department of Histopathology, Royal National Orthopaedic Hospital (RNOH), Stanmore, UK




Fig. 3 Histology. **a** H&E $\times 20$. **b** S100 immunohistochemistry, $\times 20$

Declarations

Conflict of interest The authors declare no competing interests.

Publisher's note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.