# **5.4 Properties of Logarithms**

# Essential Question How can you use properties of exponents to

derive properties of logarithms?

Let

 $x = \log_b m$  and  $y = \log_b n$ .

The corresponding exponential forms of these two equations are

 $b^x = m$  and  $b^y = n$ .

# **EXPLORATION 1**

### **Product Property of Logarithms**

Work with a partner. To derive the Product Property, multiply *m* and *n* to obtain  $mn = b^{x}b^{y} = b^{x+y}.$ 

The corresponding logarithmic form of  $mn = b^{x+y}$  is  $\log_b mn = x + y$ . So,

```
\log_{h} mn =
```

# . Product Property of Logarithms

# **EXPLORATION 2**

# **Quotient Property of Logarithms**

Work with a partner. To derive the Quotient Property, divide *m* by *n* to obtain

$$\frac{m}{n} = \frac{b^x}{b^y} = b^{x-y}.$$

The corresponding logarithmic form of  $\frac{m}{n} = b^{x-y}$  is  $\log_b \frac{m}{n} = x - y$ . So,

$$\log_b \frac{m}{n}$$
 = Quotient Property of Logarithms



**Power Property of Logarithms** 

Work with a partner. To derive the Power Property, substitute  $b^x$  for *m* in the expression  $\log_b m^n$ , as follows.

$\log_b m^n =$	$\log_b(b^x)^n$
=	$\log_b b^{nx}$
=	nx

Substitute *b*<sup>x</sup> for *m*.

Power of a Power Property of Exponents Inverse Property of Logarithms

So, substituting  $\log_h m$  for x, you have

 $\log_h m^n =$ 

Power Property of Logarithms

# **Communicate Your Answer**

- 4. How can you use properties of exponents to derive properties of logarithms?
- **5.** Use the properties of logarithms that you derived in Explorations 1–3 to evaluate each logarithmic expression.

<b>a.</b> $\log_4 16^3$	<b>b.</b> $\log_3 81^{-3}$
<b>c.</b> $\ln e^2 + \ln e^5$	<b>d.</b> $2 \ln e^6 - \ln e^5$
<b>e.</b> $\log_5 75 - \log_5 3$	<b>f.</b> $\log_4 2 + \log_4 32$

# CONSTRUCTING VIABLE ARGUMENTS

To be proficient in math, you need to understand and use stated assumptions, definitions, and previously established results.

### 5.4 Lesson

# Core Vocabulary

Previous base properties of exponents

STUDY TIP

exponents.  $a^m a^n = a^{m+n}$  $\frac{a^m}{a^n} = a^{m-n}$ 

 $(a^{m})^{n} = a^{mn}$ 

These three properties of logarithms correspond to these three properties of

# What You Will Learn

- Use the properties of logarithms to evaluate logarithms.
- Use the properties of logarithms to expand or condense logarithmic expressions.
- Use the change-of-base formula to evaluate logarithms.

# **Properties of Logarithms**

You know that the logarithmic function with base b is the inverse function of the exponential function with base b. Because of this relationship, it makes sense that logarithms have properties similar to properties of exponents.

# G Core Concept

# **Properties of Logarithms**

Let *b*, *m*, and *n* be positive real numbers with  $b \neq 1$ .

Product Property	$\log_b mn = \log_b m + \log_b n$
Quotient Property	$\log_b \frac{m}{n} = \log_b m - \log_b n$
Power Property	$\log_b m^n = n \log_b m$

# EXAMPLE 1 Using Properties of Logarithms

Use  $\log_2 3 \approx 1.585$  and  $\log_2 7 \approx 2.807$  to evaluate each logarithm.

**a.**  $\log_2 \frac{3}{7}$ 

**b.** log<sub>2</sub> 21

**c.** log<sub>2</sub> 49

# **SOLUTION**

	<b>a.</b> $\log_2 \frac{3}{7} = \log_2 3 - \log_2 7$	Quotient Property
COMMON	$\approx 1.585 - 2.807$	Use the given values of $\log_2 3$ and $\log_2 7$ .
ERROR	= -1.222	Subtract.
Note that in general		
$\log_b \frac{m}{n} \neq \frac{\log_b m}{\log_b n}$ and	<b>b.</b> $\log_2 21 = \log_2(3 \cdot 7)$	Write 21 as 3 • 7.
$-\log_b mn \neq (\log_b m)(\log_b n).$	$= \log_2 3 + \log_2 7$	Product Property
	$\approx 1.585 + 2.807$	Use the given values of $\log_2 3$ and $\log_2 7$ .
	= 4.392	Add.
	<b>c.</b> $\log_2 49 = \log_2 7^2$	Write 49 as 7 <sup>2</sup> .
	$= 2 \log_2 7$	Power Property
	$\approx 2(2.807)$	Use the given value $\log_2 7$ .
	= 5.614	Multiply.

# Monitoring Progress Help in English and Spanish at BigldeasMath.com

Use  $\log_6 5 \approx 0.898$  and  $\log_6 8 \approx 1.161$  to evaluate the logarithm.

**1.**  $\log_6 \frac{5}{8}$ **2.**  $\log_6 40$ **3.** log<sub>6</sub> 64 **4.** log<sub>6</sub> 125

### 276 Chapter 5 **Exponential and Logarithmic Functions**

# **Rewriting Logarithmic Expressions**

You can use the properties of logarithms to expand and condense logarithmic expressions.

EXAMPLE 2

Expand  $\ln \frac{5x^7}{y}$ 

**SOLUTION** 

### **Expanding a Logarithmic Expression**

# STUDY TIP

When you are expanding or condensing an expression involving logarithms, you can assume that any variables are positive.

$\ln\frac{5x^7}{y} = \ln 5x^7 - \ln y$	Quotient Property
$= \ln 5 + \ln x^7 - \ln y$	Product Property
$= \ln 5 + 7 \ln x - \ln y$	Power Property

# EXAMPLE 3 Condensing a Logarithmic Expression

Condense  $\log 9 + 3 \log 2 - \log 3$ .

### SOLUTION

$\log 9 + 3 \log 2 - \log 3 = \log 9 + \log 2^3 - \log 3$	Power Property
$= \log(9 \cdot 2^3) - \log 3$	Product Property
$= \log \frac{9 \cdot 2^3}{3}$	Quotient Property
$= \log 24$	Simplify.

### Help in English and Spanish at BigldeasMath.com Monitoring Progress

Expand the logarithmic expression.

**5.**  $\log_6 3x^4$ 

**6.** 
$$\ln \frac{5}{12x}$$

Condense the logarithmic expression.

**7.**  $\log x - \log 9$ 

**8.**  $\ln 4 + 3 \ln 3 - \ln 12$ 

# Change-of-Base Formula

Logarithms with any base other than 10 or e can be written in terms of common or natural logarithms using the change-of-base formula. This allows you to evaluate any logarithm using a calculator.

# Core Concept

### **Change-of-Base Formula**

If a, b, and c are positive real numbers with  $b \neq 1$  and  $c \neq 1$ , then

$$\log_c a = \frac{\log_b a}{\log_b c}$$

In particular, 
$$\log_c a = \frac{\log a}{\log c}$$
 and  $\log_c a = \frac{\ln a}{\ln c}$ .



## Changing a Base Using Common Logarithms

Evaluate log<sub>3</sub> 8 using common logarithms.

## **SOLUTION**

be evaluated using natural  
logarithms.  
$$\log_3 8 = \frac{\log 8}{\log 3}$$
$$\log_3 8 = \frac{\ln 8}{\ln 2} \approx 1.893 \qquad \approx \frac{0.903}{\log 3}$$

 $\log_c a = \frac{\log a}{\log c}$  $\frac{0.9031}{0.4771} \approx 1.893$ Use a calculator. Then divide.

 $\log_{c} a = \frac{\ln a}{\ln c}$ 

Evaluate log<sub>6</sub> 24 using natural logarithms.

### **SOLUTION**

$$\log_6 24 = \frac{\ln 24}{\ln 6}$$
  
 $\approx \frac{3.1781}{1.7918} \approx 1.774$ 

Use a calculator. Then divide.

### **EXAMPLE 6**

## Solving a Real-Life Problem

For a sound with intensity I (in watts per square meter), the loudness L(I) of the sound (in decibels) is given by the function

$$L(I) = 10 \log \frac{I}{I_0}$$

where  $I_0$  is the intensity of a barely audible sound (about  $10^{-12}$  watts per square meter). An artist in a recording studio turns up the volume of a track so that the intensity of the sound doubles. By how many decibels does the loudness increase?

# SOLUTION

Let I be the original intensity, so that 2I is the doubled intensity.

increase in loudness = L(2I) - L(I)Write an expression.  $= 10\log\frac{2I}{I_0} - 10\log\frac{I}{I_0}$ Substitute.  $= 10 \left( \log \frac{2I}{I_0} - \log \frac{I}{I_0} \right)$ **Distributive Property**  $= 10 \left( \log 2 + \log \frac{I}{I_0} - \log \frac{I}{I_0} \right)$ **Product Property**  $= 10 \log 2$ Simplify.

The loudness increases by 10 log 2 decibels, or about 3 decibels.

### Help in English and Spanish at BigldeasMath.com Monitoring Progress

### Use the change-of-base formula to evaluate the logarithm.

- **9.**  $\log_5 8$ **11.** log<sub>26</sub> 9 **10.** log<sub>8</sub> 14 **12.** log<sub>12</sub> 30
- 13. WHAT IF? In Example 6, the artist turns up the volume so that the intensity of the sound triples. By how many decibels does the loudness increase?



**ANOTHER WAY** 

 $\log_3 8 = \frac{\ln 8}{\ln 3} \approx 1.893$ 

Notice that you get the same answer whether you

use natural logarithms or common logarithms in the

change-of-base formula.

logarithms.

In Example 4, log<sub>3</sub> 8 can

# Vocabulary and Core Concept Check

- 1. **COMPLETE THE SENTENCE** To condense the expression  $\log_3 2x + \log_3 y$ , you need to use the \_\_\_\_\_\_ Property of Logarithms.
- **2.** WRITING Describe two ways to evaluate  $\log_7 12$  using a calculator.

# Monitoring Progress and Modeling with Mathematics

In Exercises 3–8, use  $\log_7 4 \approx 0.712$  and  $\log_7 12 \approx 1.277$  to evaluate the logarithm. (See Example 1.)

3.	log <sub>7</sub> 3	4.	log <sub>7</sub> 48
5.	log <sub>7</sub> 16	6.	log <sub>7</sub> 64

**7.**  $\log_7 \frac{1}{4}$  **8.**  $\log_7 \frac{1}{3}$ 


In Exercises 9–12, match the expression with the logarithm that has the same value. Justify your answer.


9.	$\log_3 6 - \log_3 2$	Α.	log <sub>3</sub> 64
10.	2 log <sub>3</sub> 6	B.	log <sub>3</sub> 3
11.	6 log <sub>3</sub> 2	С.	log <sub>3</sub> 12
12.	$\log_3 6 + \log_3 2$	D.	log <sub>3</sub> 36

**In Exercises 13–20, expand the logarithmic expression.** (*See Example 2.*)

13.	$\log_3 4x$	14.	$\log_8 3x$
15.	$\log 10x^5$	16.	$\ln 3x^4$
17.	$\ln \frac{x}{3y}$	18.	$\ln\frac{6x^2}{y^4}$
19.	$\log_7 5\sqrt{x}$	20.	$\log_5 \sqrt[3]{x^2y}$

**ERROR ANALYSIS** In Exercises 21 and 22, describe and correct the error in expanding the logarithmic expression.






In Exercises 23–30, condense the logarithmic expression. (*See Example 3.*)

- **23.**  $\log_4 7 \log_4 10$  **24.**  $\ln 12 \ln 4$
- **25.**  $6 \ln x + 4 \ln y$  **26.**  $2 \log x + \log 11$
- **27.**  $\log_5 4 + \frac{1}{3} \log_5 x$
- **28.**  $6 \ln 2 4 \ln y$
- **29.**  $5 \ln 2 + 7 \ln x + 4 \ln y$
- **30.**  $\log_3 4 + 2 \log_3 \frac{1}{2} + \log_3 x$
- **31. REASONING** Which of the following is *not* equivalent to  $\log_5 \frac{y^4}{2y}$ ? Justify your answer.
  - (A)  $4 \log_5 y \log_5 3x$
  - **B**  $4 \log_5 y \log_5 3 + \log_5 x$
  - $\bigcirc$  4 log<sub>5</sub> y log<sub>5</sub> 3 log<sub>5</sub> x
  - **D**  $\log_5 y^4 \log_5 3 \log_5 x$
- **32. REASONING** Which of the following equations is correct? Justify your answer.
  - (A)  $\log_7 x + 2 \log_7 y = \log_7(x + y^2)$
  - **B**  $9 \log x 2 \log y = \log \frac{x^9}{y^2}$
  - (C)  $5 \log_4 x + 7 \log_2 y = \log_6 x^5 y^7$
  - $(\textbf{D}) \quad \log_9 x 5 \log_9 y = \log_9 \frac{x}{5y}$

In Exercises 33–40, use the change-of-base formula to evaluate the logarithm. (*See Examples 4 and 5.*)

2
8

- **41.** MAKING AN ARGUMENT Your friend claims you can use the change-of-base formula to graph  $y = \log_3 x$  using a graphing calculator. Is your friend correct? Explain your reasoning.
- **42.** HOW DO YOU SEE IT? Use the graph to determine the value of  $\frac{\log 8}{\log 2}$ .




**MODELING WITH MATHEMATICS** In Exercises 43 and 44, use the function L(I) given in Example 6.

**43.** The blue whale can produce sound with an intensity that is 1 million times greater than the intensity of the loudest sound a human can make. Find the difference in the decibel levels of the sounds made by a blue whale and a human. (*See Example 6.*)



**44.** The intensity of the sound of a certain television advertisement is 10 times greater than the intensity of the television program. By how many decibels does the loudness increase?

### Intensity of Television Sound



**45. REWRITING A FORMULA** Under certain conditions, the wind speed *s* (in knots) at an altitude of *h* meters above a grassy plain can be modeled by the function

 $s(h) = 2 \ln 100h.$ 

- **a.** By what amount does the wind speed increase when the altitude doubles?
- **b.** Show that the given function can be written in terms of common logarithms as

$$f(h) = \frac{2}{\log e} (\log h + 2).$$

\$

**46. THOUGHT PROVOKING** Determine whether the formula

 $\log_b(M+N) = \log_b M + \log_b N$ 

is true for all positive, real values of *M*, *N*, and *b* (with  $b \neq 1$ ). Justify your answer.

- **47. USING STRUCTURE** Use the properties of exponents to prove the change-of-base formula. (*Hint:* Let  $x = \log_b a, y = \log_b c$ , and  $z = \log_c a$ .)
- **48.** CRITICAL THINKING Describe *three* ways to transform the graph of  $f(x) = \log x$  to obtain the graph of  $g(x) = \log 100x 1$ . Justify your answers.

# Maintaining Mathematical Proficiency Reviewing what you learned in previous grades and lessons

Solve the equation using any method. E	xplain your choice of method. (Skills Review Handbook)		
<b>49.</b> $(x-1)^2 = 9$	<b>50.</b> $x^2 - 4x + 6 = 2$		
<b>51.</b> $x^2 + 6x = -7$	<b>52.</b> $\frac{1}{2}x^2 + 3x - 3 = 0$		
Solve the inequality. Graph the solution. (Skills Review Handbook)			
<b>53.</b> $2x - 3 < 5$ <b>54.</b> $4 - 8y \ge 1$	2 <b>55.</b> $\frac{n}{3} + 6 > 1$ <b>56.</b> $-\frac{2s}{5} \le 8$		