
Introduction to Position, Distance, and Displacement

A. Reading Positions:

When objects start moving, it is useful to be able to describe an object's location.


To describe location, imagine a meterstick is placed next to the object. The meterstick acts like a number line.

- ✓ Objects to the <u>right</u> of the zero (0) have <u>positive</u> positions
- ✓ Objects to the <u>left</u> of the zero (0) have <u>negative</u> positions




- A. What is the position of the lightning bolt? 5 meters
- B. What is the position of the happy face? <u>1 meters</u>
- C. What is the position of the sun? <u>-4 meters</u>

Use the number line below to give the positions of the objects (Don't forget units!):



B. Locating Positions:

Draw the object at the indicated locations:



- 4. Put an "s" at the 2 m mark.
- 5. Put a "d" at the -6 m mark.
- 6. Put a "k" at the 7 m mark.
- 7. Put an "e" at the -1 m mark.

C. <u>Changing positions</u>:

Objects often change positions. In this activity, find the initial and final positions of objects.

- 8. What is the initial position of the frog?
- 9. What is the final position of the frog? _____
- 10. If the frog traveled in a straight line from the initial position to the final position, what distance did it travel?

D. Distance and Displacement:


Now we will learn about two words that seem similar, but have different meanings in physics.

<u>Distance</u>: measurement of the actual path traveled <u>Displacement</u>: the straight-line distance between 2 points


- If an object travels in one direction in a straight line, distance traveled is EQUAL to the displacement.
- Often, objects do not travel in straight lines (or they move back and forth), so distance and displacement are NOT EQUAL.

Examples:

Bessie the cow and Sally the bird both traveled from point "A" to point "B." Sally traveled in a straight line and Bessie did not.



- A. What distance does Bessie the cow travel? 25 meters
- B. What distance does Sally the bird travel? *<u>10 meters</u>*
- C. What is Bessie the cow's displacement? 10 meters
- D. What is Sally the bird's displacement? <u>10 meters</u>




- 11. If the car travels once around the racetrack, what distance does it travel?
- 12. If the car travels twice around the racetrack, what distance does it travel?
- 13. If the car travels once around the racetrack, what is its displacement? _____

E. Showing Displacement:


- When an object moves, an arrow can be drawn to show the displacement
- The arrow points in the direction of motion
 - The arrow should start (non-arrow side) at the starting position and end (arrow side) at the ending position
 - ✓ The arrow should be <u>straight</u>
- Examples:




✓ A bike moving along a number line, from a position of 4 m to –3m




✓ Any object, using " x_i " to represent the initial position and " x_i " to represent the final position. (In this case, the object moves from the –6 m position to the 3 meter position.)



14. Draw an arrow showing an object that moves from the -4 m position to the 5 m position.




15. Draw an arrow showing an object that moves from the 7 m position to the 1 m position.



F. What about direction?:


- Displacement also includes direction!
- Possible directions include:
 - ✓ positive or negative
 - ✓ left or right
 - ✓ up or down
 - ✓ north, south, east, or west
- In this class, we will often use positive and negative to show direction.
 - ✓ A displacement is <u>negative</u> if the arrow points to the <u>left</u> or <u>down</u>
 - ✓ A displacement is <u>positive</u> if the arrow points to the <u>right</u> or <u>up</u>




16. Is the above displacement positive or negative?


G. Calculating Displacement:

- Remember: Displacement is the straight-line distance between 2 points.
- To give a displacement we should give both the size and the direction.
- To find the <u>size</u> of the displacement, <u>count</u> the number of spaces from the initial to the final position.
- The following shows a displacement of <u>-5 m</u>



Meters





- 27. Use the above number line to help answer the following question: Freddy the cat started at the –3 meter position. He then walked to other locations. Mark each new location with the letter for that part.
 - a. Freddy <u>started</u> at the <u>-3 m</u> position. (mark this position with an "a")
 - b. First, Freddy walked 2 meters in the positive direction (right) to the -1 m position.
 - c. Second, Freddy walked 5 meters in the positive direction to the +4 m position.
 - d. Third, Freddy walked 1 meter in the negative direction to the +3 m position.
 - e. <u>Finally</u>, Freddy walked 8 meters in the negative direction to the <u>-5 m</u> position.
 - f. Draw a displacement arrow that starts at Freddy's initial position (-3 m) and ends at Freddy's final position (-5 m).
 - g. What was Freddy's total displacement? (for this, you only need to look at his initial and final position) (be sure to include sign, number, and units)

h. To get the <u>distance</u> Freddy traveled, add up all the distances:

2m + 5m + 1m + 8m = _____ meters

i. Is Freddy's total displacement equal in size to Freddy's total distance traveled?