Ph: 866-689-8904 www.lucasmetalworks.com

# PRODUCT CATALOG

**JULY 2018** 

Ph: 866-689-8904 www.lucasmetalworks.com

### CATALOG MASTER INDEX

**COMPANY PROFILE** 

LMW/VALSPAR WARRANTY

**LMW COLOR CHART** 

**DR!PSTOP BROCHURE** 

PERFORATED PANELS INFO

**SECTION 1 - PANELS** 

**SECTION 2 - RED IRON/PURLINS** 

**SECTION 3 - TRIM - STURDI RIB - RESIDENTIAL** 

**SECTION 4 - TRIM - SUPER SPAN - COMMERCIAL/INDUSTRIAL** 

**SECTION 5 - ACCESSORIES** 

**SECTION 6 - INSULATION** 

**SECTION 7 - FASTENERS** 

**SECTION 8 – CABLE & CABLE ACCESSORIES** 

**SECTION 9 - CLIPS** 

**SECTION 10 - TOOLS** 

#### LUCAS METAL WORKS 396281 WEST 3000 ROAD, OCHELATA, OK USA

DIRECT: 918-535-2726
TOLL FREE: 866-689-8904
FAX: 918-535-3351
LUCASMETALWORKS.COM

Lucas Metal Works steel buildings are built to last! We offer both residential and commercial structures of all kinds, along with barns, arenas, sheds and even mini-storage buildings. If you have a need for preengineered/pre-fabricated metal structure, we will design, manufacture and ship it to your location based on your needs and wants.

Over the years, we have mastered the skill of fabricating steel into sturdy, long lasting structures that have surpassed the test of time. Our buildings are not only uncomplicated to erect, they are virtually maintenance free once completed. At Lucas, our experienced sales force is ready to get you started on your new metal structure. All you have to do is give us a call at 866-689-8904. Or, email us at info@lucasmetalworks.com.

Lucas roofing materials have a 40-year warranty. Our panels are available in a variety of beautiful colors to enhance the look of your home and property with minimal fading over time (see warranty). Lucas Panels are available in a variety of gauges, are Energy Star rated and have a wind rating of 150+mph. In addition, our roofing panels are certified in accordance with UL-2218 (Standard for Impact Resistance) and UL-790 (Standard for Fire Tests). By choosing Lucas Roofing Materials you are choosing top quality.

At our Ochelata office, we also provide retail sales to our customers with a full line of dependable building components and accessories. Call or come by to speak to a retail specialist. We'll get you what you need.

Lucas Metal Works has a complete line of farm and ranch equipment. We offer a wide range of farming tools and accessories that include pallet forks, hay spears, bale unrollers, grapples and heavy duty grapples, heavy duty pullers, scrapers and rock buckets, with over 50 years of expertise backing every piece we manufacture. Our line of Lucas equipment is available all across the U.S. from authorized Lucas Equipment Dealers, and even in Canada. Just give us a call for a dealer nearest you.

In addition to our farm & ranch line, we manufacture the nationally recognized Ground Hog<sup>™</sup> Arena Tool. The result of one pass with this tool is a flawlessly conditioned ground. Our Ground Hog<sup>™</sup> Arena Tool is also available at authorized Lucas Ground Hog<sup>™</sup> dealers across the U.S. Call Lucas Metal Works to learn of a dealer nearest you, 866-689-8904.

All of our products are designed and manufactured here in the heart of America. Our central U.S. location in Northeast Oklahoma enables ease of reach to and from all over the United States. We are proud to have satisfied customers from coast to coast, as well as in to Canada.

Lucas Metal Works' is committed to meeting the needs of our customers. Our response is guided by our appreciation and loyalty to the customer and we have proven to always go "above and beyond" to insure excellent service before, during and after each sale.

We take pride in the fact that we are big enough to handle the large jobs, and still small enough to call our customers, "friends".

Lucas Roofing, Lucas Equipment and Lucas Ground Hog™ are all divisions of Lucas Metal Works.



Lucas Metal Works - Lucas Metal Roofing 396281 West 3000 Road - Ochelata, OK 74051 918-535-2726 -or- 1-866-689-8904

**40 Year Paint Finish Limited Warranty** 

#### WEATHERXL™ LIMITED WARRANTY

Company Address Address

We are pleased to present you with THE FOLLOWING Limited Warranty on our WeatherXL™ Siliconized Polyester coil coatings.

- 1. This Warranty applies if any of the following Warranty Conditions occurs:
  - a) Within 40 years from the date of application of the paint, WeatherXL exhibits cracking, flaking or peeling (loss of adhesion) to an extent that is apparent on ordinary outdoor visual observation. Minute fracturing, which may occur in proper fabrication of the building parts, is not a covered Warranty Condition. Failure due to substrate corrosion is not a covered Warranty Condition.
  - b) Within 30 years from the date of installation of the panels, WeatherXL:
    - i. Chalks in excess of ASTM D-4214 method A number six (6) rating on horizontally installed (roofing) panels and a number eight (8) rating on vertically installed (sidewall) panels, when properly maintained as described herein, and
    - ii. Changes color more than seven (7.0) Hunter delta-E units on horizontally installed (roofing) panels and five (5.0) Hunter delta-E units on vertically installed (sidewall) panels as determined by ASTM method D-2244. Color change shall be measured on an exposed painted surface that has been cleaned of surface soils and chalk, and the corresponding values measured on the original or unexposed painted surface. Color changes may not be uniform on surfaces that are not equally exposed to the sun and elements and LUCAS METAL WORKS does not warrant that color changes will be uniform.

iii

2. If a Warranty condition occurs and the other requirements of this Warranty are met, LUCAS METAL WORKS will supply you with the following Warranty benefits:

LUCAS METAL WORKS will pay for labor and material reasonably necessary to repaint, repair or replace, at our option, the metal panels showing the Warranty Conditions. The Warranty Benefits shall not exceed the original purchase price of the affected metal panels (not including any accessories or attachments) or the remedy provided in any other warranty provided to the building owner, whichever is less, even if our limited warranty fails of its essential purpose. This Warranty will continue to apply to any metal panels that were repainted, repaired or replaced due to a Warranty Condition, but only for the unexpired portion of the Warranty period applicable to the original part.

- 3. LUCAS METAL WORKS cannot control the circumstances of application. Therefore, this Limited Warranty applies only when WeatherXL coil coatings are properly applied (according to the application instructions in Valspar's then-current Technical Data Sheet) to a properly pre-treated and primed substrate (HDG Steel (G90/G60), Galvalume, and Aluminum) that is fabricated into commercial or industrial building parts. LUCAS METAL WORKS does not warrant the use of WeatherXL coil coatings with non-Valspar coatings. Warranty Benefits are available only for all-Valspar coating systems. Also, because some colors may not meet our standards, LUCAS METAL WORKS will inform you in writing at the time of color matching if the color you have selected is not an approved color.
- 4. To receive Warranty Benefits for a Warranty Condition, you must:
  - a) Send written notice of the Warranty Condition within thirty days of the appearance of any detectable defect to: PRESIDENT, LUCAS METAL WORKS.
  - b) Provide access to the affected panels and site.
  - c) Assist us as necessary in determining the exact cause of failure.
  - d) Provide such documentation as we shall request to confirm the Warranty Condition, including records sufficient to identify the batch number and application date of the WeatherXL coating involved; and production records and quality control records from your coater showing compliance with our application specifications and the results of tests required by those specifications.

- 5. We are not responsible and provide no Warranty Benefits, for any damage or condition resulting from circumstances beyond our control, including any of the following:
  - a) Acts of God, falling objects, explosions, fire, external forces or other such similar or dissimilar circumstances beyond LUCAS METAL WORKS' control
  - b) Harmful fumes or foreign substances in the atmosphere, or salt spray
  - c) Failure to apply WeatherXL coil coatings in accordance with VALSPAR specifications and instructions as outlined on their then-current published technical data sheets;
  - d) Improper treatment or defects in the substrate metal or in its fabrication, embossing. Any corrosion or loss of adhesion as a result of the embossing process;
  - e) Significant differences in insulation below coated metal panel;
  - f) WeatherXL which has been damaged due to moisture entrapment in coils and/or bundles during transit or storage or which has been stored or installed in such a way that allows standing water on the coating;
  - g) Failures or damage resulting from corrosion at cut/bare edges or failure of the metal substrate;
  - h) Development of any other condition between the coating and the substrate which causes the coating to degrade or delaminate, including any failure or deficiency in the cleaning process or pretreatment;
  - i) WeatherXL that has been stored/installed in such a way that allows contact with animals or animal waste.
  - j) Mishandling of WeatherXL or of any substrate coated with it, including abuse, alteration, modification, improper use, or storage;
  - k) Where materials / items such as snow guards and solar panels are attached / adhered to the product;
- 6. No Warranty is provided for WeatherXL on any substrate that is subjected to sea spray or installed on property located 1,500 or fewer feet from a salt-water environment.
- 7. If chrome free pretreatment is used, warranty for adhesion must be validated by sample testing of production material. Material must pass AAMA 2605 sec. 8.4.1.4 Boiling Water Adhesion. Following topcoat application, a sample must undergo a twenty (20) minute boiling water immersion crosshatch; sample within 5 minutes of removal from the boiling water/evaluate adhesion in the cross hatched area per AAMA sec. 8.1.1.2 Tape Pull-Off (ASTM D3359 Method B)/Result must be 5B, no tape off. Use of chrome free pretreatment with Galvalume voids warranty.
- 8. This warranty applies only to building parts installed on buildings within the Continental United States, Alaska and Canada. This Warranty will automatically expire upon any change or transfer of ownership of the property on which the metal coated with WeatherXL is originally installed.
- 9. This is our only warranty concerning WeatherXL Siliconized Polyester coil coatings. Except for this Warranty, WE MAKE NO WARRANTIES, EXPRESS OR IMPLIED AND DISCLAIM ALL IMPLIED WARRANTIES INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR FREEDOM FROM PATENT INFRINGEMENT. LUCAS METAL WORKS WILL NOT BE LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES. We have no other liability with respect to WeatherXL Siliconized Polyester coil coatings, whether based on warranty, negligence or any other legal theory.
- 10. This is our complete warranty. It lists all of Valspar's obligations regarding WeatherXL Siliconized Polyester coil coatings purchased by you on or after the effective date shown below, and this warranty is honored by LUCAS METAL WORKS. It is only for your benefit and you may not assign it to any other person or entity. LUCAS METAL WORKS makes no warranty to your customers and is not responsible for any warranty you choose to provide to your customers concerning the performance of WeatherXL Siliconized Polyester coil coatings. LUCAS METAL WORKS may change or discontinue this Warranty by providing you with 30 days advance written notice. Any changes will apply only to WeatherXL Siliconized Polyester coil coatings sold to you after the notice period expires. This warranty shall be governed by OKLAHOMA LAW, but not its conflict of law rules.

IN WITNESS WHEREOF, Lucas Metal Works and Custon	MITNESS WHEREOF, Lucas Metal Works and Customer have executed this Warranty effective as of this							
day of, 20								
CUSTOMER:	LUCAS METAL WORKS							
BY:	BY:							
Title	Title:							

WARRANTY IS NOT VALID UNTIL FULLY SIGNED & EXECUTED COPY IS RECEIVED AND ACKNOWLEDGED BY LUCAS METAL WORKS.



396281 West 3000 Road Ochelata, OK 74051

Toll-Free: 866-689-8904


Local: 918-535-2726 Fax: 918-535-3351

Lucasmetalworks.com





























Colors subject to change, Call to confirm availability. Color chips available upon request.






Colonial Red\*+








40 Yr.























































Toll-Free: 866-689-8904 Local: 918-535-2726 Fax: 918-535-3351

396281 West 3000 Road Ochelata, OK 74051



DripStop Has Become the World's Best-Selling Condensation Control Product By Being a Faster, Cheaper & More Durable Solution.

#### **Helps Fight Corrosion**

Tests have shown that it adds another layer of protection specifically from the corrosive elements in tivestock confinement.

#### Helps Fight Injury on the Job site

Reduces risk of falling while walking on top of insulation on the roof frame. Cutting the time on the roof by up to half means less risk to you and your workers.

#### Durable


Very difficult to cut or slice through, which makes it ideal for self-storage applications

# Fight Condensation Without Insulation


Don't Go To The Time And Expense Of Laying Down Insulation And Vapor Barrier When You Are Just Trying To Stop Condensation



#### **HOW IT WORKS**



When climate conditions cause condensation to occur, DripStop absorbs and holds that moisture in specially designed pockets in the membrane. When climate conditions go back above the dew point, the moisture is released back into the air as normal humidity.



The bond holding the water is so strong, that even at forty-five degree slope it still holds 26 ounces of moisture! DripStop can hold more than one quart of water per ten square feet of roof space.

#### Advantages

Arrives At The Job site Already On The Steel - Saves You Money - Saves You Time

No more labor costs for installing insulation. It completely cuts out one step of the building process, and up to half the time on the roof.

It can allow you to work on the roof when wind and weather conditions would keep you off it.

#### What Are Builders Saying About DripStop?

"I have never had one complaint... We have done over 300 buildings and I have been back to 75 - 100 and they all love it"....

--- Ohio builder

"We have had no complaints, no dripping, no issues, customers seem to really like it..."

--- Illinois builder

"With double bubble or insulation, you take twice as much time. You have to lay down the insulation, and then you have to lay down the steel."

--- Minnesota builder

"On windy days, you can still run roof."

--- Wisconsin builder

#### Areas of Use

- Post Frame/Agricultural Buildings
- · Steel Buildings
- · Self-Storage

- Workshops/Unattached garages
- Open Walled Structures like carports/truck and RV storage

Where decking/liner panel is installed below a pitched metal roof and insulation is blown in. DripStop prevents condensation from damaging insulation and pooling on metal.



## Keep Everything Under Your Roof Dry.

#### DripStop Controls Condensation on Uninsulated Metal Roofs.

- Helps fight corrosion
- · Easy to clean
- Stops bird nesting troubles
- Reduces rain noise

- Durable, rip & tear resistant
- Saves money on installation
- Cuts down on time of construction
- · Reduces risk of injury during installation

One of the defining properties for any building is keeping the contents safe from the elements. If condensation from your metal roof is causing the contents to be rained on, your structure is not providing this basic function. DripStop condensation control membrane is a cost effective solution for preventing dripping caused by condensation.

Whether you are protecting livestock or equipment, DripStop is a name that you can trust. Years of experience have helped us to develop an excellent product for keeping your shelter dry.

#### Areas of Use:

- Post frame/agricultural buildings
- Steel buildings
- Self-storage

- · Workshops/unattached garages
- Open walled structures
- · Carports, truck ports & RV storage

#### Fight Condensation Without Insulation

Don't go to the time and expense of laying down insulation and vapor barrier when you are just trying to stop condensation.


#### **Helps Fight Corrosion**

Tests have shown that DripStop adds another layer of protection specifically from the corrosive elements in livestock confinement.

#### Maintenance and Worry Free

Once installed, DripStop provides worry free condensation control because it is anti-microbial, mold and mildew resistant.

DripStop Won't Rip or Tear, Flake or Peel & Birds Can't Damage or Nest in it



#### Builders

DripStop has become the world's best-selling condensation control product by being faster, more cost effective and more durable.

#### Arrives At The Job site Already On The Steel. Saves You Money - Saves You Time

No more labor costs for installing insulation. It completely cuts out one step of the building process, and up to half the time on the roof.

It can allow you to work on the roof when wind and weather conditions would keep you off it.

#### Helps Fight Injury on the Job site

Reduces risk of falling while walking on top of insulation on the roof frame. Cutting the time on the roof by up to half means less risk to you and your workers.

#### Durable

Very difficult to cut or slice through, which makes it ideal for self-storage applications








#### How it Works

When climate conditions cause condensation to occur, DripStop absorbs and holds that moisture in specially designed pockets in the membrane. When climate conditions go back above the dew point, the moisture is released back into the air as normal humidity.

The bond is so strong that DripStop holds more than a quart of water per ten square feet of roof. Even at a 45 degree slope it holds 26 ounces.

#### DripStop water absorption capacity





Don't you just hate CONDENSATION in your metal structure????



One of the defining properties for any building is keeping the contents safe from the elements, don't you agree?

The DripStop condensation control membrane is a cost effective solution for preventing dripping caused by condensation. Once installed it provides worry-free condensation control because it is anti-microbial, mold and mildew resistant. It not only fights condensation without insulation, it helps fight corrosion often found in livestock confinement.

This amazing product "DR!PSTOP" can be used in post frame/ag buildings, steel buildings, self-storage, workshops/unattached garages, open walled structures, carports, truck ports, and RV storage.

It is very difficult to cut or slice through, it won't rip, tear, flake or peel and the best part is: birds can't damage or nest in it. ©

Installation is done at the factory! Your panels will arrive at the job site with DR!PSTOP already installed on them.

DR!PSTOP - It's a Necessity.

Come by to check out our newest products in person and get a quote. You won't be disappointed!

Or give us a call at Lucas Metal Works 866-689-8904. We're always standing by to help you!

We look forward to hearing from you!

DR!PSTOP September 2017



Lucas Metal Works is offering something new!

#### **Perforated Liner Panels**

These panels are designed for improved sound reduction! Who doesn't want some peace and quiet? ©

This new product consists of 29GA, Sturdi-Rib, White only.

Once installed, these liner panels add the following benefits:

- Add acoustical value
- Reduce echoing
- Protect insulation backing

Call us right away for pricing! ©

Or, come by to check out our newest products in person and get a quote. You won't be disappointed!

Call 866-689-8904. We're always standing by to help you!

We look forward to hearing from you!

Perforated Liner Panels September 2017

Ph: 866-689-8904 www.lucasmetalworks.com

**SECTION 1** 

# **PANELS**

Ph: 866-689-8904 www.lucasmetalworks.com

#### **PANELS**

#### **TABLE OF CONTENTS**

STURDI RIB	3
SUPER SPAN X	3
PERFORATED PANEL	3
SKYLIGHTS	4

STURDI RIB	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M	
	51SR-29-^	STURDI-RIB 29GA	1.98		FT	
	51SR26-^	STURDI-RIB 26GA	2.70		FT	
	REFER TO COLOR CHART FOR AVAILABLE COLORS					

SUPER SPAN X	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	51SSX-26-^	SUPER-SPAN 26GA	2.70		FT
	51SSX-24-^	SUPER-SPAN 24GA	3.90		FT
		REFER TO COLOR CHART FO	R AVAILABLE COL	ORS	

PERFORATED PANEL	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	531W-29- 80-PF	PERFORATED PANEL ARTIC WHITE 29GA GRADE 80	1.70		FT
		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

SKYLIGHTS	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	45SL-144-200	SKYLIGHT-12'-0 SUPER SPAN WHITE POLYCARBONATE PANEL	16.0		EA
	45SL-144-201	SKYLIGHT-12'-0 SUPER SPAN CLEAR POLYCARBONATE PANEL	16.0		EA
	45SL-144-210	SKYLIGHT-12'-0 SUPER SPAN FIBERGLASS PANEL	16.0		EA
	45SL-SR-120- 101	SKYLIGHT 10' STURDI RIB WHITE	16.0		EA

	NUMBE	R OF SC	QUARE F	EET PE	R PANEL	- BASEI	O ON 38!	4" WIDE	PANEL (	COVERIN	NG 36"	
FT	0"	1"	2"	3"	4"	5″	6"	7"	8"	9"	10"	11"
1′	3.19	3.45	3.72	3.98	4.25	4.52	4.78	5.05	5.31	5.58	5.84	6.11
2′	6.38	6.64	6.91	7.17	7.44	7.70	7.97	8.23	8.50	8.77	9.03	9.30
3′	9.56	9.83	10.09	10.36	10.63	10.89	11.16	11.42	11.69	11.95	12.22	12.48
4′	12.75	13.02	13.28	13.55	13.81	14.08	14.34	14.61	14.88	15.14	15.41	15.67
5′	15.94	16.20	16.47	16.73	17.00	17.27	17.53	17.80	18.06	18.33	18.59	18.86
6′	19.13	19.39	19.66	19.92	20.19	20.45	20.72	20.98	21.25	21.52	21.78	22.05
7′	22.31	22.56	22.84	23.11	23.38	23.64	23.91	24.17	24.44	24.70	24.97	25.23
8′	25.50	25.77	26.03	26.30	26.56	26.83	27.09	27.36	27.63	27.89	28.16	28.42
9′	28.69	28.95	29.22	29.48	29.75	30.02	30.28	30.55	30.81	31.08	31.34	31.61
10′	31.88	32.14	32.41	32.67	32.94	33.20	33.47	33.73	34.00	34.27	34.53	34.80
11′	35.06	35.33	35.59	35.86	36.13	36.39	36.66	36.92	37.19	37.45	37.72	37.98
12′	38.25	38.52	38.78	39.05	39.31	39.58	39.84	40.11	40.38	40.64	40.91	41.17
13′	41.44	41.70	41.97	42.23	42.50	42.77	43.03	43.30	43.56	43.83	44.09	44.36
14′	44.63	44.89	45.16	45.42	45.69	45.95	46.22	46.48	46.75	47.02	47.28	47.55
15′	47.81	48.08	48.34	48.61	48.88	49.14	49.41	49.67	49.94	50.20	50.47	50.73
16′	51.00	51.27	51.53	51.80	52.06	52.33	52.59	52.86	53.13	53.39	53.66	53.92
17′	54.19	54.45	54.72	54.98	55.25	55.52	55.78	56.05	56.31	56.58	56.84	57.11
18′	57.38	57.64	57.91	58.17	58.44	58.70	58.97	59.23	59.50	59.77	60.03	60.30
19′	60.56	60.83	61.09	61.36	61.63	61.89	62.16	62.42	62.69	62.95	63.22	63.48
20′	63.75	64.02	64.28	64.55	64.81	65.08	65.34	65.61	65.88	66.14	66.41	66.67
21′	66.94	67.20	67.47	67.73	68.00	68.27	68.53	68.80	69.06	69.33	69.59	69.86
22′	70.13	70.39	70.66	70.92	71.19	71.45	71.72	71.98	72.25	72.52	72.78	73.05
23′	73.31	73.58	73.84	74.11	74.38	74.64	74.91	75.17	75.44	75.70	75.97	76.23
24′	76.50 79.69	76.77	77.03	77.30	77.56	77.83	78.09	78.36	78.63	78.89	79.16	79.42
25' 26'	82.88	79.95 83.14	80.22 83.41	80.48 83.67	80.75 83.94	81.02 84.20	81.28 84.47	81.55 84.73	81.81 85.00	82.08 85.27	82.34 85.53	82.61 85.80
20 27'	86.06	86.33	86.59	86.86	83.94	87.39	87.66	84.73 87.92	88.19	88.45	88.72	88.98
28'	89.25	89.52	89.78	90.50	90.31	90.58	90.84	91.11	91.38	91.64	91.91	92.17
29'	92.44	92.70	92.97	93.23	93.50	93.77	94.03	94.30	94.56	94.83	95.09	95.36
30'	95.63	95.89	96.16	96.42	96.69	96.95	97.22	97.48	97.75	98.02	98.28	98.55
31'	98.81	99.08	99.34	99.61	99.88	100.14	100.41	100.67	100.94	101.20	101.47	101.73
32'	102.00	102.27	102.53	102.80	103.06	103.33	103.59	103.86	104.13	104.39	104.66	104.92
33'	105.19	104.45	105.72	105.98	106.25	106.52	106.78	107.05	107.91	107.58	107.84	108.11
34'	108.38	108.45	108.91	109.17	109.44	109.70	109.97	110.23	110.50	110.77	111.03	111.30
35′	111.56	111.83	112.09	112.36	112.63	112.89	113.16	113.42	113.69	113.95	114.22	114.48
36'	114.94	115.02	115.28	115.55	115.81	116.08	116.34	116.61	116.88	117.14	117.41	117.67
37'	117.94	118.20	118.47	118.73	119.00	119.27	119.53	119.80	120.06	120.33	120.59	120.86
38′	121.13	121.39	121.66	121.92	122.19	122.45	122.72	122.98	123.25	123.52	123.78	124.05
39'	124.31	124.58	124.84	125.11	125.38	125.64	125.91	126.17	126.44	126.70	126.97	127.23
40′	127.50	127.77	128.03	128.30	128.56	128.83	129.09	129.36	129.63	129.89	130.16	130.42

Ph: 866-689-8904 www.lucasmetalworks.com

#### **SECTION 2**

## RED IRON / PURLINS

Ph: 866-689-8904 www.lucasmetalworks.com

#### **RED IRON / PURLINS**

#### **TABLE OF CONTENTS**

BASE ANGLE	٠ د
CEE PURLIN	4
CEE PURLIN	4
CEE PURLIN	4
CEE PURLIN	
CEE PURLIN	6
CEE PURLIN	6
CEE PURLIN	6
EAVE STRUT	6
EAVE STRUT	
EAVE STRUT	8
OPEN CHANNEL	9
OPEN CHANNEL	10
ZEE PURLIN	11
ZEE PURLIN	12
ZEE PURLIN	12

ZEE PURLIN	12
ZEE PURLIN	12
MPORTED CEE PURLIN	13

BASE ANGLE	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
1 1 1	52A-400- 200-14R	4" X 2" BASE ANGLE 14GA RED OXIDE 20'	28.4		EA
	52A-700- 300-14R	7" X 3" ANGLE 14GA RED OXIDE 20'	1.42		EA

CEE PURLIN	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	52CEE-10- 212-16R	10" X 2-1/2" CEE 16GA RED OXIDE	3.19		FT
	52CEE-10- 212-14R	10" X 2-1/2" CEE 14GA RED OXIDE	3.81		FT
J	52CEE-10- 212-12R	10" X 2-1/2" CEE 12GA RED OXIDE	5.69		FT

CEE PURLIN	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	52CEE-10- 312-14R	10" X 3-1/2" CEE 14GA CEE RED	4.29		FT
	52CEE-10- 312-12R	10" X 3-1/2" CEE 12GA RED OXIDE	6.4		FT

CEE PURLIN	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	52CEE-12- 212-14R	12" X 2-1/2" CEE 14GA RED OXID	4.29		FT
	52CEE-12- 212-12R	12" X 2-1/2" CEE 12GA RED OXID	6.4		FT

CEE PURLIN	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	52CEE-12- 312-14R	12" X 3-1/2" CEE 14GA RED OXID	4.77		FT
	52CEE-12- 312-12R	12" X 3-1/2" CEE 12GA RED OXID	7.12		FT

CEE PURLIN	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Г	52CEE-400- 200-16R	4" X 2" CEE 16GA RED OXIDE	1.79		FT
L	52CEE-400- 200-14R	4" X 2" CEE 14GA RED OXIDE	2.14		FT

CEE PURLIN	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	52CEE-400- 212-16R	4" X 2-1/2" CEE 16GA RED OXIDE	1.99		FT
	52CEE-400- 212-14R	4" X 2-1/2" CEE 14GA RED OXIDE	2.38		FT

CEE PURLIN	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	52CEE-6- 212-16R	6" X 2-1/2" CEE 16GA RED OXIDE	2.39		FT
	52CEE-6- 212-14R	6" X 2-1/2" CEE 14GA RED OXIDE	2.86		FT
	52CEE-6- 212-12R	6" X 2-1/2" CEE 12GA RED OXIDE	3.33		FT

CEE PURLIN	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	52CEE-6- 312-16R	6" X 3-1/2" CEE 16GA RED OXIDE	2.79		FT
	52CEE-6- 312-14R	6" X 3-1/2" CEE 14GA RED OXIDE	3.33		FT
	52CEE-6- 312-12R	6" X 3-1/2" CEE 12GA RED OXIDE	4.98		FT

CEE PURLIN	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	52CEE-8- 212-16R	8" X 2-1/2" CEE 16GA RED OXIDE	2.79		FT
	52CEE-8- 212-14R	8" X 2-1/2" CEE 14GA RED OXIDE	3.33		FT
	52CEE-8- 212-12R	8" X 2-1/2" CEE 12GA RED OXIDE	4.98		FT

CEE PURLIN	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	52CEE-8- 312-16R	8" X 3-1/2" CEE 16GA RED OXIDE	3.19		FT
	52CEE-8- 312-14R	8" X 3-1/2" CEE 14GA RED OXIDE	3.81		FT
	52CEE-8- 312-12R	8" X 3-1/2" CEE 12GA RED OXIDE	5.69		FT

EAVE STRUT	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Γ	52ES10-5-3- 14R	10" X 5" X 3" EAVE STRUT 14GA RED OXIDE	4.77		FT
Specify Roof Slope	52ES10-5-3- 12R	10" X 5" X 3" EAVE STRUT 12GA RED OXIDE	7.12		FT

EAVE STRUT	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
ſ	52ES4-4- 212-16R	4" X 4" X 2-1/2" EAVE STRUT 16GA RED OXIDE	2.39		FT
Specify Roof Slope	52ES4-4- 212-14R	4" X 4" X 2-1/2" EAVE STRUT 14GA RED OXIDE	2.86		FT

EAVE STRUT	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
٢	52ES4-4-4- 16R	4" X 4" X 4" EAVE STRUT 16GA RED OXIDE	2.39		FT
Specify Roof Slope	52ES4-4-4- 14R	4" X 4" X 4" EAVE STRUT 14GA RED OXIDE	2.86		FT

EAVE STRUT	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
r	52ES6-4- 212-16R	6" X 4" X 2-1/2" EAVE STRUT 16GA RED OXIDE	2.79		FT
L.	52ES6-4- 212-14R	6" X 4" X 2-1/2" EAVE STRUT 14GA RED OXIDE	3.33		FT
Specify Roof Slope	52ES6-4- 212-12R	6" X 4" X 2-1/2" EAVE STRUT 12GA RED OXIDE	4.98		FT

EAVE STRUT	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
۲	52ES6-4-4- 16R	6" X 4" X 4" EAVE STRUT 16GA RED OXIDE	2.79		FT
L	52ES6-4-4- 14R	6" X 4" X 4" EAVE STRUT 14GA RED OXIDE	3.33		FT
Specify Roof Slope	52ES6-4-4- 12R	6" X 4" X 4" EAVE STRUT 12GA RED OXIDE	4.98		FT

EAVE STRUT	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Γ	52ES8-5-3- 14R	8" X 5" X 3" EAVE STRUT 14GA RED OXIDE	4.4		FT
Specify Roof Slope	52ES8-5-3- 12R	8" X 5" X 3" EAVE STRUT 12GA RED OXIDE	6.5		FT

OPEN CHANNEL	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Γ	52OC-1018- 178-16R	10-1/8" X 1-7/8" OPEN CHANNEL 16GA RED OXIDE	3.07		FT
L	52OC-1018- 178-14R	10-1/8" X 1-7/8" OPEN CHANNEL 14GA RED OXIDE	3.68		FT

OPEN CHANNEL	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Γ	52OC-1018- 278-16R	10-1/8" X 2-7/8" OPEN CHANNEL 16GA RED OXIDE	3.17		FT
L	52OC-1018- 278-14R	10-1/8" X 2-7/8" OPEN CHANNEL 14GA RED OXIDE	3.78		FT

OPEN CHANNEL	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Γ	52OC-418- 238-16R	4-1/8" X 2-3/8" OPEN CHANNEL 16GA RED OXIDE	1.79		FT
L	52OC-418- 238-14R	4-1/8" X 2-3/8" OPEN CHANNEL 14GA RED OXIDE	2.14		FT

OPEN CHANNEL	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Γ	52OC-418- 278-16R	4-1/8" X 2-7/8" OPEN CHANNEL 16GA RED OXIDE	1.85		FT
L	52OC-418- 278-14R	4-1/8" X 2-7/8" OPEN CHANNEL 14GA RED OXIDE	2.2		FT

OPEN CHANNEL	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Γ	52OC-618- 178-16R	6-1/8" X 1-7/8" OPEN CHANNEL 16GA RED OXIDE	1.99		FT
L	52OC-618- 178-14R	6-1/8" X 1-7/8" OPEN CHANNEL 14GA RED OXIDE	2.39		FT

OPEN CHANNEL	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Γ	52OC-618- 278-16R	6-1/8" X 2-7/8" OPEN CHANNEL 16GA RED OXIDE	2.09		FT
L	52OC-618- 278-14R	6-1/8" X 2-7/8" OPEN CHANNEL 14GA RED OXIDE	2.48		FT

OPEN CHANNEL	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Γ	52OC-818- 178-16R	8-1/8" X 1-7/8" OPEN CHANNEL 16GA RED OXIDE	2.39		FT
L	52OC-818- 178-14R	8-1/8" X 1-7/8" OPEN CHANNEL 14GA RED OXIDE	2.86		FT

OPEN CHANNEL	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Γ	52OC-818- 278-16R	8-1/8" X 2-7/8" OPEN CHANNEL 16GA RED OXIDE	2.49		FT
	52OC-818- 278-14R	8-1/8" X 2-7/8" OPEN CHANNEL 14GA RED OXIDE	2.96		FT
_	52OC-818- 278-12R	8-1/8" X 2-7/8" OPEN CHANNEL 12GA RED OXIDE	3.25		FT

ZEE PURLIN	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Γ	52ZEE-10- 212-16R	10" X 2-3/8" X 2-1/8" ZEE 16GA RED OXIDE	3.19		FT
	52ZEE-10- 212-14R	10" X 2-3/8" X 2-1/8" ZEE 14GA RED OXIDE	3.81		FT
J	52ZEE-10- 212-12R	10" X 2-3/8" X 2-1/8" ZEE 12GA RED OXIDE	5.69		FT

ZEE PURLIN	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Г	52ZEE-10- 312-14R	10" X 3-3/8" X 3-1/8" ZEE 14GA RED OXIDE	4.29		FT
	52ZEE-10- 312-12R	10" X 3-3/8" X 3-1/8" ZEE 12GA RED OXIDE	6.4		FT

ZEE PURLIN	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	52ZEE-12- 212-14R	12" X 2-3/8" X 2-1/8" ZEE 14GA RED OXIDE	4.29		FT
	52ZEE-12- 212-12R	12" X 2-3/8" X 2-1/8" ZEE 12GA RED OXIDE	6.4		FT

ZEE PURLIN	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
J	52ZEE-12- 312-14R	12" X 3-3/8" X 3-1/8" ZEE 14GA RED OXIDE	4.77		FT
	52ZEE-12- 312-12R	12" X 3-3/8" X 3-1/8" ZEE 12GA RED OXIDE	7.12		FT

ZEE PURLIN	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	52ZEE-4- 212-16R	4" X 2-3/8" X 2-1/8" ZEE 16GA RED OXIDE	1.99		FT
	52ZEE-4- 212-14R	4" X 2-3/8" X 2-1/8" ZEE 14GA RED OXIDE	2.38		FT

ZEE PURLIN	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	52ZEE-400- 200-16R	4" X 2" X 2" ZEE 16GA RED OXIDE	1.79		FT
	52ZEE-400- 200-14R	4" X 2" X 2" ZEE 14GA RED OXIDE	2.14		FT

ZEE PURLIN	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	52ZEE-400- 312-16R	4" X 3-3/8" X 3-1/8" ZEE 16GA RED OXIDE	2.39		FT
	52ZEE-400- 312-14R	4" X 3-3/8" X 3-1/8" ZEE 14GA RED OXIDE	2.86		FT

ZEE PURLIN	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	52ZEE-6- 212-16R	6" X 2-3/8" X 2-1/8" ZEE 16GA RED OXIDE	2.39		FT
	52ZEE-6- 212-14R	6" X 2-3/8" X 2-1/8" ZEE 14GA RED OXIDE	2.86		FT
J	52ZEE-6- 212-12R	6" X 2-3/8" X 2-1/8" ZEE 12GA RED OXIDE	3.25		FT

ZEE PURLIN	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	52ZEE-6- 312-16R	6" X 3-3/8" X 3-1/8" ZEE 16GA RED OXIDE	2.79		FT
	52ZEE-6- 312-14R	6" X 3-3/8" X 3-1/8" ZEE 14GA RED OXIDE	3.33		FT
J	52ZEE-6- 312-12R	6" X 3-3/8" X 3-1/8" ZEE 12GA RED OXIDE	4.98		FT

ZEE PURLIN	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	52ZEE-8- 212-16R	8" X 2-3/8" X 2-1/8" ZEE 16GA RED OXIDE	2.79		FT
	52ZEE-8- 212-14R	8" X 2-3/8" X 2-1/8" ZEE 14GA RED OXIDE	3.33		FT
J	52ZEE-8- 212-12R	8" X 2-3/8" X 2-1/8" ZEE 12GA RED OXIDE	4.98		FT

ZEE PURLIN	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	52ZEE-8- 312-16R	8" X 3-3/8" X 3-1/8" ZEE 16GA RED OXIDE	3.19		FT
	52ZEE-8- 312-14R	8" X 3-3/8" X 3-1/8" ZEE 14GA RED OXIDE	3.81		FT
	52ZEE-8- 312-12R	8" X 3-3/8" X 3-1/8" ZEE 12GA RED OXIDE	5.69		FT

IMPORTED CEE PURLIN	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	52C3X112X 14X20M	3" X 1-1/2" X 14GA. CEE 20'-0 M	32		FT
	52C3X112X 14X25M	3" X 1-1/2" X 14GA. CEE 25'-0 M	40		FT
	52C3X112X 14X30M	3" X 1-1/2" X 14GA. CEE 30'-0 M	48		FT
	52C4X112X 14X20M	4" X 1-1/2" X 14GA. CEE 20'-0 M	37.6		FT
	52C4X112X 14X25M	4" X 1-1/2" X 14GA. CEE 25'-0 M	47		FT
	52C4X112X 14X30M	4" X 1-1/2" X 14GA. CEE 30'-0 M	56.4		FT
	52C6X200X 14X20M	6" X 2" X 14GA. CEE 20'-0" M	52		FT
	52C6X200X 14X25M	6" X 2" X 14GA. CEE 25'-0" M	65		FT
	52C6X200X 14X30M	6" X 2" X 14GA. CEE 30'-0" M	78		FT
	52C8X212X 14X20M	8" X 2-1/2" X 14GA. CEE 20'-0" M	68.6		FT
	52C8X212X 14X25M	8" X 2-1/2" X 14GA. CEE 25'-0" M	85.75		FT
	52C8X212X 14X30M	8" X 2-1/2" X 14GA. CEE 30'-0" M	102.9		FT

Ph: 866-689-8904 www.lucasmetalworks.com

**SECTION 3** 

# TRIM STURDI-RIB RESIDENTIAL

Ph: 866-689-8904 www.lucasmetalworks.com

#### TRIM - STURDI RIB/RESIDENTIAL

#### **TABLE OF CONTENTS**

TRIM- STURDI-RIB/RESIDENTIAL - IDENTIFICATION / LOCATION	4
CANOPY TRIM	5
SOFFIT TRIM	5
CORNER TRIM	5
GUTTER SUPPORT STRAP	6
GUTTER SUPPORT	6
LMG SHADOW GUTTER	6
RIDGE PAN	7
BOX GUTTER	7
BOX GUTTER END	7
GUTTER SUPPORT	8
RESIDENTIAL RIDGE	8
SIDEWALL FLASHING	8
DOUBLE ANGLE	9
EAVE DRIP TRIM	9
EAVE DRIP TRIM	9
RESIDENTIAL EAVE TRIM	10
EAVE FASCIA TRIM	10
HEAD TRIM	10
SHADOW RAKE	11
SIDEWALL TRANSITION TRIM	11
SPECIAL TRANSITION TRIM	11
RIDGE ROLL	12
RESIDENTIAL RIDGE/HIP	12
DOWNSPOUT	12
DOWNSPOUT KICKOUT	13
DOWNSPOUT STRAP	13
RESIDENTIAL RAKE TRIM	13
RAKE OUTSIDE CORNER TRIM	14
RAKE TRIM	14
J-TRIM	14
BASE TRIM W/RAT GUARD	15
UNIVERSAL ENDWALL TRIM	15
GAMBREL TRIM	15

ENDWALL TRANSITION TRIM	
VALLEY TRIM	16
NAT'L TRACK COVER TRIM	
ROUND DOOR TRACK COVER	17
FASCIA SOFFIT TRIM	17
SOFFIT TO WALL TRANSITION TRIM	17
WAINSCOT TRIM	
INSIDE CORNER	
HIP FLASHING	18
DRIP FLASHING	19
OVERHEAD DOOR TRIM	19
OUTSIDE ANGLE W/HEM	
RESIDENTIAL RIDGE W/HIP	
PEAK PLATE	
INSIDE ANGLE W/HEM	
RIDGE CAP	
RIDGE CAP W/HEM	2
UNIVERSAL RIDGE CAP	2




# LUCASMETAL WORKS

#### **Product Catalog**

Ph: 866-689-8904 www.lucasmetalworks.com

#### TRIM- STURDI-RIB/RESIDENTIAL - IDENTIFICATION / LOCATION



CANOPY TRIM	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Com-	50CF107-^	CF-107 CANOPY TRIM 3-1/2" X 3-1/2" ANGLE 26GA (USE WITH SUPER-SPAN OR STURDI-RIB PANELS)			FT
V	REFER TO COLOR CHART FOR AVAILABLE COLORS				

SOFFIT TRIM	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Color	50CF205-^	CF-205 SOFFIT TRIM 26GA (USE WITH STURDI-RIB PANELS)			EA
	REFER TO COLOR CHART FOR AVAILABLE COLORS				

CORNER TRIM	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Color	50CT201-^	CT-201 OUTSIDE CORNER TRIM 26GA (USE WITH STURDI-RIB PANELS)	.78		FT
,	REFER TO COLOR CHART FOR AVAILABLE COLORS				

GUTTER SUPPORT STRAP	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M	
	50GS121SR-^	GS-121 GUTTER SUPPORT STRAP 16" 26GA	.22		EA	
100	50GS122SR-^	GS-122 GUTTER SUPPORT STRAP STURDI-RIB 16" 26GA	.22		EA	
	REFER TO COLOR CHART FOR AVAILABLE COLORS					

GUTTER SUPPORT	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
16	50GS201-^	GS-201 GUTTER SUPPORT 16" 26GA	.12		EA
	50GS202-^	GS-202 GUTTER SUPPORT 12" 26GA	.10		EA
12		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

LMG SHADOW GUTTER	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M		
11 16 16	50LMG100-^	LMG SHADOW GUTTER 26GA STURDI RIB	1.25		FT		
	50LMG200-^	LMG SHADOW GUTTER 26GA STURDI RIB 2:12	1.25		FT		
22	50LMG300-^	LMG SHADOW GUTTER 26GA STURDI RIBE 3:12	1.25		FT		
Color	50LMG400-^	LMG SHADOW GUTTER 26GA STURDI RIB 4:12	1.25		FT		
14 14		REFER TO COLOR CHART FOR AVAILABLE COLORS					

RIDGE PAN	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
2 3/4 9 7/16 2 3/4  COLOR  9 7/16	50RP101-^	RP-101 RIDGE PAN 26GA 1:12	1.26		FT
		REFER TO COLOR CHART FO	R AVAILABLE COL	ORS.	

BOX GUTTER	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Specify Roof Slope  Color	50SR104-^	SR-104 BOX GUTTER 26GA (USE WITH STRUDI-RIB PANELS) (SPECIFY PITCH)	1.19		FT
51/4 3/4		REFER TO COLOR CHART FO	R AVAILABLE COL	ORS	

BOX GUTTER END	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Hern line  Signature  Weer side in  "Color" side	50SR105-^	ST-105 BOX GUTTER END CAP 26GA	.5		EA
		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

GUTTER SUPPORT	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
12 Color	50SR106-^	SR-106 GUTTER SUPPORT STRAP 12" 26GA	.19		EA
126 126		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

RESIDENTIAL RIDGE	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
III Date   Integral   Integral	50SR148-^	SR-148 RESIDENTIAL RIDGE / HIP 26GA	1.05		FT
		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

SIDEWALL FLASHING	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Color	50SR152-^	SR-152 SIDEWALL FLASHING 26GA	.57		FT
~	REFER TO COLOR CHART FOR AVAILABLE COLORS				

DOUBLE ANGLE	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Todar SE	50SR157-^	SR-157 DOUBLE ANGLE/ZEE TRIM 26GA	.57		FT
		REFER TO COLOR CHART FO	R AVAILABLE COL	ORS	

EAVE DRIP TRIM	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Color—Specify Roof Slope	50ET700-^	ET-700 EAVE DRIP TRIM 26GA (SPECFIFY PITCH)	.57		FT
		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

EAVE DRIP TRIM	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Specify Roof Slope  Color	50SR112-^	SR-112 EAVE DRIP TRIM 26GA	.63		FT
16		REFER TO COLOR CHART FO	R AVAILABLE COL	ORS	

	WWW.idodomota.worko.com				
RESIDENTIAL EAVE TRIM	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Specify Root Slope  Color	50SR113-^	SR-113 RESIDENTIAL EAVE TRIM 26GA	.44		FT
16		REFER TO COLOR CHART FO	R AVAILABLE COL	ORS	·

EAVE FASCIA TRIM	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Specify Roof Slope  Color	50SR114H-^	SR-114H EAVE FASCIA TRIM W/HEM 26GA	.56		FT
		REFER TO COLOR CHART FO	R AVAILABLE COL	ORS	

HEAD TRIM	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Color	50HT202-^	HT-202 LOW RIB HEAD TRIM 26GA	.30		FT
		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

SHADOW RAKE	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Hem Hem	50LMR100-^	LMR SHADOW RAKE STURDI-RIB 26GA	1.06		FT
1 1 1 1 1 1		REFER TO COLOR CHART FO	R AVAILABLE COL	ORS	

SIDEWALL TRANSITION TRIM	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
4 9 13 13 16 16 16 16 16 16 16 16 16 16 16 16 16	50SR138-^	SR-138 SIDEWALL TRANSITION TRIM 26GA	.60		FT
<u> </u>		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

SPECIAL TRANSITION TRIM	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Specify Roof Slope  Color	50SR140-^	SR-140 SPECIAL TRANSITION TRIM 26GA (29GA – 150°) (26GA - SPECIFY ANGLE)	.71		FT
<u> </u>		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

RIDGE ROLL	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
93 Color—Specify Roof Slope	50MT800-^	MT-800 FLAT RIDGE ROLL 26GA	1.27		FT
		REFER TO COLOR CHART FO	R AVAILABLE COL	ORS.	

RESIDENTIAL RIDGE/HIP	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Specify Roof Slope	50SR103-^	SR-103 RESIDENTIAL RIDGE/HIP 26GA (SPECIFY ROOF SLOPE)	.59		FT
		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

DOWNSPOUT	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Color Propriet Color and 30° on center)	50SR107-^	SR-107 DOWNSPOUT 3-1/2" X 4" 26GA	.99		FT
		REFER TO COLOR CHART FO	R AVAILABLE COL	ORS	

DOWNSPOUT KICKOUT	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Shoded area indicates drop $\frac{3\frac{1}{6}}{10\frac{1}{6}}$	50SR108-^	SR-108 DOWNSPOUT KICK- OUT 26GA	.03		EA
, 10		REFER TO COLOR CHART FO	R AVAILABLE COL	ORS	

DOWNSPOUT STRAP	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Color	50SR111-^	SR-111 DOWNSPOUT STRAP 26GA	.05		EA
		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

RESIDENTIAL RAKE TRIM	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M	
Color	50SR115H-^	SR-115H RESIDENTIAL RAKE TRIM 26GA	.71		FT	
<u>f6</u> ) , Y	REFER TO COLOR CHART FOR AVAILABLE COLORS					

				aomotanvonk	
RAKE OUTSIDE CORNER TRIM	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Color	50SR117-^	SR-117 RAKE/OUTSIDE CORNER 26GA	.78		FT
1		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

RAKE TRIM	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
13 9 6 Color Color	50SR118-^	SR-118 RAKE TRIM 6" 26GA	.99		FT
16		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

J-TRIM	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Color	50SR122-^	SR-122 J-TRIM 26GA	.30		FT
<u>  8                                   </u>		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

BASE TRIM W/RAT GUARD	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Color	50SR137-^	SR-137 1" BASE TRIM / RAT GUARD 26GA	.30		FT
, · · · · · · · · · · · · · · · · · · ·		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

UNIVERSAL ENDWALL TRIM	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Specify Roof Slope Color	50SR139-^	SR-139 UNIVERSAL ENDWALL TRIM 26GA (SPECIFY ROOF SLOPE)	.71		FT
		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

GAMBREL TRIM	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Specify Roof Slope	50SR141-^	SR-141 GAMBREL TRIM 26GA	.71		FT
· ·		REFER TO COLOR CHART FO	R AVAILABLE COL	ORS	

				acinotanioni	
ENDWALL TRANSITION TRIM	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Specify Roof Slope	50SR142-^	SR-142 ENDWALL TRANSITION TRIM 26GA	.71		FT
		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

VALLEY TRIM	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Specify Roof Slope  45  811  16	50SR145-^	SR-145 VALLEY TRIM 26GA (SPECIFY ROOF SLOPE)	1.28		FT
		REFER TO COLOR CHART FO	R AVAILABLE COL	ORS.	

NAT'L TRACK COVER TRIM	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
135	50SR146-^	SR-146 NATIONAL TRACK COVER TRIM 26GA	.71		FT
1,2,1		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

ROUND DOOR TRACK COVER	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
140° Color	50SR147-^	SR-147 ROUND DOOR TRACK COVER 26GA	.74		FT
[4]		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

FASCIA SOFFIT TRIM	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Color	50SR900-^	SR-900 FASCIA SOFFIT TRIM STURDI-RIB 26GA	.53		FT
] 3		REFER TO COLOR CHART FO	R AVAILABLE COL	ORS.	

SOFFIT TO WALL TRANSITION TRIM	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Hem $\frac{1\frac{1}{4}}{2}$	50ST66-^	ST-66 SOFFIT TO WALL TRANSITION TRIM STURDI- RIB 26GA	.29		FT
		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

	www.dodomotaworko.com				
WAINSCOT TRIM	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Color Table 1	5050WT201-^	WT-201 WAINSCOT TRIM STURDI-RIB 26GA	.40		FT
		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

INSIDE CORNER	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
4 3 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	50SR120-^	SR-120 INSIDE CORNER 26GA	.78		FT
¥		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

HIP FLASHING	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Specify Roof Slope	50HF120-^	HF-120 HIP FLASHING 26GA	.88		FT
		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

DRIP FLASHING	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Color	50SR123-^	SR-123 DRIP FLASHING 26GA	.30		FT

OVERHEAD DOOR TRIM	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
7 8 Color—7 7 1 8	50SR125-^	SR-125 OVERHEAD DOOR TRIM 26GA	1.75		FT
, · · · · · · · · · · · · · · · · · · ·		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

OUTSIDE ANGLE W/HEM	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
$1\frac{1}{2}$	50SR128-^	SR-128 1-1/2" X 1-1/2" OUTSIDE ANGLE W/HEM 26GA	.25		FT
	50SR130-^	SR-130 2" X 2" OUTSIDE ANGLE W/HEM 26GA	.31		FT
	50SR133-^	SR-133 3" X 3" OUTSIDE ANGLE W/HEM 26GA	.43		FT
127	50SR134H-^	SR-134H 1-1/2" X 5-1/2" OUTSIDE ANGLE W/HEM 26GA	.47		FT
·		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

RESIDENTIAL RIDGE W/HIP	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Specify Roof Slope	50SR148-^	SR-148 RESIDENTIAL RIDGE / HIP 26GA (SPECIFY ROOF SLOPE)	1.05		FT
	_	REFER TO COLOR CHART FO	R AVAILABLE COL	ORS	

PEAK PLATE	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Color Bend Line  12  11  11  24	50SR149-^	SR-149 PEAK PLATE 26GA	.14		EA
		REFER TO COLOR CHART FO	R AVAILABLE COL	ORS	

INSIDE ANGLE W/HEM	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M	
11/2	50SR228-^	SR-228 1-1/2" X 1-1/2" INSIDE ANGLE W/HEM 26GA	.25		FT	
	50SR230-^	SR-230 2" X 2" INSIDE ANGLE W/HEM 26GA	.31		FT	
1½	50SR233H-^	SR-233H 3" X 3" INSIDE ANGLE W/HEM 26GA	.43		FT	
<b>↓</b> 0.	REFER TO COLOR CHART FOR AVAILABLE COLORS					

RIDGE CAP	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
RIDGE CAP	50SRRC-^	3'-0 STURDI-RIB RIDGE CAP 26GA (SPECIFY ROOF PITCH)	7.8		EA
		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

RIDGE CAP W/HEM	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Specify Roof Slope	50SR151-^	SR-151 14" RIDGE CAP W/HEM 26GA (SPECIFY ROOF SLOPE)	.91		FT
		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

UNIVERSAL RIDGE CAP	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Specify Roof Slope	59SR101-^	SR-101 20" UNIVERSAL RIDGE CAP 26GA (SPECIFY ROOF SLOPE)	1.22		FT
		REFER TO COLOR CHART FO	R AVAILABLE COL	ORS .	

Ph: 866-689-8904 www.lucasmetalworks.com

**SECTION 4** 

# TRIM SUPER SPAN COMMERCIAL / INDUSTRIAL

Ph: 866-689-8904 www.lucasmetalworks.com

# TRIM - SUPER SPAN - COMMERCIAL / INDUSTRIAL

#### **TABLE OF CONTENTS**


TRIM - SUPER SPAN /RESIDENTIAL - IDENTIFICATION / LOCATION	5
BASE TRIM	6
CANOPY TRIM	6
CANOPY TRIM	6
CANOPY TRIM	7
CANOPY TRIM	7
CANOPY TRIM	7
CANOPY TRIM	8
CANOPY TRIM	8
CANOPY TRIM	8
CANOPY TRIM	9
CANOPY TRIM	9
CANOPY TRIM	9
CANOPY TRIM	10
SOFFIT TRIM	10
CANOPY TRIM	10
CANOPY TRIM	11
CANOPY TRIM	11
CANOPY TRIM	11
CORNER TRIM	12
DIE FORM FLASHING	12
GUTTER SPACER	12
GUTTER COUNTER FLASH	13
BOX GUTTER	13
SHADOW GUTTER	13
BOX GUTTER	14
JAMB TRIM	14
CAP TRIM	14
SKYLIGHT REINFORCEMENT	15
MULLION TRIM	15
MULLION TRIM	15
MULLION TRIM	16
MULLION TRIM	16
EAVE COVER	16

SHADOW EAVE	17
NIGHT SHADOW EAVE	17
SIMPLE EAVE	17
HIGH BOX EAVE	18
EAVE TRIM	18
EAVE	18
HIGH SIDE EAVE STRUT COVER	19
RAKE TRIM	19
BASE TRIM	19
HEAD TRIM	20
HEAD TRIM	20
INSIDE CORNER	20
LINER PANEL	21
LINER PANEL	21
ENDWALL TRANSITION TRIM	21
HIGHSIDE TRANSITION TRIM	22
PARTITION TRIM	22
PARTITION TRIM	22
TRANSITION TRIM	23
TRANSITION TRIM	23
SUPER-SPAN CAP TRIM	23
CAP TRIM	24
MANSARD TRIM	24
MANSARD TRIM	24
MANSARD TRIM	25
MANSARD TRIM	25
MANSARD TRIM	25
SKYLIGHT	26
OUTSIDE ANGLE TRIM	26
INSIDE ANGLE TRIM	26
PARAPET CAP TRIM	27
PARAPET CAP TRIM	27
PARAPET CAP TRIM	27
PURLIN STRAP	28
BASE TRIM RAT GUARD	28
RIDGE PAN	
SOFFIT TO WALL TRANSITION TRIM	29
SOFFIT TO WALL TRANSITION TRIM	29
SOFFIT TO WALL TRANSITION TRIM	
SOFFIT TO WALL TRANSITION TRIM	30

SOFFIT TO WALL TRANSITION TRIM	30
SOFFIT TO WALL TRANSITION TRIM	30
SOFFIT TO WALL TRANSITION TRIM	31
WALL TO SOFFIT TRANSITION TRIM	31
WALL TO SOFFIT TRANSITION TRIM	31
WALL TO SOFFIT TRANSITION TRIM	32
WALL TO SOFFIT TRANSITION TRIM	32
WALL TO SOFFIT TRANSITION TRIM	32
WALL TO SOFFIT TRANSITION TRIM	33
SHADOW RAKE TRIM	33
BOX STYLE RAKE TRIM	33
SLIDING DOOR HOOD	34
WAINSCOT TRIM	34
VALLEY FLASHING	34
RIDGE CAP	35
DOWNSPOUT W/KICKOUT	35
DOWNSPOUT KICKOUT	35
DOWNSPOUT STRAP	36
DOWNSPOUT ELBOW	36
DOWNSPOUT ELBOW	36
DOWNSPOUT ADJUSTABLE ELBOW	37
GUTTER END CAP	37
CORNER BOX	38
SHADOW END CAP	39
SHADOW PEAK BOX	40
GUTTER END CAP	40
GUTTER SUPPORT STRAP	40
GUTTER SUPPORT STRAP	41
PEAK BOX	41
CORNER BOX	41
CORNER BOX	42

Ph: 866-689-8904 www.lucasmetalworks.com

#### TRIM - SUPER SPAN /RESIDENTIAL - IDENTIFICATION / LOCATION



BASE TRIM	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Color	50BT101-^	BT-101 STANDARD BASE TRIM 26GA (USE WITH SUPER-SPAN PANELS)	.3		FT
**/		REFER TO COLOR CHART FO	R AVAILABLE COL	ORS	

CANOPY TRIM	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
and	50CF102-^	CF-102 CANOPY TRIM 26GA (USE WITH SUPER-SPAN PANELS)	.81		FT
Ct-1C2	REFER TO COLOR CHART FOR AVAILABLE COLORS				

CANOPY TRIM	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
160 gg	50CF104-^	CF-104 CANOPY TRIM 26GA (USE WITH SUPER-SPAN PANELS)	.98		FT
CS-104		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

CANOPY TRIM	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
HEM COLOR SE	50CF106-^	CF-106 CANOPY TRIM 26GA (USE WITH SUPER-SPAN PANELS)	.66		FT
<u>CF-106</u>		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

CANOPY TRIM	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
HEM — HEM	50CF107-^	CF-107 CANOPY TRIM 3-1/2" X 3-1/2" ANGLE 26GA (USE WITH SUPER-SPAN OR STURDI-RIB PANELS)	.48		FT
<u>CF-107</u>		REFER TO COLOR CHART FO	R AVAILABLE COL	ORS	

CANOPY TRIM	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
20 000x / 150 000x / 150 000x	50CF108-^	CF-108 CANOPY TRIM 26GA	.73		FT
δ  <u>2</u> ,		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

CANOPY TRIM	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
HEM COLOR	50CF109-^	CF-109 CANOPY TRIM 26GA (SPECIFIY PITCH)	.48		FT
<u>CF-109</u>		REFER TO COLOR CHART FOR AVAILABLE COLORS			

CANOPY TRIM	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
00.00 OC-110	50CF110-^	CF-110 CANOPY TRIM 26GA (SOFFIT RIDGE)	1.04		FT
		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

CANOPY TRIM	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
2 12 12 12 12 12 12 12 12 12 12 12 12 12	50CF111-^	CF-111 CANOPY TRIM 26GA (1/2:12 PITCH)	.88		FT
<u>α-ιιι</u>		REFER TO COLOR CHART FO	R AVAILABLE COL	ORS	

CANOPY TRIM	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
2½ 100 122 122 122 122 122 122 122 122 122	50CF112-^	CF-112 CANOPY TRIM 26GA (1:12 PITCH)	.88		FT
CF-112		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

CANOPY TRIM	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
2 12 12 12 12 12 12 12 12 12 12 12 12 12	50CF113-^	CF-113 CANOPY TRIM 26GA (2:12 PITCH)	.88		FT
C*-113	REFER TO COLOR CHART FOR AVAILABLE COLORS				

CANOPY TRIM	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M	
3 12 12 12 12 12 12 12 12 12 12 12 12 12	50CF114-^	CF-114 CANOPY TRIM 26GA (3:12 PITCH)	.84		FT	
Q*-114	REFER TO COLOR CHART FOR AVAILABLE COLORS					

CANOPY TRIM	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M	
NOO	50CF115-^	CF-115 CANOPY TRIM 26GA (4:12 PITCH)	.81		FT	
<u>G-115</u>	REFER TO COLOR CHART FOR AVAILABLE COLORS					

SOFFIT TRIM	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
$ \begin{array}{c} 1\frac{13}{16} \\ \hline 72' \end{array} $	50CF116-^	CF-116 SOFFIT TRIM 26GA	.29		FT
		REFER TO COLOR CHART FO	R AVAILABLE COL	ORS.	

CANOPY TRIM	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
AND NOT THE REAL PROPERTY OF THE PARTY OF TH	50CF201-^	CF-201 CANOPY TRIM 26GA (SPECIFY PITCH)	.79		FT
3½ CF-201		REFER TO COLOR CHART FO	R AVAILABLE COL	ORS	

CANOPY TRIM	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M		
NO N	50CF203-^	CF-203 CANOPY TRIM 26GA	.88		FT		
cr-203	REFER TO COLOR CHART FOR AVAILABLE COLORS						

CANOPY TRIM	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
1960 COCK - 1960	50CF208-^	CF-208 CANOPY TRIM 26GA	.86		FT
CF-208		REFER TO COLOR CHART FO	R AVAILABLE COL	ORS	

CANOPY TRIM	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
100 - 100 -	50CF308-^	CF-308 CANOPY TRIM 26GA	.98		FT
		REFER TO COLOR CHART FO	R AVAILABLE COL	ORS	

CORNER TRIM	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Color	50CT102-^	CT-102 OUTSIDE CORNER TRIM 26GA (USE WITH SUPER-SPAN PANELS)	.88		FT
14		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

DIE FORM FLASHING	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
"R" PANEL	50DFF-^	DIEFORM FLASHING 10' GALVALUME	.30		EA
		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

GUTTER SPACER	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
21 00 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	50ES210-^	ES-210 GUTTER SPACER TRIM 26GA FOR 8" (USE WITH SUPER-SPAN PANELS)	.79		FT
	50ES220-^	ES-220 GUTTER SPACER TRIM 26GA FOR 10" (USE WITH SUPER-SPAN PANELS)	.91		FT
	50ES230-^	ES-230 GUTTER SPACER TRIM 26GA FOR 12" (USE WITH SUPER-SPAN PANELS)	1.04		FT
		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

GUTTER COUNTER FLASH	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Specify Roof Pitch	50GC100-^	GC-100 SHADOW GUTTER COUNTER FLASH 26GA	.40		FT
		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

BOX GUTTER	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
*	50GU800-^	GU-800 BOX STYLE GUTTER 26GA (SPECIFY ROOF PITCH)	1.27		FT
, b, a,		REFER TO COLOR CHART FO	R AVAILABLE COL	ORS	

SHADOW GUTTER	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	50GU100-^	GU-100 SHADOW GUTTER 26GA (SPECIFY PITCH)	1.28		FT
N   N   4		REFER TO COLOR CHART FO	R AVAILABLE COL	ORS	

BOX GUTTER	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
314	50GUH801-^	GU-801 BOX STYLE GUTTER 26GA (HANG ON STYLE) 1:12	1.27		FT
	50GUH802-^	GU-802 BOX STYLE GUTTER 26GA (HANG ON STYLE) 2:12	1.27		FT
	50GUH803-^	GU-803 BOX STYLE GUTTER 26GA (HANG ON STYLE) 3:12	1.27		FT
4 1/2 Color 7/1 4	50GUH804-^	GU-804 BOX STYLE GUTTER 26GA (HANG ON STYLE) 4:12	1.27		FT
5 1/4	50GUH805-^	GU-805 BOX STYLE GUTTER 26GA (HANG ON STYLE) 5:12	1.27		FT
	50GU806-^	GU-806 BOX STYLE GUTTER 26GA (HANG ON STYLE) 6:12	1.27		FT
		REFER TO COLOR CHART FO	R AVAILABLE COL	ORS	

JAMB TRIM	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
u	50JT101-^	JT-101 SUPER SPAN JAMB TRIM 26GA	.3		FT
19(4		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

CAP TRIM	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
TOLOR 4"	50MT004B-^	MT-004B SPECIAL CAP TRIM 4" 26GA	.53		FT
		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

SKYLIGHT REINFORCEMENT	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
15 Tools 156 156	50MT125-^	MT-125 SKYLIGHT REINFORCEMENT	.44		FT
		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

MULLION TRIM	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
HEM HEM	50DM06-^	MULLION TRIM 26G 6"	.93		FT
4"		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

MULLION TRIM	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M	
MEM HEM	50DM12-^	MULLION TRIM 26G 12"	1.3		FT	
4.	REFER TO COLOR CHART FOR AVAILABLE COLORS					

MULLION TRIM	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
HP/M	50DM18-^	MULLION TRIM 26G 18"	1.67		FT
4"		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

MULLION TRIM	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
PE NOTE OF THE PARTY OF THE PAR	50DM24-^	MULLION TRIM 26G 24"	2.05		FT
r .		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

EAVE COVER	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
10*	50ES100-^	ES-100 LOW SIDE EAVE 26GA FOR 8" (SPECIFY PITCH)	.74		FT
Color Color	50ES200-^	ES-200 LOW SIDE EAVE STRUT TRIM 26GA FOR 10" (SPECIFY PITCH)	.86		FT
00 - 53 - 53 - 53 - 53 - 53 - 53 - 53 -	50ES300-^	ES-300 LOW SIDE EAVE STRUT TRIM 26GA FOR 12" (SPECIFY PITCH)	.98		FT
		REFER TO COLOR CHART FO	R AVAILABLE COL	ORS	

SHADOW EAVE	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Specify Roof Slope	50ET100-^	ET-100 SHADOW EAVE TRIM 26GA (SPECIFY PITCH)	.88		FT
14 14		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

NIGHT SHADOW EAVE	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
79 Specify Roof Slope	50ET150-^	ET-150 HI-SIDE SHADOW EAVE TRIM 26GA (SPECIFY PITCH)	1.04		FT
1		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

SIMPLE EAVE	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Color—Specify Roof Slope	50ET800-^	ET-800 SIMPLE EAVE TRIM 26GA (SPECIFY PITCH)	.64		FT
		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

HIGH BOX EAVE	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Color—Specify Roof Slope—25+	50ET850-^	ET-850 HIGH SIDE BOX EAVE TRIM 26GA	1.27		FT
2		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

EAVE TRIM	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
2" JAA.	50FL17-^	FL-17 HIGH SIDE SCULPTURED EAVE TRIM 26GA	9.29		FT
		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

EAVE	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Specify Roof Slope 1  102 Specify Roof Slope 2  Color—	50FL18D-^	FL-180 HANG-ON EAVE GUTTER 26GA (SCULPTURED)	1.29		FT
4		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

HIGH SIDE EAVE STRUT COVER	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
8: 10. 12:	50HS100-^	HS-100 HIGH SIDE EAVE STRUT TRIM 8" 26GA	.74		FT
7-80 7-80 7-80 Color	50HS200-^	HS-100 HIGH SIDE EAVE STRUT TRIM 10" 26GA	.86		FT
15-300 16-300 16-300 17-100 18-300	50HS300-^	HS-100 HIGH SIDE EAVE STRUT TRIM 12" 26GA	.98		FT
		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

RAKE TRIM	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M	
Color 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	50FL16-^	FL-16 RAKE TRIM 26GA (SCULPTURED)	1.29		FT	
<u> </u>	REFER TO COLOR CHART FOR AVAILABLE COLORS					

BASE TRIM	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Color T <sub>3</sub>	50FL72-^	FL-72 BASE TRIM 26GA	.38		FT
4		REFER TO COLOR CHART FO	R AVAILABLE COL	ORS	•

HEAD TRIM	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Color	50FL26-^	FL-26 HEAD TRIM 26GA	.35		FT
.8		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

HEAD TRIM	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
$-\frac{1}{2}$	50HT101-^	HT-101 SUPER-SPAN HEAD TRIM 26GA	.31		FT
		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

INSIDE CORNER	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
1 1	50ICT801-^	ICT-801 INSIDE CORNER SUPER-SPAN 26GA	.82		FT
		REFER TO COLOR CHART FO	R AVAILABLE COL	ORS	

LINER PANEL	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Hem Hem	50LP100-^	LP-100 LINER PANEL CAP TRIM 26GA	.5		FT
		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

LINER PANEL	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
3½ —Hem	50LP200-^	LP-200 LINER PANEL CAP BENT TO PITCH (R-PANEL) 26GA (SPECIFY PITCH) *COLOR ON INSIDE	.5		FT
		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

ENDWALL TRANSITION TRIM	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
3 1/2 1 3/8 1	50MT101-^	MT-101 ENDWALL TRANSITION TRIM 26 GA	.64		FT
		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	•

HIGHSIDE TRANSITION TRIM	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
112 12 4 4 5 5 4 5 5 4 5 5 6 6 6 6 6 6 6 6 6 6	50MT102-^	MT-102 HIGH SIDE TRANSITION TRIM 26 GA	.88		FT
31/2 1		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

PARTITION TRIM	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Color—— Tall Tall Tall Tall Tall Tall Tall Ta	50MT106B-^	MT-106B PARTITION TRIM 26GA	.72		FT
	50MT106C-^	MT-106C PARTITION TRIM 26GA	.84		FT
MT-1068 MT-1060 MT-1060	50MT106D-^	MT-106D PARTITION TRIM 26GA	.97		FT
		REFER TO COLOR CHART FO	R AVAILABLE COL	ORS	

PARTITION TRIM	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Specify Roof Slope	50MT107-^	MT-107 PARTITION TRIM 26GA	.43		FT
		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

TRANSITION TRIM	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
1 1 1 4 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	50MT111-^	MT-111 TRANSITION TRIM 26GA	.74		FT
		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

TRANSITION TRIM	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Specify Roof Slope	50MT700-^	MT-700 TRANSITION TRIM 26GA (SPECIFY PITCH)	.78		FT
		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

SUPER-SPAN CAP TRIM	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Color	50MT113-^	MT-113 SUPER-SPAN CAP TRIM 26GA	.43		FT
		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

CAP TRIM	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
2	50MT116B-^	MT-116B CAP TRIM 26GA	.75		FT
Color—— 공항 로 전	50MT116C-^	MT-116C CAP TRIM 26GA	.88		FT
89 11 - IM	50MT116D-^	MT-116D CAP TRIM 26GA	1.0		FT
		REFER TO COLOR CHART FO	R AVAILABLE COL	ORS	

MANSARD TRIM	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
4—Color	50MT121-^	MT-121 MANSARD TRIM 26GA	.56		FT
		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

MANSARD TRIM	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
10 <sup>3</sup> / <sub>4</sub> —Color —10 —10 —10 —10 —10 —10 —10 —10 —10 —10	50MT122-^	MT-122 MANSARD CAP TRIM 26GA	1.15		FT
		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

MANSARD TRIM	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Slope of Face Shipper  12  See Chart  Color  4½  1 1	50MT140-^	MT-140 MANSARD TRIM 1-3/4" 26GA	.77		FT
		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

MANSARD TRIM	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Slope of Face  See Shipper  12  See Chart  Color	50MT150-^	MT-150 MANSARD TRIM 2-1/2" 26GA	.98		FT
4½ 1		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

MANSARD TRIM	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Slope of Face Snee Shipper 12 See Chart Codor 4% 1	50MT160-^	MT-160 MANSARD TRIM 3" 26GA	1.02		FT
		REFER TO COLOR CHART FO	R AVAILABLE COL	ORS	

SKYLIGHT	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
$\begin{array}{c c} 1\frac{5}{16} \\ \hline 1\frac{3}{4} \\ 4\frac{3}{8} \\ 1\frac{3}{4} \end{array}$	50MT125-^	MT-125 SKYLIGHT REINFORCEMENT 26GA	.44		FT
		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

OUTSIDE ANGLE TRIM	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	50MT722-^	MT-722 OUTSIDE ANGLE TRIM 2" X 2" 26GA	.31		FT
	50MT733-^	MT-733 OUTSIDE ANGLE TRIM 3" X 3" 26GA	.43		FT
Color	50MT744-^	MT-744 OUTSIDE ANGLE TRIM 4" X 4" 26GA	.56		FT
2		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

INSIDE ANGLE TRIM	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M	
	50MT822-^	MT-822 INSIDE ANGLE TRIM 2" X 2" 26GA	.31		FT	
Color	50MT833-^	MT-833 INSIDE ANGLE TRIM 3" X 3" 26GA	.43		FT	
	50MT844-^	MT-844 INSIDE ANGLE TRIM 4" X 4" 26GA	.56		FT	
2	REFER TO COLOR CHART FOR AVAILABLE COLORS					

PARAPET CAP TRIM	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
10 5/8  Hem	50PCT08-^	PCT-08 PARAPET CAP TRIM 8" 26GA	.44		FT
		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

PARAPET CAP TRIM	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
11-0 5/8  Hem	50PCT10-^	PCT-10 PARAPET CAP TRIM 10" 26GA	.78		FT
		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

PARAPET CAP TRIM	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
11-2 5/8  11-2 5/8  Hem	50PCT12-^	PCT-12 PARAPET CAP TRIM 12" 26GA	.91		FT
		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

PURLIN STRAP	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	50PS-100-^	PURLIN STRAPPING 2" X 104' ROLL	5.2		EA
		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

BASE TRIM RAT GUARD	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
11/2 NO100 NO100	50RG100-^	1 ½″ BASE TRIM / RAT GUARD 26GA	.36		FT
		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

RIDGE PAN	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
2 3M 9 7/16 2 34 10 10 10 10 10 10 10 10 10 10 10 10 10 1	50RP101-^	RP-101 RIDGE PAN 26GA 1:12	1.26		FT
		REFER TO COLOR CHART FO	R AVAILABLE COL	ORS	

SOFFIT TO WALL TRANSITION TRIM	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Color 2½	50ST550-^	ST-550 SOFFIT TO WALL TRANSITION TRIM 26GA (SPECIFY PITCH)	.35		FT
2		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

SOFFIT TO WALL TRANSITION TRIM	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
1-1/4  (&5)  8/8-1  COLOR  2-1/2	50ST551-^	ST-551 SOFFIT TO WALL TRANSITIION TRIM 26GA 1:12	.35		FT
		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

SOFFIT TO WALL TRANSITION TRIM	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
1-1/4  (%) (%) (%) (%) (%) (%) (%) (%) (%) (%	50ST552-^	ST-552 SOFFIT TO WALL TRANSITIION TRIM 26GA 2:12	.35		FT
2-1/2		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

SOFFIT TO WALL TRANSITION TRIM	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
1-1/4 (Q <sub>p</sub> <sub>s</sub> ) (S <sub>p</sub> <sup>s</sup> )	50ST553-^	ST-553 SOFFIT TO WALL TRANSITIION TRIM 26GA 3:12	.35		FT
, 7		REFER TO COLOR CHART FO	R AVAILABLE COL	ORS	

SOFFIT TO WALL TRANSITION TRIM	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
1-1/4   COLOR   (2)   2-7/16	50ST554-^	ST-554 SOFFIT TO WALL TRANSITIION TRIM 26GA 4:12	.35		FT
-7/16		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

SOFFIT TO WALL TRANSITION TRIM	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
1-1/4  COLOR  2-3/8	50ST555-^	ST-555 SOFFIT TO WALL TRANSITIION TRIM 26GA 5:12	.35		FT
1-0/8		REFER TO COLOR CHART FO	R AVAILABLE COL	ORS.	

SOFFIT TO WALL TRANSITION TRIM	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Color 25/16.	50ST556-^	ST-556 SOFFIT TO WALL TRANSITIION TRIM 26GA 6:12	.35		FT
		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

WALL TO SOFFIT TRANSITION TRIM	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
1½*  Color 2½*	50ST561-^	ST-561 WALL TO SOFFIT TRANSITION TRIM 26GA 1:12	.35		FT
,		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	•

WALL TO SOFFIT TRANSITION TRIM	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	50ST562-^	ST-562 WALL TO SOFFIT TRANSITION TRIM 26GA 2:12	.35		FT
1		REFER TO COLOR CHART FO	R AVAILABLE COL	ORS	

WALL TO SOFFIT TRANSITION TRIM	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
27/16	50ST563-^	ST-563 WALL TO SOFFIT TRANSITION TRIM 26GA 3:12	.35		FT
Color		REFER TO COLOR CHART FO	r available col	.ORS	•

WALL TO SOFFIT TRANSITION TRIM	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Color 27/16	50ST564-^	ST-564 WALL TO SOFFIT TRANSITION TRIM 26GA 4:12	.35		FT
		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	•

WALL TO SOFFIT TRANSITION TRIM	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Color 2 3/8	50ST565-^	ST-565 WALL TO SOFFIT TRANSITION TRIM 26GA 5:12	.35		FT
Color		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

WALL TO SOFFIT TRANSITION TRIM	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
25/16	50ST566-^	ST-566 WALL TO SOFFIT TRANSITION TRIM 26GA 6:12	.35		FT
Color		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

SHADOW RAKE TRIM	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
6½ 1¼ 1 Color	50RT101-^	RT-101 SHADOW RAKE TRIM 26GA	1.15		FT
14 14		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

BOX STYLE RAKE TRIM	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
5½ 1¼ 1 Cobr—	50RT801-^	RT-801 BOX STYLE RAKE TRIM 26GA	1.26		FT
		REFER TO COLOR CHART FO	R AVAILABLE COL	ORS	•

SLIDING DOOR HOOD	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Color 121'  The Line 7	50SD102-^	SD-102 SLIDING DOOR HOOD 26GA	.91		FT
, , ,		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

WAINSCOT TRIM	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
COLOR TO THEM	50WT101-^	WT-101 WAINSCOT TRIM 26GA	.40		FT
WT-101		REFER TO COLOR CHART FO	R AVAILABLE COL	ORS.	

VALLEY FLASHING	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Specify Roof Color Slope	50VF120-^	VF-120 VALLEY FLASHING 26GA	1.27		FT
		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

RIDGE CAP	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	50SRRC-^	SSRC SUPER SPAN FITTED RIDGE CAP 36" 26GA	7.8		EA
		REFER TO COLOR CHART FO	R AVAILABLE COL	ORS.	

DOWNSPOUT W/KICKOUT	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Sealed area with the first of t	50DS101-^	DS-101 DOWNSPOUT WITH KICKOUT 26GA	1.05		FT
		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

DOWNSPOUT KICKOUT	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Shoded area indicates drop $\frac{3\frac{15}{16}}{16\frac{13}{16}}$ $\frac{3\frac{15}{16}}{16\frac{13}{16}}$ $\frac{3\frac{15}{16}}{16\frac{13}{16}}$ $\frac{10\frac{13}{16}}{16\frac{13}{16}}$ $\frac{10\frac{13}{16}}{16\frac{13}{16}}$ cut)	50KO-^	DOWNSPOUT KICK-OUT 26GA	.04		EA
		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

DOWNSPOUT STRAP	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Color 41/8	50DS105-^	DS-105 DOWNSPOUT STRAP 26GA	.52		EA
		REFER TO COLOR CHART FO	R AVAILABLE COL	ORS	•

DOWNSPOUT ELBOW	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M	
4 4 20 05'	50DS120-^	DS-120 DOWNSPOUT ELBOW 26GA (INSIDE)	1.05		EA	
12	REFER TO COLOR CHART FOR AVAILABLE COLORS					

DOWNSPOUT ELBOW	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M	
Color 4	50DS121^	DS-121 DOWNSPOUT ELBOW 26GA (OUTSIDE)	1.05		EA	
12	REFER TO COLOR CHART FOR AVAILABLE COLORS					

DOWNSPOUT ADJUSTABLE ELBOW	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M		
Color 4  18-30*  20  18-30*	50DS123-^	DS-123 DOWNSPOUT 4" X 4" ADJUSTABLE (18"-30" ELBOW 26GA	2.15		EA		
4		REFER TO COLOR CHART FOR AVAILABLE COLORS					

GUTTER END CAP	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	50EC121-^	EC-121 SHADOW GUTTER END CAP 26GA	2.0		EA
		REFER TO COLOR CHART FO	R AVAILABLE COL	ORS	

CORNER BOX	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Pop rivet (3 plcs.) Part "A" Part "B"	50SCB-^	SHADOW STYLE CORNER BOX 26GA	1.19		FT
		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

SHADOW END CAP	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
The state of the s	50SECL-^	SHADOW END CAP LEFT 26GA	.73		FT
Pop rivet (2 plcs.) Part "A"  WP	50SECR-^	SHADOW END CAP RIGHT 26GA	.73		FT
		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

SHADOW PEAK BOX	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
20-9/16 1-14   2-1/2   1-7/32	50SPBLMW-^	SHADOW PEAK BOX LMW LOGO	2.66		FT
13		REFER TO COLOR CHART FO	R AVAILABLE COL	ORS	•

GUTTER END CAP	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
This side to the state of the s	50FL18A-^	FL-18A GUTTER END CAP 26GA	.45		FT
		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

GUTTER SUPPORT STRAP	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
9 1	50GS121-^	GS-121 GUTTER SUPPORT STRAP 9" 26GA	.32		EA
		REFER TO COLOR CHART FO	R AVAILABLE COL	ORS	

GUTTER SUPPORT STRAP	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	50GS122-^	GS-122 GUTTER SUPPORT STRAP 16" 26GA	.34		EA
		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

PEAK BOX	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
The second secon	50FL16B-^	FL-16B PEAK BOX SCULPTURED 26GA	1.29		FT
7		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	•

CORNER BOX	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Part "B" Part "A" Pop rivet (4 plcs.)	50FL16CL-^	FL-16CL CORNER BOX LEFT SCULPTURED	2.99		EA
		REFER TO COLOR CHART FO	R AVAILABLE COL	ORS	

CORNER BOX	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
For W	50FL16CR-^	FL-16CR CORNER BOX RIGHT SCULPTURED	2.99		EA
Placeheet (4 place)		REFER TO COLOR CHART FO	R AVAILABLE COL	ORS	

GUTTER END CAP	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	50FL18A-^	FL-18A GUTTER END CAP 26GA	.45		FT
		REFER TO COLOR CHART FO	R AVAILABLE COL	ORS	

Ph: 866-689-8904 www.lucasmetalworks.com

#### **SECTION 5**

# **ACCESSORIES**

Ph: 866-689-8904 www.lucasmetalworks.com

#### **ACCESSORIES**

#### **TABLE OF CONTENTS**

CLOSURE - BEVELED SUPER SPAN	4
CLOSURE – BEVELED STURDI RIB	4
CLOSURE STURDI RIB	5
CLOSURE STURDI RIB VENTED	5
CLOSURE SUPER SPAN	5
CLOSURE SUPER SPAN VENTED	5
FOAM CLOSURE BLOCK	6
BUTYL TAPE	6
FOAM TAPE	6
CAULKING	7
DOWNSPOUT ADAPTER	7
FLEX-O-VENT	7
TOUCH UP PAINT	8
RETRO EASE	8
ROLL FOAM	9
SNOW GUARD	9
MASTER FLASH	9
DOOR FRAME PACKAGES	10
DOOR FRAME PACKAGES	10
DOOR FRAME PACKAGES	11
DOORS	11
DOORS (CONT'D)	12
ROLLUP DOOR	12
BUMP SILL	13
DEADBOLT	13
DOOR CLOSER	13
HINGE PLATE	14
LOCK GUARD	14
LATCH GUARD PLATE	14
LOCKSET	14
MULLION	15
PANIC DEVICE	15
SURFACE BOLTS	15
STRIKE COVER PLATE	16

SURFACE STRIKE	
THRESHOLD	16
WEATHERSTRIPPING	
DOOR TRACK ACCESSORIES	
DOOR PULL	
DOOR TRACK SPLICE	18
DOOR TRACK END CAP	
DOOR TRACK TROLLEY	
DOOR JAMB LATCH	
DOUBLE TRACK BRACKET	19
DOOR STAY ROLLER	
DOOR TRACK (SQUARE)	20
WINDOWS	
PIPE CAPS	20

CLOSURE – BEVELED SUPER SPAN	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	42B-103L	CLOSURE LEFT BEVELED SUPER SPAN 3/12 14 DEGREES	.07		EA
	42B-103R	CLOSURE - RIGHT BEVELED SUPER SPAN 3/12 14 DEGREES	.07		EA
	42B-104L	CLOSURE - LEFT BEVELED SUPER SPAN 4/12 18 DEGREE	.07		EA
	42B-104R	CLOSURE - RIGHT BEVELED SUPER SPAN 4/12 18 DEGREE	.07		EA
	42B-105L	CLOSURE - LEFT BEVELED SUPER SPAN 5/12 22 DEGREE	.07		EA
	42B-105R	CLOSURE - RIGHT BEVELED SUPER SPAN 5/12 22 DEGREE	.07		EA
	42B-106L	CLOSURE - LEFT BEVELED SUPER SPAN 6/12 26 DEGREE	.07		EA
	42B-106R	CLOSURE - RIGHT BEVELED SUPER SPAN 6/12 26 DEGREE	.07		EA

CLOSURE – BEVELED STURDI RIB	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	42BSR-103L	STURDI RIB CLOSURE LEFT BEVELED 3/12 14 DEGREES	.05		EA
	42BSR-103R	STURDI RIB CLOSURE - RIGHT BEVELED 3/12 14 DEGREES	.05		EA
	42BSR-104L	STURDI RIB CLOSURE - LEFT BEVELED 4/12 18 DEGREE	.07		EA
	42BSR-104R	STURDI RIB CLOSURE - RIGHT BEVELED 4/12 18 DEGREE	.07		EA

CLOSURE STURDI RIB	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	42SR-100	CLOSURE - STURDI-RIB INSIDE	.0175		EA
	42SR-101	CLOSURE - STURDI-RIB OUTSIDE	.035		EA

CLOSURE STURDI RIB VENTED	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	42SRV-100	CLOSURE - STURDI-RIB INSIDE VENTED	.19		EA
	42SRV-101	CLOSURE - STURDI-RIB OUTSIDE VENTED	.15		EA

CLOSURE SUPER SPAN	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	42SS-100	CLOSURE - SUPER SPAN INSIDE	.03		EA
	42SS-101	CLOSURE - SUPER SPAN OUTSIDE	.04		EA

CLOSURE SUPER SPAN VENTED	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	42SSV-101	CLOSURE OUTSIDE SUPER SPAN VENTED CLOSURE	.15		EA

FOAM CLOSURE BLOCK	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	42FB-100	FOAM CLOSURE BLOCK 2" X 8" X 60"	.07		EA

BUTYL TAPE	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	42BT-034-45	BUTYL TAPE SEALANT 45' – ¾" WIDE	2.7		EA
	42BT-038-45	BUTYL TAPE 45'/ROLL 3/8"X 3/32"	1.03		EA
	42BT-100-45	BUTYL TAPE SEALANT 45' - 1" WIDE	2.7		EA

FOAM TAPE	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	45EFT-014X1- 19	1/4" X 1" EXPANDABLE FOAM TAPE	0.71		EA
	45EFT-038X1- 13	3/8" X 1" EXPANDABLE FOAM TAPE	0.72		EA

CAULKING	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	42CL-100	CAULKING ACRYLIC TUBE - CLEAR	.8		EA
	42CL-101	CAULKING	.8		EA
	42CL-TB-101	CAULKING - TITEBOND	.92		EA

DOWNSPOUT ADAPTER	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	42DA-100	DOWNSPOUT ADAPTER 4" SQUARE TO 4" ROUND PVC			EA

FLEX-O-VENT	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	42FV- 100X200X20	FLEX-O-VENT 1" x 2" x 20'	1.64		EA
	42FV-20	FLEX-O-VENT - 20' PER BOX	1.64		EA

TOUCH UP PAINT	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
PMI	42TUP-RO	TOUCH-UP PAINT RED OXIDE SPRAY CAN	.82		EA
THE RESERVE OF THE PARTY OF THE	45TUP-^-^	TOUCH-UP PAINT 2oz Bottle (SPECIFY COLOR)	.82		EA
	45TUP-RO-100	TOUCH-UP PAINT ONE GALLON	9.0		EA

RETRO EASE	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	42RE-300	RETRO - EASE 300' PER BOX	8.75		

ROLL FOAM	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	42RF-100-25	ROLL FOAM 1" X 1" X 25' ROLL	.29		EA
	42RF-112-10	ROLL FOAM 1-1/2" X 1-1/2" SQUARE FOAM CLOSURE X 10' ROLL	.23		EA
	42RF-112-25	ROLL FOAM 1-1/2" X 1-1/2" SQUARE FOAM CLOSURE X 25' ROLL	.575		EA

SNOW GUARD	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	42SG-100	SNOW GUARDS	.08		

MASTER FLASH	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	42MF-100	MASTER FLASH-SIZE #1 (1/4" - 2")			EA
	42MF-101	MASTER FLASH-SIZE STEEP SLOPE #1 (1/4" - 5-3/4")			EA
	42MF-102	MASTER FLASH RETROFIT- SIZE #1 (1/2" TO 4" PIPE)	.63		EA
	42MF-202	MASTER FLASH RETROFIT- SIZE #2 (4" TO 9-1/4" PIPE)	1.7		EA
	42MF-300	MASTER FLASH-SIZE #3 (1/4" - 4" PIPE)	.53		EA
	42MF-301	MASTER FLASH HIGH TEMPSIZE #3 (1/4" - 4" PIPE)	.56		EA
	42MF-302	ASH RETROFIT-SIZE #3 (9- 1/4" - 16-1/4" PIPE)	1.61		EA
	42MF-400	MASTER FLASH-SIZE #4 (3" - 6" PIPE)	.87		EA
	42MF-500	MASTER FLASH-SIZE #5 (4" - 7" PIPE)	0.96		EA
	42MF-501	MASTER FLASH HIGH TEMP SIZE #5 (4" - 7" PIPE)	1.03		EA

MASTER FLASH (cont'd)	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	42MF-700	MASTER FLASH-SIZE #7 (6" - 11" PIPE)	1.51		EA
	42MF-702	MASTER FLASH RETRO SIZE #7 (6" - 11" PIPE)	1.51		EA
	42MF-800	MASTER FLASH-SIZE #8 (7" - 13" PIPE)	2.67		EA
	42MF-801	MASTER FLASH HIGH TEMP-SIZE #8 (7" - 13" PIPE)	2.74		EA
	42MF-802	MASTER FLASH RETRO SIZE #8 (7" - 13" PIPE)	2.67		EA
	42MF-900	MASTER FLASH-SIZE #9 (10" - 18" PIPE)	5.19		EA
	42MF-1000	MASTER FLASH-SIZE #10 (13" - 26")			EA
	42MF-MAXI	MASTER FLASH-SIZE MAXI (12" - 28 1/2")	8.2		EA
NOTE: GRAY COL	OR = STANDARD	RED/ORANGE COLOR =	HIGH TEMP		

DOOR FRAME PACKAGES	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	443070F-100	3070 4-1/4" DOOR FRAME PACKAGE ONLY	44		EA
	443070F-200	3070 6-1/4" DOOR FRAME PACKAGE	52		EA
	443070F-201	3070 6-1/4" DOOR FRAME PACKAGE ONLY PREP FOR DEAD BOLT	52		EA
	443070F-300	3070 8-1/4" DOOR FRAME PACKAGE ONLY	65		EA
	443070F-301	3070 8-1/4" DOOR FRAME PACKAGE ONLY PREP FOR DEAD BOLT	65		EA

DOOR FRAME PACKAGES	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	444070F-100	4070 4-1/4" DOOR FRAME PACKAGE ONLY			EA
	444070F-300	4070 8-1/4" DOOR FRAME PACKAGE ONLY	62		EA
	444070F-301	4070 8-1/4" DOOR FRAME PACKAGE ONLY PREP FOR DEAD BOLT	62		EA

DOOR FRAME PACKAGES	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Committee State Committee Stat	446070F-300	6070 8-1/4" DOOR FRAME PACKAGE ONLY	81		EA

DOORS	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	443070G-100	3070(G) DOOR LEAF WITH GLASS	72		EA
	443070LV-100	3070 (LV) DOOR WITH GLASS	72		EA
	443070M-100	3070 DOOR LEAF M (S20-4)	71		EA
• • •	443070M-101	3070 M LEAF WITH DEAD BOLT	71		EA

DOORS (CONT'D)	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	443070MHD- 101	3070 DOOR LEAF M HD PRIMED GRAY	78		EA
•	444070M-100	4070 M LEAF	93		EA
	444070M-101	4070 M LEAF PREP FOR DEAD BOLT	93		EA

ROLLUP DOOR	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	449X7- ROLLUP	9X7 ROLLUP DOOR FOR JANUS M650 ** Satin white in stock *** (Request to see Janus color chart)	44		EA

BUMP SILL	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	44BSP-3070- 100	BUMP DOOR SILL PLATE 3070 ADA THRESHOLD	1.64		EA
	44BSP-4070- 100	BUMP DOOR SILL PLATE 4070 ADA THRESHOLD	2.24		EA
	44BSP-6070- 100	BUMP DOOR SILL PLATE 6070 ADA THRESHOLD	2.84		EA

DEADBOLT	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	44DB-KU-100	DEADBOLT LOCK KEYED KU 2-3/4" BACKSET	1.41		EA
	44DB-KX-100	DEADBOLT LOCK KEYED KX 2-3/8" ~ 2-3/4" ADJUSTABLE BACKSET	1.35		EA

DOOR CLOSER	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	44DC-100	DOOR CLOSER (HYDRAULIC) WITH BOLTS	6.6		EA

HINGE PLATE	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
2 0 0 0	44HP-100	HINGE PLATES 4-1/2" SET OF 3	3.5		EA

LOCK GUARD	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	44LG-100	LOCK GUARD	0.55		EA

LATCH GUARD PLATE	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	44LGP-100	LATCH GUARD PLATE - REVERSIBLE	1		EA

LOCKSET	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	44LLK-KX-100	LOCKSET LEVER-ACTION STD. CYLI	4.25		EA

MULLION	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	44MUL-100	MULLION 7' HIGH REMOVABLE WITH TOP AND BOTTOM ATTACHMENTS	20.36		EA

PANIC DEVICE	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	44PD-100	PANIC DEVICE WITH KEYED EXTERIOR LEVER	10.13		EA

SURFACE BOLTS	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	44SB-100	SURFACE BOLT (PAIR)	1.41		EA

STRIKE COVER PLATE	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	44SP-100	4-7/8 STRIKE COVER PLATE W/SCREWS	0.15		EA

SURFACE STRIKE	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	44SS-100	SURFACE STRIKE TO REPLACE MULLION ON 6070 DOOR	1.41		EA

THRESHOLD	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	44TH-36-100	3' CLIP-ON ALUMINUM THRESHOLD	1.82		EA
	44TH-48-100	4' CLIP-ON ALUMINUM THRESHOLD	2.38		EA
	44TH-76-100	6' CLIP-ON ALUMINUM THRESHOLD	2.94		EA
	44TH-36-100	3' CLIP-ON ALUMINUM THRESHOLD	1.82		EA
	44TH-48-100	4' CLIP-ON ALUMINUM THRESHOLD	2.38		EA
	44TH-76-100	6' CLIP-ON ALUMINUM THRESHOLD	2.94		EA

WEATHERSTRIPPING	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	44WS-3070- 100	3070 WEATHERSTRIPPING PACKAGE	0.32		EA
	44WS-4070- 100	4070 WEATHERSTRIPPING PACKAGE	0.35		EA
	44WS-6070- 100	6070 WEATHERSTRIPPING PACKAGE	0.38		EA

DOOR TRACK ACCESSORIES	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	45NDT-100	NATIONAL DOOR TRACK HANGAR	0		EA

DOOR PULL	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	45NDT-101	NATIONAL DOOR PULL HEAVY DUTY	0		EA

DOOR TRACK SPLICE	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	45NDT-102	NATIONAL DOOR TRACK SPLICE	0		EA

DOOR TRACK END CAP	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	45NDT-103	NATIONAL DOOR TRACK END CAP	0		EA

DOOR TRACK TROLLEY	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	45NDT-104	NATIONAL DOOR TRACK TROLLEY (PAIR)	0		EA

DOOR JAMB LATCH	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	45NDT-105	DOOR JAMB LATCH (NATIONAL)	0		EA

DOUBLE TRACK BRACKET	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	45NDT-106	DOUBLE TRACK BRACKET (NATIONAL)	0		EA

DOOR STAY ROLLER	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	45NDT-107	NATIONAL DOOR STAY ROLLER			EA

DOOR TRACK (SQUARE)	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	45NDT-1000	NATIONAL DOOR TRACK 10'-0 (SQUARE)	0		EA
	45NDT-1200	NATIONAL DOOR TRACK 12'-0 (SQUARE)			EA
	45NDT-1400	NATIONAL DOOR TRACK 14'-0 (SQUARE)			EA
	45NDT-1600	NATIONAL DOOR TRACK 16'-0 (SQUARE)			EA
	45NDT-1800	NATIONAL DOOR TRACK 18'-0 (SQUARE)			EA
	45NDT-2000	NATIONAL DOOR TRACK 20'-0 (SQUARE)			EA
	45NDT-800	NATIONAL DOOR TRACK 8'- 0 (SQUARE)			EA

WINDOWS	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	45W-SO	WINDOW SPECIAL ORDER	29		EA
	45W3030-100	3030 DIVIDED LITE WINDOW - 300 SINGLE HUNG - WHITE - CLEAR - 3/4 COLONIAL - SCREEN STD MESH	29		EA
	45W3040-100	3040 DIVIDED LITE WINDOW WHITE	37		EA
	45W3040-200	3040 DIVIDED LITE WINDOW WHITE FIXED	37		EA

PIPE CAPS	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	45PC-200	PIPE CAPS - 2"			EA
	45PC-212	PIPE CAPS - 2 1/2"			EA
Contract of the Contract of th	45PC-400	PIPE CAPS 4"			EA
	45PC-412	PIPE CAPS - 4-1/2"			EA
	45PC-512	PIPE CAPS - 5-1/2"			EA

Ph: 866-689-8904 www.lucasmetalworks.com

# **SECTION 6**

# INSULATION

Ph: 866-689-8904 www.lucasmetalworks.com

#### **INSULATION**

#### **TABLE OF CONTENTS**

INSULATION	3
NSULATION SINGLE BUBBLE	3
NSULATION DOUBLE BUBBLE	
INSULATION TAPE	4
DOUBLE FACED TAPEDOUBLE FACED TAPE	4

INSULATION	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	46INS3-3-104	INSULATION 3" THICK X 3' X 104	60.216		EA
	46INS3-3-52	INSULATION 3" THICK X 3' X 52	30.108		EA
	46INS3-4-104	INSULATION 3" THICK X 4' X 104	80.288		EA
	46INS3-4-52	INSULATION 3" THICK X 4' X 52'	40.144		EA
	46INS3-6-104	INSULATION 3" THICK X 6' X 104	120.432		EA
	46INS3-6-52	INSULATION 3" THICK X 6' X 52	60.216		EA

INSULATION SINGLE BUBBLE	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M	
	46SB-4-125	INSULATION 4' X 125' (SB) SINGLE BUBBLE			EA	
	46SB-6-125	INSULATION 6' X 125' (SB) SINGLE BUBBLE			EA	
SPECIAL ORDER ON REQUEST						

INSULATION DOUBLE BUBBLE	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	46DB-4-125	INSULATION 4' X 125' (DB) DOUBLE BUBBLE			EA
	46DB-6-125	INSULATION 6' X 125' (DB) DOUBLE BUBBLE			EA

INSULATION TAPE	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	45VTT-100	VENTURE THERMAL TAPE	.85		

DOUBLE FACED TAPE	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	45DFT-112-180	DOUBLE-FACED TAPE 1-1/2" WIDE	0.85		EA

Ph: 866-689-8904 www.lucasmetalworks.com

#### **SECTION 7**

# **FASTENERS**

Ph: 866-689-8904 www.lucasmetalworks.com

#### **FASTENERS**

(SCREWS, BOLTS, J-BOLTS, NUTS, WASHERS, LOCK WASHERS, POP RIVETS, ALL-THREAD, NAIL-IN ANCHORS, WEDGE ANCHORS)

#### **TABLE OF CONTENTS**

DECKING SCREW	4
FAB LOCK SCREW	4
STITCH SCREW	4
LAP-TEK SCREW	4
METAL LATH SCREW	5
OVERSIZED SCREW	5
PANCAKE HEAD SCREW	5
SELF DRILLER	5
SELF DRILLER SCREW	6
DRILLER SCREW	6
DRILLER FINE THREAD SCREW	
WOOD SCREW	6
BOLT A307	7
BOLT A325 W/NUT	
BOLT A325 W/NUT (cont'd)	
BOLT 10-24 GRADE 5	
BOLT 1/2-13 GRADE 5	
BOLT 1/4-20 GRADE 5	
BOLT 3/4 GRADE 5	
BOLT 3/4 GRADE 5 (cont'd)	10
BOLT 3/8 GRADE 5	
BOLT 5/16 GRADE 5	10
BOLT 5/8 GRADE 5	11
BOLT 7/8 GRADE 5	
BOLT 1" GRADE 5	
BOLT 5/16 GRADE 5	
FIN-NECK BOLT	
A325 NUT, BLACK	
NUT, PLATED	

A563 NUT, BLACK	12
NUT	13
HEX NUT, GRADE 5	13
WASHER	13
FLAT WASHER	
SPLIT LOCKWASHER	14
SKYLIGHT WASHER	
J BOLT	
NAIL-IN-ANCHOR	
WEDGE ANCHORS	15
POP RIVET	
ALL THREAD	16

DECKING SCREW	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	41DS-200	DECKING 2" PHILLIPS HEAD	.01		EA
	41DS-214	DECKING 2-1/2" PHILLIPS HEAD	.02		EA
	REFER TO COLOR CHART FOR AVAILABLE COLORS				

FAB LOCK SCREW	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	41FL-114	FAB-LOCK 1 ¼" PLATED GRIP UP	.02		EA
		REFER TO COLOR CHART FO	R AVAILABLE COL	ORS	

STITCH SCREW	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	41LP14-034-^	LAP 1/4" HEAD X 3/4"	.01		EA
48		REFER TO COLOR CHART FO	R AVAILABLE COL	ORS.	

LAP-TEK SCREW	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Maria	41LT-078-^	LAP-TEK 5/16" HEAD #14 X 7/8"	.01		EA
		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

METAL LATH SCREW	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
/Annual Control of the Control of th	41ML-012-GL	METAL LATH 8 X ½"	.01		EA
	AVAILABLE IN GALVALUME ONLY				

OVERSIZED SCREW	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	410S-034-GL	OVERSIZED SCREW 17 X ¾"	.01		EA
	AVAILABLE IN GALVALUME ONLY				

PANCAKE HEAD SCREW	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Januar	41PH-100-GL	PANCAKE HEAD 12 X 1"	.01		EA
*		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

SELF DRILLER	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Change Control of the	41SD-034-^	SELF DRILLER ¾" NO WASHER	.006		EA
	REFER TO COLOR CHART FO	R AVAILABLE COL	ORS		

SELF DRILLER SCREW	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Hamme	41SD-100-^	SELF DRILLER 1" NO WASHER	.01		EA
	REFER TO COLOR CHART FOR AVAILABLE COLORS				

DRILLER SCREW	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Thurs.	41SD-114-^	DRILER 1-1/4"	.01		EA
	41SD-112-^	DRILLER 1-1/2"	.02		EA
	41SD-200-^	DRILLER 2"	.025		EA
	REFER TO COLOR CHART FOR AVAILABLE COLORS				

DRILLER FINE THREAD SCREW	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
Tunne	41SDF-114-^	DRILLER FINE THREAD 12- 24 X 1-1/4" PLAIN	.01		EA
-		REFER TO COLOR CHART FO	R AVAILABLE COL	ORS	

WOOD SCREW	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	41WB-112-^	WOOD SCREW 1-1/2"	.009		EA
	41WB-200-^	WOOD SCREW 2"	.012		EA
Frank.	41WB-212-^	WOOD SCREW 2-1/2"	.014		EA
CHART HAME	41WB-300-^	WOOD SCREW 3"	.017		EA
~		REFER TO COLOR CHART FOR AVAILABLE COLORS			

BOLT A307	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	43B307—012- 114	BOLT – 1/2" X 1 1/4" PLATED A307 (nut sold separately)	.10		EA

BOLT A325 W/NUT	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	43B325-012- 112	BOLT 1/2" X 1-1/2" W/NUT BLACK A325	.20		EA
	43B325-012- 114	BOLT 1/2" X 1-1/4" W/NUT BLACK A325	.17		EA
	43B325-012- 134	BOLT 1/2" X 1-3/4" W/NUT BLACK A325	.23		EA
	43B325-012- 200	BOLT 1/2" X 2" W/NUT BLACK A325	.26		EA
	43B325-012- 234	BOLT 1/2" X 2-3/4" W/NUT BLACK A325	.29		EA
	43B325-034- 134	BOLT 3/4"X1-3/4" W/NUT BLACK A325	.53		EA
	43B325-034- 200	BOLT 3/4"X 2" W/NUT BLK A325	.56		EA
40	43B325-034- 212	BOLT 3/4"X 2-1/2" W/NUT BLK A325	.62		EA
	43B325-034- 214	BOLT 3/4"X 2-1/4" W/NUT BLK A325	.59		EA
	43B325-034- 234	BOLT 3/4"X 2-3/4" W/NUT BLK A325	.65		EA
	43B325-034- 300	BOLT 3/4"X 3" W/NUT BLK A325	.68		EA
	43B325-058- 112	BOLT 5/8"X1-1/2" W/NUT BLK A325	.31		EA
	43B325-058- 134	BOLT 5/8"X1-3/4" W/NUT BLK A325	.33		EA
	43B325-058- 200	BOLT 5/8"X2" W/NUT BLK A325	.35		EA
	43B325-058- 212	BOLT 5/8"X2-1/2" W/NUT BLK A325	.40		EA

BOLT A325 W/NUT (cont'd)	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	43B325-058- 214	BOLT 5/8"X2-1/4" W/NUT BLK A325	.37		EA
	43B325-058- 234	BOLT 5/8"X2-3/4" W/NUT BLK A325	.42		EA
	43B325-100- 212	BOLT 1"X 2-1/2" W/NUT BLK A325	1.24		EA
	43B325-100- 214	BOLT 1"X 2-1/4" W/NUT BLK A325	1.18		EA
	43B325-100- 234	BOLT 1"X 2-3/4" W/NUT BLK A325	1.28		EA
10	43B325-100- 300	BOLT 1"X 3" W/NUT BLK A325	1.35		EA
	43B325-100- 312	BOLT 1"X 3-1/2" W/NUT BLK A325	1.45		EA
	43B325-100- 314	BOLT 1" X 3-1/4" W/NUT BLK A325	1.40		EA
	43B325-114- 300	BOLT 1-1/4"X 3" W/NUT BLK A325	2.40		EA
	43B325-114- 312	BOLT 1-1/4" X 3-1/2" W/NUT BLK A325	2.60		EA
	43B325-114- 314	BOLT 1-1/4" X 3-1/4" W/NUT BLK A325	2.51		EA

BOLT 10-24 GRADE 5	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	43BG5-010- 034	10-24 X 3/4" GRADE 5 BOLT PLATED	.01		EA

BOLT 1/2-13 GRADE 5	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	43BG5-012- 100	1/2-13 X 1 GRADE 5 BOLT PLATED	.08		EA
	43BG5-012- 112	1/2-13 X 1 1/2 GRADE 5 BOLT PLATED	.11		EA
	43BG5-012- 114	1/2-13 X 1-1/4 GRADE 5 BOLT PLATED	.12		EA
	43BG5-012- 175	1/2-13 X 1 3/4 GRADE 5 BOLT PLATED	.14		EA
	43BG5-012- 200	1/2-13 X2 GRADE 5 BOLT PLATED	.16		EA
	43BG5-012- 212	1/2-13 X 2 1/2" GRADE 5 BOLT PLATED	.14		EA
	43BG5-012- 214	1/2"-13 X 2 1/4" GRADE 5 BOLT PLATED	.17		EA
	43BG5-012- 400	1/2-13 X 4 GRADE 5 BOLT PLATED	.30		EA
	43BG5-012- 412	1/2-13 X 4 1/2 GRADE 5 BOLT PLATED	.33		EA

BOLT 1/4-20 GRADE 5	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	43BG5-014- 034	1/4-20 X 3/4 GRADE 5 BOLT PLATED	.02		EA
	43BG5-014- 100	1/4-20 X 1 GRADE 5 BOLT PLATED	.02		EA
	43BG5-014- 112	1/4-20 X 1 1/2 GRADE 5 BOLT PLATED	.03		EA

BOLT 3/4 GRADE 5	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	43BG5-034- 200	3/4 X 2 GRADE 5 BOLT PLATED	.41		EA
	43BG5-034- 212	3/4 X 2-1/2" GRADE 5 BOLT PLATED	.41		EA
	43BG5-034- 214	3/4 X 2-1/4 GRADE 5 BOLT PLATED	.41		EA

BOLT 3/4 GRADE 5 (cont'd)	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	43BG5-034- 300	3/4" X 3" GRADE 5 BOLT PLATED	.53		EA
	43BG5-034- 700	3/4" X 7" GRADE 5 BOLT PLATED	1.03		EA

BOLT 3/8 GRADE 5	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	43BG5-038- 100	3/8" X 1" GRADE 5 BOLT PLATED	.05		EA
	43BG5-038- 112	3/8" x 1-1/2" GRADE 5 BOLT PLATED	.07		EA
	43BG5-038- 134	3/8" x 1-3/4" GRADE 5 BOLT PLATED	.07		EA
	43BG5-038- 200	3/8" x 2" GRADE 5 BOLT PLATED	.08		EA
	43BG5-038- 214	3/8" x 2-1/4" GRADE 5 BOLT PLATED	.09		EA

BOLT 5/16 GRADE 5	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	43BG5-0516- 034	5/16" X 3/4" GRADE 5 BOLT PLATED	.03		EA
	43BG5-0516- 100	5/16" X 1" GRADE 5 BOLT PLATED	.04		EA
	43BG5-0516- 112	5/16" X 1-1/2" GRADE 5 BOLT PLATED	.05		EA
	43BG5-0516- 200	5/16" X 2" GRADE 5 BOLT PLATED	.06		EA
	43BG5-0516- 212	5/16" X 2-1/2" GRADE 5 BOLT PLATED	.07		EA
	43BG5-0516- 300	5/16" X 3" GRADE 5 BOLT PLATED	.08		EA
	43BG5-0516- 312	5/16" X 3 1/2" GRADE 5 BOLT PLATED	.09		EA

BOLT 5/8 GRADE 5	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	43BG5-058- 200	5/8-11 X 2 BOLT GRADE 5 PLATED	.26		EA
	43BG5-058- 212	5/8-11 X 2-1/2 BOLT GRADE 5 PLATED	.31		EA
	43BG5-058- 214	5/8-11 X 2-1/4 BOLT GRADE 5 PLATED	.29		EA

BOLT 7/8 GRADE 5	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	43BG5-078- 612	7/8" X 6-1/2" GRADE 5 BOLT PLATED	1.35		EA

BOLT 1" GRADE 5	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	43BG5-100- 312	1" X 3-1/2" GRADE 5 BOLT PLATED	1.15		EA
	43BG5-100- 412	1" X 4-1/2" GRADE 5 BOLT PLATED	1.37		EA
	43BG5-100- 500	1" X 5" GRADE 5 BOLT PLATED	1.48		EA
	43BG5-100- 600	1-8 X 6 GRADE 5 BOLT PLATED	1.70		EA

BOLT 5/16 GRADE 5	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	43BG5-516- 314	5/16" X 3-1/4" GRADE 5 BOLT PLATED	.08		ea

FIN-NECK BOLT	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	43FN307-012- 114	FIN-NECK BOLT - 1/2" X 1- 1/4"	.07		EA

A325 NUT, BLACK	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	43N-325-12	NUT ONLY - 1/2" A325, BLACK	.04		EA

NUT, PLATED	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	43N307-012	NUT ONLY - 1/2" A307, PLATED	.02		EA

A563 NUT, BLACK	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	43N563-034	NUT ONLY - 3/4" FOR A563, BLACK/PLAIN	.17		EA
9	43N563-058	NUT ONLY - 5/8" FOR A563, BLACK/PLAIN	.09		EA
	43N563-100	NUT ONLY - 1" FOR A563, BLACK/PLAIN	.38		EA

NUT	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
0	43NG5-010	10-24 NUT FOR GH WATER SYSTEM	.003		EA

HEX NUT, GRADE 5	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	43NG5-012	1/2-13 HEX FINISH NUT PLATED	.0346		EA
	43NG5-038	3/8"- HEX FINISH NUT PLATED	.0346		EA
	43NG5-058	5/8-11 HEX FINISH NUT PLATED	.0733		EA

WASHER	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	43W-012	WASHER - 1/2" DIAMETER	.03		EA
	43W-034	WASHER - 3/4" DIAMETER	.06		EA
	43W-038	WASHER - 3/8" DIAMETER	.02		EA
	43W-058	WASHER - 5/8" DIAMETER	.03		EA

FLAT WASHER	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	43WG5-0516	5/16 FLAT WASHER	.01		EA

SPLIT LOCKWASHER	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	43LW-012	1/2 SPLIT LOCKWASHER PLATED	.01		EA
	43LW-058	5/8 SPLIT LOCKWASHER PLATED	.247		EA

SKYLIGHT WASHER	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
88	41SLW-118-14	#14 X 1-1/8" SKYLIGHT WASHER	.01		EA

J BOLT	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	43AB-034	J BOLT 3/4" X 18" W/NUT & F/W	2.29		EA
	43AB-058	J BOLT 5/8" X 12" W/NUT & F/W	1.09		EA
	43AB-058-18	J BOLT 5/8" X 18" W/NUT & F/W	1.64		EA
	43AB-100	J BOLT 1" X 24" W/NUT & F/W	5.43		EA
	43AB-114	J BOLT 1-1/4" X 24" W/NUT & F/W	9.07		EA

NAIL-IN-ANCHOR	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	43NIA-014-114	NAIL-IN ANCHOR, 1/4" X 1- 1/4" (CON-MATE)	.02		EA

WEDGE ANCHORS	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	43WA-012-234	WEDGE ANCHOR 1/2" X 2- 3/4" W / NUT	.25		EA
	43WA-012-414	WEDGE ANCHOR1/2" X 4- 1/4" W/ N	.26		EA
	43WA-012-512	WEDGE ANCHOR 1/2" X 5- 1/2" W / NUT	.29		EA
	43WA-034-700	WEDGE ANCHOR 3/4" X 7	.87		EA
	43WA-058-600	WEDGE ANCHOR 5/8" X 6"	.51		EA

POP RIVET	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M	
and the same of th	41PR-100-^	POP RIVET 1/8" STAINLESS STEEL (GRIP RANGE 0" – 1/8")	.003		EA	
	REFER TO COLOR CHART FOR AVAILABLE COLORS					

ALL THREAD	ALL THREAD ITEM # DESCRIPTION		WEIGHT (lbs)	LIST PRICE	U/M
	43AT-012-144	1/2" ALL THREAD 12' LONG	.668		FT
	43AT-034-144	3/4" ALL THREAD 12' LONG	1.50		FT
	43AT-034-36	3/4" ALL THREAD 3' LONG	1.50		FT
	43AT-058	5/8" ALL THREAD 3' LONG	1.04		FT
	43AT-100-144	1" ALL THREAD 12' LONG	2.67		FT
	43AT-100-36	1" ALL THREAD 3' LONG	2.67		FT

#### INSTALLATION RECOMMENDATIONS

MAXX STEELBINDER (Cupped Head Sealers) & HWH STEELBINDER Sealers & KWIKSEAL MB WOODBINDER

FOR PROPER APPLICATION, THE USE OF IMPACT DRIVERS ARE NOT RECOMMENDED ON ANY PAINTED FASTENER

1. Select the proper screw gun for installing self-drilling fasteners.







RECOMMENDED SCREW GUNS\* W/DEPTH SENSING NOSE PIECE.

MAXX STEEL BINDER			HWH STEELDINDER & KWIKSEAL II WOODBINDER			
MANUFACTURER	MODEL	AMPERAGE	RPMS	MODEL	AMPERAGE	RPMS
MILWAUKEE	6790-20	6.5	0-2500	6790-20	6.5	0-2500
DEWALT	DW266	6.5	0-2000	DW266	6.5	0-2500
DEWALT	DCD780	N/A	0-2000	DCD780	N/A	0-2000
BOSCH	S25MT	7.0	0-2500	SG25MT	7.0	0-2500

<sup>\*</sup>For use in installing all self-drilling fasteners from #6 through #1/4 diameters. Tool speed as high as 2500 RPM can be used for #6 through #10 diameters in softer materials. Do not use 4000 RPM drywall guns.

2. Set the magnet in the driving socket to the proper depth. Socket must bear securely on the hex washer face of the fastener.



3. Use depth sensing nosepiece on screw gun to allow proper seating of fastener. Do not overdrive. (See illustration.)

	MAXX STEELBINDER	HWH STEEL BINDER & KWIKSEAL MB WOODBINDER
CORRECT Sealing material slightly visible at edge of metal washer. Assembly is weather tight		
UNDERDRIVEN Sealing material not compressed, assembly loose.		
OVERDRIVEN Sealing material extruded beyond edge of washer, washer deformed.		

4. Drive fastener perpendicular to surface.

MAXX STEELBINDER		HWH STEELBINDER & KWIKSEAL MB WOODBINDER		
CORRECT	INCORRECT	CORRECT	INCORRECT	
Щ,				

5. Select extension cords with the correct wire size. See table below.

RECOMMENDED MINIMUM WIRE GAUGE\* FOR EXTENSION CORDS

RATED AMPERES	EXTENSION CORD LENGTH					
(TOOLS)	25'	50'	75'	100'	150'	200'
Through 5	16	16	16	16	12	12
5.1 – 8.0	16	16	16	16	10	-
8.1 – 12.0	14	14	14	10	1	-
12.1 – 15.0	12	12	10	10	-	-

<sup>\*</sup>Tool manufacturer's recommended size based upon limiting the line voltage drop to five volts at 150% of the rated amperes.

6. Do not force the fasteners. Apply only enough end pressure to allow drill point to cut efficiently.

<sup>\*\*</sup>FOR PROPER APPLICATION, THE USE OF IMPACT DRIVERS ARE NOT RECOMMENDED ON ANY POWDER COATED FASTENER.

Ph: 866-689-8904 www.lucasmetalworks.com

#### **SECTION 8**

# CABLE & CABLE ACCESSORIES

Ph: 866-689-8904 www.lucasmetalworks.com

#### **CABLE & CABLE ACCESSORIES**

#### **TABLE OF CONTENTS**

CABLE, STRANDED	3
EYE BOLT	
CABLE BRACE GRIP	
HILLSIDE WASHER	4

CABLE, STRANDED	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
<b>88</b>	43CBL-014	CABLE 1/4" A475 EHS STRAND GAL	.10		FT
	43CBL-0516	CABLE 5/16" A475 EHS STRAND GA	.20		FT
	43CBL-038	CABLE 3/8" A475 EHS STRAND GAL	.30		FT
	43CBL-012	CABLE 1/2" A475 EHS STRAND GAL	.50		FT

EYE BOLT	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	43EB-012-800	EYE BOLT-1/2" X 8" W/NUT & F/W	.66		EA
ا م	43EB-034-800	EYE BOLT-3/4" X 8" W/NUT & F/W	1.73		EA
16	43EB-058-800	EYE BOLT-5/8" X 8" W/NUT & F/W	1.12		EA
	43EB-078-800	EYE BOLT-7/8" X 8" W/NUT & F/W	2.55		EA

CABLE BRACE GRIP	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	43BG-014	BRACE GRIP FOR 1/4" STRAND GAL	.31		EA
	43BG-0516	BRACE GRIP FOR 5/16" STRAND GAL	.53		EA
	43BG-038	BRACE GRIP FOR 3/8" STRAND GAL	1.00		EA
	43BG-012	BRACE GRIP FOR 1/2" STRAND GAL	2.44		EA

HILLSIDE WASHER	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	43HSW-012	HILL SIDE WASHER #1 - 1/2"	.34		EA
	43HSW-034	HILL SIDE WASHER #2 - 3/4"	.54		EA
973	43HSW-058	HILL SIDE WASHER #3 - 5/8"	.43		EA
	43HSW-078	HILL SIDE WASHER #4 - 7/8"	.77		EA
	43HSW-100	HILL SIDE WASHER 1"	1.23		EA

Ph: 866-689-8904 www.lucasmetalworks.com

**SECTION 9** 

**CLIPS** 

Ph: 866-689-8904 www.lucasmetalworks.com

## **CLIPS**

#### **TABLE OF CONTENTS**

PURLIN CLIP	3
JAMB & HEADER CLIP	4
FLANGE BRACE CLIP	
ANCHOR PLATE CLIP	
FLANGE BRACE CLIP	
GIRT CLIP	
GIRT CLIP	5
ENDWALL CLIP	
ENDWALL CLIP	
ENDWALL GLIP	
MILL BEAM CLIP	
FACE OF COLDFORM CLIP	
FACE OF COLDFORM CLIP	7
MINI STORAGE CLIP	8

PURLIN CLIP	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
AB301 0 0 4" 4" 2 1/4"	40AB301	AB-301 8" PURLIN CLIP	2.16		EA
AC301 D = 9/16" 4" 0 0 3 1/4"	40AC301	AC-301 10" PURLIN CLIP	3.39		EA
AD301 D = 9/16"  0 0  4"  4 1/4"	40AD301	AD-301 12" PURLIN CLIP	3.55		EA
		REFER TO COLOR CHART FOR	R AVAILABLE COL	_ORS	

JAMB & HEADER CLIP	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
4 1 -8x 4/8	40AK100	AK-100 UNIVERAL JAMB AND HEADER CLIP	2.63		EA
U		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

FLANGE BRACE CLIP	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
MK. : 40AK307 DESC.: Pt 3/16*x3* x 3* HL'S.: 9/16* WT. : 0.4775 2.00	40AK307	AK-307 FLANGE BRACE	.47		EA
,—————————————————————————————————————		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

ANCHOR PLATE CLIP	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
O-TOMESTER  O-TOME	40AP1	AP1 WIND BRACE ANCHOR PLATE	2.16		EA
		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

FLANGE BRACE CLIP	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	40BC1	BC1 SIMPLE SAVER FLANGE BRACE CLIP	.94		EA
3-30		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

GIRT CLIP			ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M		
			40GC005	GC-005 GIRT CLIP FOR 5" FLANGES	1.70		EA		
	1" 4"	1"		40GC006	GC-006 GIRT CLIP FOR 6" FLANGES	1.86		EA	
1 1/4"			1/4"	40GC008	GC-008 GIRT CLIP FOR 8" FLANGES	2.17		EA	
5			3 1/4	40GC010	GC-010 GIRT CLIP FOR 10" FLANGES	2.49		EA	
	6"			40GC012	GC-012 GIRT CLIP FOR 12" FLANGES	2.8510		EA	
				REFER TO COLOR CHART FOR AVAILABLE COLORS					

GIRT CLIP	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
4" 1"	40GC100	CLIP GC100 FLANGE GIRT CLIP 3/16"	.93		EA
6"		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

ENDWALL CLIP	ITEM#	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
-1 4 1 -2X Ø 16 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	40GC125	GC-125 COLD FORM 2-1/2" FLANGE	1.84		EA
<u> </u>		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

ENDWALL CLIP	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
3 1/4"	40GC135	GC-135 ENDWALL CLIP FOR COLD FORM 3-1/2" FLANGE	2.15		EA
6"		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

ENDWALL GIRT CLIP	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
4X 89/6	40GC140	GC-140 EXPANDABLE ENDWALL GIRT CLIP	5.45		EA
6		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	•

MILL BEAM CLIP	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
4 1/-2X 6/16 	40GC200	GC-200 MILL BEAM CLIP FOR 4" FLANGE	1.66		EA
		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

FACE OF COLDFORM CLIP	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
4 1 -2X 8 6 6	40GC300	GC-300 FLANGE OF BEAM CLIP	1.66		EA
,		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

MINI STORAGE CLIP	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	40MBC1	MBC1 MINI STORAGE BASE CLIP 2" X 4" X 3-7/8"	2.16		EA
1		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

MINI STORAGE CLIP	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
4" 4"	40MC1	MC-1 MINI STORAGE CLIP 2" X 4" X 3"	2.16		EA
1		REFER TO COLOR CHART FO	R AVAILABLE COL	.ORS	

Ph: 866-689-8904 www.lucasmetalworks.com

**SECTION 10** 

# **TOOLS**

Ph: 866-689-8904 www.lucasmetalworks.com

#### **TOOLS**

#### **TABLE OF CONTENTS**

ROTARY HAMMER	3
NIBBLER	
NUT DRIVER	
POP RIVET TOOL	
SCREW GUN	
SHEAR	
RATCHET TIE DOWN	
TIN SNIPS	
i in Jnifj	ວ

ROTARY HAMMER	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
DEWALT	49HD-100	DEWALT ROTARY HAMMER			EA

NIBBLER	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	49NBL-100	MAKITA 16 GA NIBBLER			EA

NUT DRIVER	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	49NDM-14	NUT DRIVER 1/4"			EA
	49NDM- 516	NUT DRIVER 5/16"			EA
	49NDM-38	NUT DRIVER 3/8"			EA

POP RIVET TOOL	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	49PRT-100	POP RIVET TOOL			EA

SCREW GUN	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	49SG-268- 100	DEWALT 268 VSR SCREW GUN			EA

SHEAR	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
3	49SHR- 100	KETT KD200 SHEAR			EA

RATCHET TIE DOWN	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
23	49TDS- 100-15	RATCHET TIE DOWN 1" X 15'			
	49TDS- 200-20	RATCHET TIE DOWN 2" X 20'			

TIN SNIPS	ITEM #	DESCRIPTION	WEIGHT (lbs)	LIST PRICE	U/M
	49TS-LH- 100	TIN SNIPS - LEFT HAND			
	49TS-RH- 100	TIN SNIPS - RIGHT HAND			
	49TS-S- 100	TIN SNIPS - STRAIGHT			