
Disclaimer for ICD-9-CM to ICD-10-CM Crosswalk Document

McKesson has approval from AAPC for McKesson and VARs to distribute this document.

Please note that this document has not been checked to see if it reflects additional updates, and that it is based on national/specialty top 50 codes. It is recommended that physicians and practices review their top 50 codes and crosswalk to the appropriate ICD-10-CM codes.

ICD-9-CM Code	ICD-10-CM Code(s)
V20.2	Routine infant or child health check
ICD-10-CM Codes	Z00.121 Encounter for routine child health examination with abnormal findings ** Use additional code to identify abnormal findings Z00.129 Encounter for routine child health examination without abnormal findings
V72.19	Other examination of ears and hearing
ICD-10-CM Codes	Z01.10 Encounter for examination of ears and hearing without abnormal findings Z01.110 Encounter for hearing examination following failed hearing screening Z01.118 Encounter for examination of ears and hearing with other abnormal findings ** Use additional code to identify abnormal findings
V72.0	Examination of eyes and vision
ICD-10-CM Codes	Z01.00 Encounter for examination of eyes and vision without abnormal findings Z01.01 Encounter for examination of eyes and vision with abnormal findings ** Use additional code to identify abnormal findings
493.00	Extrinsic asthma, unspecified
ICD-10-CM Codes	J45.901 Unspecified asthma with (acute) exacerbation J45.902 Unspecified asthma with status asthmaticus J45.909 Unspecified asthma, uncomplicated **Use additional code to identify: exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17-) tobacco use (Z72.0)
465.9	Acute upper respiratory infection of unspecified site
ICD-10-CM Codes	J06.9 Acute upper respiratory infection, unspecified J39.8 Other specified diseases of upper respiratory tract
382.9	Unspecified otitis media
ICD-10-CM Codes	H66.90 Otitis media, unspecified, unspecified ear ** Use additional code for any associated perforated tympanic membrane (H72-) ** Use additional code to identify: Exposure to environmental tobacco smoke (Z77.22) Exposure to tobacco smoke in the perinatal period (P96.81) History of tobacco use (Z87.891) Occupational exposure to environmental tobacco smoke (Z57.31) Tobacco dependence (F17-) Tobacco use (Z72.0) ** There are more specific code choice selections available in ICD-10-CM. These include: H66.91 Otitis media, unspecified, right ear H66.92 Otitis media, unspecified, left ear H66.93 Otitis media, unspecified, bilateral

ICD-9-CM Code	ICD-10-CM Code(s)
ICD-10-CM Codes (cont.)	There are more specific codes available for otitis media. These include: H65.00 Acute serous otitis media, unspecified ear H65.01 Acute serous otitis media, right ear H65.02 Acute serous otitis media, left ear H65.03 Acute serous otitis media, bilateral H65.04 Acute serous otitis media, recurrent, right ear H65.05 Acute serous otitis media, recurrent, left ear H65.06 Acute serous otitis media, recurrent, bilateral H65.07 Acute serous otitis media, recurrent, unspecified ear H65.111 Acute and subacute allergic otitis media (mucoid) (serous), right ear H65.112 Acute and subacute allergic otitis media (mucoid) (serous), left ear H65.113 Acute and subacute allergic otitis media (mucoid) (serous), bilateral H65.114 Acute and subacute allergic otitis media (mucoid) (serous), recurrent, right ear H65.115 Acute and subacute allergic otitis media (mucoid) (serous), recurrent, left ear H65.116 Acute and subacute allergic otitis media (mucoid) (serous), recurrent, bilateral H65.117 Acute and subacute allergic otitis media (mucoid) (serous), recurrent, unspecified ear H65.119 Acute and subacute allergic otitis media (mucoid) (serous), unspecified ear H65.191 Other acute nonsuppurative otitis media, right ear H65.192 Other acute nonsuppurative otitis media, left ear H65.193 Other acute nonsuppurative otitis media, bilateral H65.194 Other acute nonsuppurative otitis media, recurrent, right ear H65.195 Other acute nonsuppurative otitis media, recurrent, left ear H65.196 Other acute nonsuppurative otitis media, recurrent, bilateral H65.197 Other acute nonsuppurative otitis media, recurrent, unspecified ear H65.199 Other acute nonsuppurative otitis media, unspecified ear H65.20 Chronic serous otitis media, unspecified ear H65.21 Chronic serous otitis media, right ear H65.22 Chronic serous otitis media, left ear H65.23 Chronic serous otitis media, bilateral H65.30 Chronic mucoid otitis media, unspecified ear H65.31 Chronic mucoid otitis media, right ear H65.32 Chronic mucoid otitis media, left ear H65.33 Chronic mucoid otitis media, bilateral H65.411 Chronic allergic otitis media, right ear H65.412 Chronic allergic otitis media, left ear H65.413 Chronic allergic otitis media, bilateral H65.419 Chronic allergic otitis media, unspecified ear H65.491 Other chronic nonsuppurative otitis media, right ear H65.492 Other chronic nonsuppurative otitis media, left ear H65.493 Other chronic nonsuppurative otitis media, bilateral H65.499 Other chronic nonsuppurative otitis media, unspecified ear H65.90 Unspecified nonsuppurative otitis media, unspecified ear H65.91 Unspecified nonsuppurative otitis media, right ear H65.92 Unspecified nonsuppurative otitis media, left ear H65.93 Unspecified nonsuppurative otitis media, bilateral H66.001 Acute suppurative otitis media without spontaneous rupture of ear drum, right ear H66.002 Acute suppurative otitis media without spontaneous rupture of ear drum, left ear



ICD-9-CM Code	ICD-10-CM Code(s)
382.9	Unspecified otitis mediaContinued
ICD-10-CM Codes (cont.)	<p>H66.003 Acute suppurative otitis media without spontaneous rupture of ear drum, bilateral</p> <p>H66.004 Acute suppurative otitis media without spontaneous rupture of ear drum, recurrent, right ear</p> <p>H66.005 Acute suppurative otitis media without spontaneous rupture of ear drum, recurrent, left ear</p> <p>H66.006 Acute suppurative otitis media without spontaneous rupture of ear drum, recurrent, bilateral</p> <p>H66.007 Acute suppurative otitis media without spontaneous rupture of ear drum, recurrent, unspecified ear</p> <p>H66.009 Acute suppurative otitis media without spontaneous rupture of ear drum, unspecified ear</p> <p>H66.011 Acute suppurative otitis media with spontaneous rupture of ear drum, right ear</p> <p>H66.012 Acute suppurative otitis media with spontaneous rupture of ear drum, left ear</p> <p>H66.013 Acute suppurative otitis media with spontaneous rupture of ear drum, bilateral</p> <p>H66.014 Acute suppurative otitis media with spontaneous rupture of ear drum, recurrent, right ear</p> <p>H66.015 Acute suppurative otitis media with spontaneous rupture of ear drum, recurrent, left ear</p> <p>H66.016 Acute suppurative otitis media with spontaneous rupture of ear drum, recurrent, bilateral</p> <p>H66.017 Acute suppurative otitis media with spontaneous rupture of ear drum, recurrent, unspecified ear</p> <p>H66.019 Acute suppurative otitis media with spontaneous rupture of ear drum, unspecified ear</p> <p>H66.10 Chronic tubotympanic suppurative otitis media, unspecified</p> <p>H66.11 Chronic tubotympanic suppurative otitis media, right ear</p> <p>H66.12 Chronic tubotympanic suppurative otitis media, left ear</p> <p>H66.13 Chronic tubotympanic suppurative otitis media, bilateral</p> <p>H66.20 Chronic atticoantral suppurative otitis media, unspecified ear</p> <p>H66.21 Chronic atticoantral suppurative otitis media, right ear</p> <p>H66.22 Chronic atticoantral suppurative otitis media, left ear</p> <p>H66.23 Chronic atticoantral suppurative otitis media, bilateral</p> <p>H66.3X1 Other chronic suppurative otitis media, right ear</p> <p>H66.3X2 Other chronic suppurative otitis media, left ear</p> <p>H66.3X3 Other chronic suppurative otitis media, bilateral</p> <p>H66.3X9 Other chronic suppurative otitis media, unspecified ear</p> <p>H66.40 Suppurative otitis media, unspecified, unspecified ear</p> <p>H66.41 Suppurative otitis media, unspecified, right ear</p> <p>H66.42 Suppurative otitis media, unspecified, left ear</p> <p>H66.43 Suppurative otitis media, unspecified, bilateral</p> <p>H67.1 Otitis media in diseases classified elsewhere, right ear</p> <p>H67.2 Otitis media in diseases classified elsewhere, left ear</p> <p>H67.3 Otitis media in diseases classified elsewhere, bilateral</p> <p>H67.9 Otitis media in diseases classified elsewhere, unspecified ear</p> <p>**Code first underlying disease, such as: viral disease NEC (B00-B34)</p> <p>** Use additional code for any associated perforated tympanic membrane (H72-)</p> <p>** Use additional code to identify:</p> <p>Exposure to environmental tobacco smoke (Z77.22)</p> <p>Exposure to tobacco smoke in the perinatal period (P96.81)</p> <p>History of tobacco use (Z87.891)</p> <p>Occupational exposure to environmental tobacco smoke (Z57.31)</p> <p>Tobacco dependence (F17-)</p> <p>Tobacco use (Z72.0)</p>

ICD-9-CM Code	ICD-10-CM Code(s)
785.2	Undiagnosed cardiac murmurs R01.1 Cardiac murmur, unspecified
462	Acute pharyngitis
ICD-10-CM Codes	<p>J02.8 Acute pharyngitis due to other specified organisms</p> <p>** Use additional code (B95-B97) to identify infectious agent</p> <p>J02.0 Streptococcal pharyngitis</p> <p>J02.9 Acute pharyngitis, unspecified</p>
277.00	Cystic fibrosis without mention of meconium ileus
ICD-10-CM Codes	<p>E84.9 Cystic fibrosis, unspecified</p> <p>** There are more specific code choice selections available in ICD-10-CM. These include:</p> <p>E84.0 Cystic fibrosis with pulmonary manifestations</p> <p>** Use additional code to identify any infectious organism present, such as: Pseudomonas (B96.5)</p> <p>E84.11 Meconium ileus in cystic fibrosis</p> <p>E84.19 Cystic fibrosis with other intestinal manifestations</p> <p>E84.8 Cystic fibrosis with other manifestations</p>
204.00	Acute lymphoid leukemia without mention of having achieved remission/failed remission
ICD-10-CM Codes	<p>C91.90 Lymphoid leukemia, unspecified not having achieved remission</p> <p>** There are more specific code choice selections available in ICD-10-CM. These include:</p> <p>C91.00 Acute lymphoblastic leukemia not having achieved remission</p> <p>C91.10 Chronic lymphocytic leukemia of B-cell type not having achieved remission</p> <p>C91.30 Polymorphocytic leukemia of B-cell type not having achieved remission</p> <p>C91.40 Hairy cell leukemia not having achieved remission</p> <p>C91.50 Adult T-cell lymphoma/leukemia (HTLV-1-associated) not having achieved remission</p> <p>C91.60 Polymorphocytic leukemia of T-cell type not having achieved remission</p> <p>C91.A0 Mature B-cell leukemia Burkitt-type not having achieved remission</p> <p>C91.Z0 Other lymphoid leukemia not having achieved remission</p>
250.01	Diabetes mellitus without mention of complication, type I, not stated as uncontrolled E10.9 Type 1 diabetes mellitus without complications
194.0	Malignant neoplasm of adrenal gland
ICD-10-CM Codes	<p>C74.90 Malignant neoplasm of unspecified part of unspecified adrenal gland</p> <p>** There are more specific code choice selections available in ICD-10-CM. These include:</p> <p>C74.00 Malignant neoplasm of cortex of unspecified adrenal gland</p> <p>C74.01 Malignant neoplasm of cortex of right adrenal gland</p> <p>C74.02 Malignant neoplasm of cortex of left adrenal gland</p> <p>C74.10 Malignant neoplasm of medulla of unspecified adrenal gland</p> <p>C74.11 Malignant neoplasm of medulla of right adrenal gland</p> <p>C74.12 Malignant neoplasm of medulla of left adrenal gland</p> <p>C74.91 Malignant neoplasm of unspecified part of right adrenal gland</p> <p>C74.92 Malignant neoplasm of unspecified part of left adrenal gland</p>