



Reading and Writing Vector Data with OGR

Open Source RS/GIS Python
Week 1



Why use open source?

- Pros
 - Affordable for individuals or small companies
 - Very helpful developers and fast bug fixes
 - Can use something other than Windows
 - You can impress people!
- Cons
 - Doesn't have the built in geoprocessor
 - Smaller user community



Open Source RS/GIS modules

- OGR Simple Features Library
 - Vector data access
 - Part of GDAL
- GDAL – Geospatial Data Abstraction Library
 - Raster data access
 - Used by commercial software like ArcGIS
 - Really C++ library, but Python bindings exist



Related modules

- Numeric
 - Sophisticated array manipulation (extremely useful for raster data!)
 - This is the one we'll be using in class
- NumPy
 - Next generation of Numeric
 - Some of you might use this one if you work at home



Other modules

- <http://www.gispython.org/> hosts Python Cartographic Library – looks like great stuff, but I haven't used it



Development environments

- FWTools
 - Includes Python, Numeric, GDAL and OGR modules, along with other fun tools
 - Just a suite of tools, not an IDE
 - I like to use Crimson Editor, but this means no debugging tools
- PythonWin
 - Have to install Numeric, GDAL and OGR individually



Documentation

- Python: <http://www.python.org/doc/>
- GDAL: <http://www.gdal.org/>, gdal.py, gdalconst.py (in the fwtools/pymod folder)
- OGR: <http://www.gdal.org/ogr/>, ogr.py
- Numeric:
http://numpy.scipy.org/#older_array
- NumPy: <http://numpy.scipy.org/>



OGR

- Supports many different vector formats
 - ESRI formats such as shapefiles, personal geodatabases and ArcSDE
 - Other software such as MapInfo, GRASS, Microstation
 - Open formats such as TIGER/Line, SDTS, GML, KML
 - Databases such as MySQL, PostgreSQL, Oracle Spatial, Informix, ODBC



Format Name	Code	Creation	Georeferencing	Compiled by default
Arc/Info Binary Coverage	AVCBin	No	Yes	Yes
Arc/Info .E00 (ASCII) Coverage	AVCE00	No	Yes	Yes
Atlas BNA	BNA	Yes	No	Yes
Comma Separated Value (.csv)	CSV	Yes	No	Yes
DODS/OPeNDAP	DODS	No	Yes	No, needs libdap
ESRI Personal GeoDatabase	PGeo	No	Yes	No, needs ODBC library
ESRI ArcSDE	SDE	No	Yes	No, needs ESRI SDE
ESRI Shapefile	ESRI Shapefile	Yes	Yes	Yes
FMEObjects Gateway	FMEObjects Gateway	No	Yes	No, needs FME
GeoJSON	GeoJSON	No	Yes	Yes
Géoconcept Export	Geoconcept	Yes	Yes	Yes
GeoRSS	GeoRSS	Yes	Yes	Yes (read support needs libexpat)
GML	GML	Yes	Yes	Yes (read support needs Xerces)
GMT	GMT	Yes	Yes	Yes
GPX	GPX	Yes	Yes	Yes (read support needs libexpat)
GRASS	GRASS	No	Yes	No, needs libgrass
Informix DataBlade	IDB	Yes	Yes	No, needs Informix DataBlade
INTERLIS	Interlis 1 and "Interlis 2"	Yes	Yes	Yes (INTERLIS model reading needs ili2c.jar)
INGRES	INGRES	Yes	No	No, needs INGRESS
KML	KML	Yes	No	Yes (read support needs libexpat)
Mapinfo File	MapInfo File	Yes	Yes	Yes
Microstation DGN	DGN	Yes	No	Yes
Memory	Memory	Yes	Yes	Yes
MySQL	MySQL	No	No	No, needs MySQL library
Oracle Spatial	OCI	Yes	Yes	No, needs OCI library
ODBC	ODBC	No	Yes	No, needs ODBC library
OGDI Vectors	OGDI	No	Yes	No, needs OGDI library
PostgreSQL	PostgreSQL	Yes	Yes	No, needs PostgreSQL library
S-57 (ENC)	S57	No	Yes	Yes
SDTS	SDTS	No	Yes	Yes
SQLite	SQLite	Yes	No	No, needs libsqlite3
UK .NTF	UK. NTF	No	Yes	Yes
U.S. Census TIGER/Line	TIGER	No	Yes	Yes
VRT - Virtual Datasource	VRT	No	Yes	Yes
X-Plane/Flighgear aeronautical da	XPLANE	No	Yes	Yes



Available formats

- The version we use in class doesn't support *everything* on the previous slide
- To see available formats use this command from the FWTools shell:
`ogrinfo --formats`
- Same syntax if using a shell other than FWTools and the gdal & ogr utilities are in your path – otherwise provide the full path to ogrinfo



Detour: Module methods

- Some methods in modules do not rely on a pre-existing object – just on the module itself
 - `gp = arcgisscripting.create()`
 - `driver = ogr.GetDriverByName('ESRI Shapefile')`
- Some methods rely on pre-existing objects
 - `dsc = gp.Describe('landcover')`
 - `ds = driver.Open('c:/test.shp')`



Importing OGR

- With FWTools:

```
import ogr
```

- With an OSGeo distribution:

```
from osgeo import ogr
```

- Handle both cases like this:

```
try:
```

```
    from osgeo import ogr
```

```
except:
```

```
    import ogr
```



OGR data drivers

- A driver is an object that knows how to interact with a certain data type (such as a shapefile)
- Need an appropriate driver in order to read or write data (need it explicitly for write)
- Use the Code from slide 9 to get the desired driver



- Might as well grab the driver for read operations so it is available for writing
 1. Import the OGR module
 2. Use `ogr.GetDriverByName(<driver_code>)`

```
import ogr
driver = ogr.GetDriverByName('ESRI Shapefile')
```



Opening a DataSource

- The Driver `Open()` method returns a DataSource object

`Open(<filename>, <update>)`

where `<update>` is 0 for read-only, 1 for writeable

```
fn = 'f:/data/classes/python/data/sites.shp'  
dataSource = driver.Open(fn, 0)  
if dataSource is None:  
    print 'Could not open ' + fn  
    sys.exit(1) #exit with an error code
```



Detour: Working directory

- Usually need to specify entire path for filenames
- Instead, set working directory with `os.chdir(<directory_path>)`
- Similar to `gp.workspace`

```
import ogr, sys, os
os.chdir('f:/data/classes/python/data')
driver = ogr.GetDriverByName('ESRI Shapefile')
dataSource = driver.Open('sites.shp', 0)
```



Opening a layer (shapefile)

- Use `GetLayer(<index>)` on a `DataSource` to get a `Layer` object
- `<index>` is always 0 and optional for shapefiles
- `<index>` is useful for other data types such as GML, TIGER

```
layer = dataSource.GetLayer()
```

```
layer = dataSource.GetLayer(0)
```



Getting info about the layer

- Get the number of features in the layer

```
numFeatures = layer.GetFeatureCount()  
print 'Feature count: ' + str(numFeatures)  
print 'Feature count:', numFeatures
```

- Get the extent as a tuple (sort of a non-modifiable list)

```
extent = layer.GetExtent()  
print 'Extent:', extent  
print 'UL:', extent[0], extent[3]  
print 'LR:', extent[1], extent[2]
```



Getting features

- If we know the FID (offset) of a feature, we can use `GetFeature(<index>)` on the Layer

```
feature = layer.GetFeature(0)
```

- Or we can loop through all of the features

```
feature = layer.GetNextFeature()  
while feature:  
    # do something here  
    feature = layer.GetNextFeature()  
layer.ResetReading() #need if looping again
```



Getting a feature's attributes

- Feature objects have a `GetField(<name>)` method which returns the value of that attribute field
- There are variations, such as `GetFieldAsString(<name>)` and `GetFieldAsInteger(<name>)`

```
id = feature.GetField('id')
```

```
id = feature.GetFieldAsString('id')
```



Getting a feature's geometry

- Feature objects have a method called `GetGeometryRef()` which returns a Geometry object (could be Point, Polygon, etc)
- Point objects have `GetX()` and `GetY()` methods

```
geometry = feature.GetGeometryRef()  
x = geometry.GetX()  
y = geometry.GetY()
```



Destroying objects

- For memory management purposes we need to make sure that we get rid of things such as features when done with them

`feature.Destroy()`

- Also need to close DataSource objects when done with them

`dataSource.Destroy()`



```
# script to count features

# import modules
import ogr, os, sys

# set the working directory
os.chdir('f:/data/classes/python/data')

# get the driver
driver = ogr.GetDriverByName('ESRI Shapefile')

# open the data source
datasource = driver.Open('sites.shp', 0)
if datasource is None:
    print 'Could not open file'
    sys.exit(1)

# get the data layer
layer = datasource.GetLayer()

# loop through the features and count them
cnt = 0
feature = layer.GetNextFeature()
while feature:
    cnt = cnt + 1
    feature.Destroy()
    feature = layer.GetNextFeature()
print 'There are ' + str(cnt) + ' features'

# close the data source
datasource.Destroy()
```



Review: Text file I/O

- To open a text file
 - Set working directory or include full path
 - Mode is 'r' for reading, 'w' for writing, 'a' for appending

```
file = open(<filename>, <mode>)
```

```
file = open('c:/data/myfile.txt', 'w')
```

```
file = open(r'c:\data\myfile.txt', 'w')
```

- To close a file when done with it:

```
file.close()
```



- To read a file one line at a time:

```
for line in file:  
    print line
```

- To write a line to a file, where the string ends with a newline character:

```
file.write('This is my line.\n')
```



Assignment 1a

- Read coordinates and attributes from a shapefile
 - Loop through the points in sites.shp
 - Write out id, x & y coordinates, and cover type for each point to a text file, one point per line
 - Hint: The two attribute fields in the shapefile are called "id" and "cover"
 - Turn in your code and the output text file



Writing data

1. Get or create a writeable layer
2. Add fields if necessary
3. Create a feature
4. Populate the feature
5. Add the feature to the layer
6. Close the layer



Getting a writeable layer

- Open an existing DataSource for writing and get the layer out of it

```
fn = 'f:/data/classes/python/data/sites.shp'  
dataSource = driver.Open(fn, 1)  
if dataSource is None:  
    print 'Could not open ' + fn  
    sys.exit(1) #exit with an error code  
layer = dataSource.GetLayer(0)
```



Creating a writeable layer

- Create a new DataSource and Layer
 1. `CreateDataSource(<filename>)` on a Driver object – the file cannot already exist!
 2. `CreateLayer(<name>, geom_type=<OGRwkbGeometryType>, [srs])` on a DataSource object

```
ds = driver.CreateDataSource('test.shp')  
layer = ds.CreateLayer('test',  
    geom_type=ogr.wkbPoint)
```



Checking if a datasource exists

- Use the `exists(<filename>)` method in the `os.path` module
- Use `DeleteDataSource(<filename>)` on a `Driver` object to delete it (this causes an error if the file does not exist)

```
import os
if os.path.exists('test.shp'):
    driver.DeleteDataSource('test.shp')
```



Adding fields

- Cannot add fields to non-empty shapefiles
- Shapefiles need at least one attribute field
- Need a FieldDefn object first
 - Copy one from an existing feature with
`GetFieldDefnRef(<field_index>)` Or
`GetFieldDefnRef(<field_name>)`

```
fieldDefn = feature.GetFieldDefnRef(0)
```

```
fieldDefn = feature.GetFieldDefnRef('id')
```



- Or create a new FieldDefn with `FieldDefn(<field_name>, <OGRFieldType>)`, where the field name has a 12-character limit

```
fldDef = ogr.FieldDefn('id', ogr.OFTInteger)
```

- If it is a string field, set the width

```
fieldDefn = ogr.FieldDefn('id', ogr.OFTString)  
fieldDefn.SetWidth(4)
```



- Now create a field on the layer using the FieldDefn object and `CreateField(<FieldDefn>)`

```
layer.CreateField(fieldDefn)
```



Creating new features

- Need a FeatureDefn object first
 - Get it from the layer *after* adding any fields

```
featureDefn = layer.GetLayerDefn()
```

- Now use the FeatureDefn object to create a new Feature object

```
feature = ogr.Feature(featureDefn)
```



- Set the geometry for the new feature

```
feature.SetGeometry(point)
```

- Set the attributes with `setField(<name>, <value>)`

```
feature.SetField('id', 23)
```

- Write the feature to the layer

```
layer.CreateFeature(feature)
```

- Make sure to close the DataSource with `Destroy()` at the end so things get written



```
# script to copy first 10 points in a shapefile
# import modules, set the working directory, and get the driver
import ogr, os, sys
os.chdir('f:/data/classes/python/data')
driver = ogr.GetDriverByName('ESRI Shapefile')
# open the input data source and get the layer
inDS = driver.Open('sites.shp', 0)
if inDS is None:
    print 'Could not open file'
    sys.exit(1)
inLayer = inDS.GetLayer()
# create a new data source and layer
if os.path.exists('test.shp'):
    driver.DeleteDataSource('test.shp')
outDS = driver.CreateDataSource('test.shp')
if outDS is None:
    print 'Could not create file'
    sys.exit(1)
outLayer = outDS.CreateLayer('test', geom_type=ogr.wkbPoint)
# use the input FieldDefn to add a field to the output
fieldDefn = inLayer.GetFeature(0).GetFieldDefnRef('id')
outLayer.CreateField(fieldDefn)
```



```
# get the FeatureDefn for the output layer
featureDefn = outLayer.GetLayerDefn()

# loop through the input features
cnt = 0
inFeature = inLayer.GetNextFeature()
while inFeature:

    # create a new feature
    outFeature = ogr.Feature(featureDefn)
    outFeature.SetGeometry(inFeature.GetGeometryRef())
    outFeature.SetField('id', inFeature.GetField('id'))

    # add the feature to the output layer
    outLayer.CreateFeature(outFeature)

    # destroy the features
    inFeature.Destroy()
    outFeature.Destroy()

    # increment cnt and if we have to do more then keep looping
    cnt = cnt + 1
    if cnt < 10: inFeature = inLayer.GetNextFeature()
    else: break

# close the data sources
inDS.Destroy()
outDS.Destroy()
```



Assignment 1b

- Copy selected features from one shapefile to another
 - Create a new point shapefile and add an ID field
 - Loop through the points in sites.shp
 - If the cover attribute for a point is 'trees' then write that point out to the new shapefile
 - Turn in your code and a screenshot of the new shapefile being displayed