

Package ‘qrmdata’

December 6, 2019

Version 2019-12-03-1

Encoding UTF-8

Title Data Sets for Quantitative Risk Management Practice

Description Various data sets (stocks, stock indices, constituent data, FX, zero-coupon bond yield curves, volatility, commodities) for Quantitative Risk Management practice.

Author Marius Hofert [aut, cre],
Kurt Hornik [aut],
Alexander J. McNeil [aut]

Maintainer Marius Hofert <marius.hofert@uwaterloo.ca>

Depends R (>= 3.5.0)

Imports xts

Suggests knitr, qrmtools, lattice

Enhances

License GPL-2 | GPL-3

NeedsCompilation no

Repository CRAN

Date/Publication 2019-12-06 11:30:06 UTC

Repository/R-Forge/Project qrmdata

Repository/R-Forge/Revision 38

Repository/R-Forge/DateTimeStamp 2019-12-03 21:32:17

R topics documented:

commodities	2
crypto	3
default	3
fx	4
interest_rates	5
losses	6

stock_data	7
stock_indices	8
stock_indices_constituents	9
volatility	10
Index	11

commodities	<i>Commodity Data</i>
-------------	-----------------------

Description

Data sets containing commodities.

Usage

```
data("OIL_Brent")
data("GOLD")
```

Format

`xts` objects containing the Brent Crude price in USD per barrel (for `OIL_Brent`) and the World Gold Council gold price in USD per troy ounce (for `GOLD`).

Author(s)

Marius Hofert

Source

The data was obtained from Federal Reserve Economic Data (FRED) via Quandl on 2016-01-03 with the function `get_data()` from **qrmtools**.

Examples

```
data("OIL_Brent")
data("GOLD")
```

crypto

Cryptocurrency Prices in USD

Description

Bitcoin, Ethereum, Litecoin and Ripple prices in USD (from their first available date onwards).

Usage

```
data("crypto")
```

Format

`xts` object containing cryptocurrency prices in USD of Bitcoin (ticker symbol "BTC-USD"), Ethereum (ticker symbol "ETH-USD"), Litecoin (ticker symbol "LTC-USD") and Ripple (ticker symbol "XRP-USD") from their first available date onwards.

Author(s)

Marius Hofert

Source

The data was obtained from Yahoo Finance on 2018-05-29 via the function `get_data()` from **qrm-tools**.

Examples

```
data("crypto")
str(crypto)
library(xts)
plot.zoo(crypto, main = "Cryptocurrencies in USD", xlab = "Time")
```

default

Standard & Poor's Default Data

Description

A three-dimensional array containing the default data for A-, BBB-, BB-, B- and C-rated companies for the years from 1981 to 2000.

Usage

```
data("SP_defaults")
```

Format

`xts` objects containing foreign exchange rates of Canadian Dollar (CAD_*), US Dollar (USD_*), British Pound (GBP_*), Euro (EUR_*), Swiss Francs (CHF_*), Japanese Yen (JPY_*), Chinese Yuan (CNY_*) with respect to USD (*_USD) and GBP (*_GBP) from 2000-01-01 to 2015-12-31.

Author(s)

Marius Hofert

Source

Standard & Poor's Credit Monitor

Examples

```
data("SP_defaults")
```

fx

Foreign Exchange Rate Data

Description

Foreign exchange rate data with respect to USD and GBP.

Usage

```
data("CAD_USD")  
data("GBP_USD")  
data("EUR_USD")  
data("CHF_USD")  
data("JPY_USD")  
data("CNY_USD")  
data("CAD_GBP")  
data("USD_GBP")  
data("EUR_GBP")  
data("CHF_GBP")  
data("JPY_GBP")  
data("CNY_GBP")
```

Format

`xts` objects containing foreign exchange rates of Canadian Dollar (CAD_*), US Dollar (USD_*), British Pound (GBP_*), Euro (EUR_*), Swiss Francs (CHF_*), Japanese Yen (JPY_*), Chinese Yuan (CNY_*) with respect to USD (*_USD) and GBP (*_GBP) from 2000-01-01 to 2015-12-31.

Details

Interpretation: As an example, EUR_USD contains the EUR/USD exchange rate, so a value x in EUR_USD indicates that 1 EUR is worth x USD at that point in time.

Author(s)

Marius Hofert

Source

The data was obtained from OANDA (<http://www.oanda.com/>) on 2016-01-03 via the function `get_data()` from **qrmtools**.

Examples

```
data("CAD_USD")
data("GBP_USD")
data("EUR_USD")
data("CHF_USD")
data("JPY_USD")
data("CNY_USD")
data("CAD_GBP")
data("USD_GBP")
data("EUR_GBP")
data("CHF_GBP")
data("JPY_GBP")
data("CNY_GBP")
```

interest_rates

Interest-Rate Data

Description

Zero-coupon bond yield curves in CAD and USD.

Usage

```
data("ZCB_CAD")
data("ZCB_USD")
```

Format

ZCB_CAD: `xts` object containing, in each row, zero-coupon bond yield curves in percent for 120 times to maturity (ranging from 0.25 to 30 years); only trading days from 1991-01-02 to 2015-08-31 with available values for all maturities are included.

ZCB_USD: `xts` object containing, in each row, zero-coupon bond yield curves in percent for 30 times to maturity (ranging from 1 to 30 years); only trading days from 1985-11-25 to 2015-12-29 with available values for all maturities are included.

Author(s)

Marius Hofert

Source

ZCB_CAD was created from data obtained from <http://www.bankofcanada.ca/rates/interest-rates/bond-yield-curves/> multiplied by 100. ZCB_USD was obtained from <https://www.quandl.com/data/FED/SVENY-US-Treasury-Zero-Coupon-Yield-Curve> via Quandl. Both data sets were drawn on 2016-01-03 (ZCB_USD via the function `get_data()` from **qrmtools**).

Examples

```
data("ZCB_CAD")
data("ZCB_USD")
mat <- as.matrix(ZCB_USD['2015-01-01/2015-12-31',])
df <- data.frame(Day = rep(1:nrow(mat), each = ncol(mat)),
                Maturity = rep(1:ncol(mat), nrow(mat)),
                Value = as.vector(t(mat)))
lattice::wireframe(Value ~ Day * Maturity, data = df,
                  alpha.regions = 0.5,
                  scales = list(arrows = FALSE, col = "black"),
                  par.settings = list(axis.line = list(col = "transparent")))
```

 losses

Loss Datasets

Description

Danish fire insurance claims in 1M DKK in Denmark from 1980-01-03 to 1990-12-31. Largest 1% of simulated losses of Norwegian bank DNB.

Usage

```
data("fire")
data("DNB")
```

Format

fire: univariate *xts* object with 2167 observations.

DNB: (25000, 3)-*matrix* containing the largest 1% of simulated (market risk, credit risk, asset risk) losses of DNB; see Aas and Puccetti (2014, Section 2).

Author(s)

Marius Hofert

Source

fire: Originally Mette Rytgaard (Copenhagen Re).

DNB: Originally Kjersti Aas and Giovanni Puccetti.

References

Aas, K. and Puccetti, G. (2014). Bounds for total economic capital: the DNB case study. *Extremes* **17**(4), 693–715.

Examples

```
library(xts)
## Danish fire losses
data("fire")
str(fire)
stopifnot(inherits(fire, "xts"), length(fire) == 2167)
plot.zoo(fire, ylab = "Fire insurance claim")

## Largest 1% of simulated DNB losses
data("DNB")
stopifnot(dim(DNB) == c(25000, 3))
```

stock_data

(Single) Stock Data

Description

Single stock data; only Radioshack at the moment.

Usage

```
data("RSHCQ")
```

Format

An `xts` object containing adjusted close prices of Radioshack (RSHCQ; ticker symbol "RSHCQ") from 1982-01-04 to 2015-01-20.

Author(s)

Marius Hofert

Source

Radioshack defaulted early 2015. Yahoo Finance did not provide adjusted close prices thereafter. We thus used the adjusted close prices from 1982-01-04 to 2015-01-20 which we drew from Yahoo Finance on 2015-01-21 via the function `get_data()` from **qrmtools**.

Examples

```
data("RSHCQ")
```

stock_indices

Stock Index Data

Description

Single stock indices.

Usage

```
data("SP500")
data("DJ")
data("NASDAQ")
data("FTSE")
data("SMI")
data("EURSTOXX")
data("CAC")
data("DAX")
data("CSI")
data("HSI")
data("SSEC")
data("NIKKEI")
```

Format

`xts` objects containing adjusted close prices of the S&P 500 (SP500; ticker symbol “^GSPC”), Dow Jones (DJ; ticker symbol “^DJI”), NASDAQ 100 (NASDAQ; ticker symbol “^NDX”), FTSE 100 (FTSE; ticker symbol “^FTSE”), Swiss Market Index (SMI; ticker symbol “^SSMI”), Euro Stoxx 50 (EURSTOXX; ticker symbol “^STOXX50E”), Cotation Assistée en Continu (CAC; ticker symbol “^FCHI”), Deutscher Aktienindex (DAX; ticker symbol “^GDAXI”), China Securities Index (CSI; ticker symbol “000300.SS”), Hang Seng Index (HSI; ticker symbol “^HSI”), Shanghai Stock Exchange Composite Index (SSEC; ticker symbol “000001.SS”) and the NIKKEI (NIKKEI; ticker symbol “^N225”) from their first date of availability to 2015-12-31.

Author(s)

Marius Hofert

Source

The data was obtained from Yahoo Finance on 2016-01-03 via the function `get_data()` from **qrm-tools**.

Examples

```
data("SP500")
data("DJ")
data("NASDAQ")
data("FTSE")
data("SMI")
data("EURSTOXX")
data("CAC")
data("DAX")
data("CSI")
data("HSI")
data("SSEC")
data("NIKKEI")
```

stock_indices_constituents

Stock Index Constituents Data

Description

Constituent data of various stock indices.

Usage

```
data("SP500_const")
data("DJ_const")
data("FTSE_const")
data("EURSTX_const")
data("HSI_const")
```

Format

`xts` objects containing adjusted close prices of the constituents of the respective stock indices. These are the S&P 500 constituents (SP500_const with corresponding Global Industry Classification Standard (GICS) information SP500_const_info; see https://en.wikipedia.org/wiki/List_of_S%26P_500_companies; given these tickers, the data was obtained from <https://finance.yahoo.com/>) as of 2015-10-12, the Dow Jones constituents (DJ_const; see <https://finance.yahoo.com/q/cp?s=%5EDJI>) as of 2016-01-03, the FTSE 100 constituents (FTSE_const; see <https://uk.finance.yahoo.com/q/cp?s=%5EFTSE>) as of 2016-01-03 (the data was only available for 98 constituents), the Euro Stoxx 50 constituents (EURSTX_const; see <https://uk.finance.yahoo.com/q/cp?s=%5ESTOXX50E>) as of 2016-01-03 (the data was only available for 98 constituents) and the Hang Seng Index constituents (HSI_const; see <https://uk.finance.yahoo.com/q/cp?s=%5EHSI>) as of 2016-01-03.

The constituents data ranges from the first date at least one of the constituents is available (with missing data if not available) to 2015-12-31.

Author(s)

Marius Hofert

Source

The data was obtained from the respective URLs on 2016-01-03 via the function `get_data()` from **qrmtools**.

Note that for the S&P 500 constituents, the data was rounded to two decimal places to reduce the file size of the data set.

Examples

```
data("SP500_const")
data("DJ_const")
data("FTSE_const")
data("EURSTX_const")
data("HSI_const")
```

volatility

Volatility Index

Description

Volatility index data.

Usage

```
data("VIX")
```

Format

An `xts` object containing the volatility index (VIX; ticker symbol “`^VIX`”) from its first date of availability to 2015-12-31.

Author(s)

Marius Hofert

Source

The data was obtained from Yahoo Finance on 2016-01-03 via the function `get_data()` from **qrmtools**.

Examples

```
data("VIX")
```

Index

*Topic **datasets**

- commodities, 2
 - crypto, 3
 - default, 3
 - fx, 4
 - interest_rates, 5
 - losses, 6
 - stock_data, 7
 - stock_indices, 8
 - stock_indices_constituents, 9
 - volatility, 10
- CAC (stock_indices), 8
- CAD_GBP (fx), 4
- CAD_USD (fx), 4
- CHF_GBP (fx), 4
- CHF_USD (fx), 4
- CNY_GBP (fx), 4
- CNY_USD (fx), 4
- commodities, 2
- crypto, 3
- CSI (stock_indices), 8
- DAX (stock_indices), 8
- default, 3
- DJ (stock_indices), 8
- DJ_const (stock_indices_constituents), 9
- DNB (losses), 6
- EUR_GBP (fx), 4
- EUR_USD (fx), 4
- EURSTOXX (stock_indices), 8
- EURSTX_const
(stock_indices_constituents), 9
- fire (losses), 6
- FTSE (stock_indices), 8
- FTSE_const
(stock_indices_constituents), 9
- fx, 4
- GBP_USD (fx), 4
- GOLD (commodities), 2
- HSI (stock_indices), 8
- HSI_const (stock_indices_constituents),
9
- interest_rates, 5
- JPY_GBP (fx), 4
- JPY_USD (fx), 4
- losses, 6
- matrix, 6
- NASDAQ (stock_indices), 8
- NIKKEI (stock_indices), 8
- OIL_Brent (commodities), 2
- RSHCQ (stock_data), 7
- SMI (stock_indices), 8
- SP500 (stock_indices), 8
- SP500_const
(stock_indices_constituents), 9
- SP500_const_info
(stock_indices_constituents), 9
- SP_defaults (default), 3
- SSEC (stock_indices), 8
- stock_data, 7
- stock_indices, 8
- stock_indices_constituents, 9
- USD_GBP (fx), 4
- VIX (volatility), 10
- volatility, 10
- xts, 2–10
- ZCB_CAD (interest_rates), 5
- ZCB_USD (interest_rates), 5