



Age	Sex	Procedures Recommended/ Number of Times Recommended for Age Range	CPT Codes Accepted for Each Procedure	ICD-10-CM Code
8 days through 35 months	M/F	<ul> <li>Preventive medicine evaluation, re-evaluation, or office visit/10 visits within the first 35 months of life beginning with the 8th day of life (As part of preventive medicine evaluation or re-evaluation, preventive counseling as appropriate for age or stage of development and risk factors present. See counseling recommendations.)</li> <li>Hemoglobin, hematocrit, or CBC/1 procedure at 12 months</li> <li>Immunizations</li> <li>Lipid Profile/1 procedure per calendar year¹ (beginning at 2 years of age)</li> </ul>	<ul> <li>99381, 99382: Initial preventive medicine evaluation 99391, 99392: Periodic preventive medicine re-evaluation</li> <li>85018: Hemoglobin 85013, 85014: Hematocrit 85025, 85027, 85032, 85041, G0306, G0307: CBC</li> <li>See immunization codes.</li> <li>80061: Lipid Profile</li> <li>36415, 36416: Routine venipuncture</li> </ul>	<ul> <li>Z00.111 Health check for newborn 8 to 28 days old</li> <li>Z00.121 Encounter for routine child health examination with abnormal findings</li> <li>Z00.129 Encounter for routine child health examination without abnormal findings</li> <li>Z13.220 Encounter for lipid disorders</li> </ul>
3-11 years	M/F	<ul> <li>Preventive medicine evaluation, re-evaluation, or office visit/I visit per calendar year         (As part of preventive medicine evaluation or re-evaluation, preventive counseling as appropriate for age or stage of development and risk factors present. See counseling recommendations.)     </li> <li>Blood pressure, height and weight/I procedure per calendar year</li> <li>Hemoglobin, hematocrit, or CBC/I procedure between ages 11-18</li> <li>Lipid Profile/I procedure per calendar year</li> <li>Immunizations</li> <li>Glucose/I procedure per calendar year (only for high-risk individuals²)</li> </ul>	<ul> <li>99382, 99383: Initial preventive medicine evaluation 99392, 99393: Periodic preventive medicine re-evaluation</li> <li>85018: Hemoglobin 85013, 85014: Hematocrit 85025, 85027, 85032, 85041, G0306, G0307: CBC</li> <li>80061: Lipid Profile</li> <li>See immunization codes.</li> <li>82947: Glucose, quantitative 82948: Glucose, blood, reagent strip</li> <li>36415, 36416: Routine venipuncture</li> </ul>	<ul> <li>Z00.121 Encounter for routine child health examination with abnormal findings</li> <li>Z00.129 Encounter for routine child health examination without abnormal findings</li> <li>Z13.220 Encounter for lipid disorders</li> <li>Z13.1 Encounter for screening for diabetes mellitus</li> </ul>

<sup>&</sup>lt;sup>1</sup> See page 10 for additional lipid screening guidelines

<sup>&</sup>lt;sup>2</sup> See page 10 for additional glucose screening guidelines





Age	Sex	Procedures Recommended/ Number of Times Recommended for Age Range	CPT Codes Accepted for Each Procedure	ICD-10-CM Code
12-17 years	M/F	Preventive medicine evaluation, re-evaluation, or office visit/I visit per calendar year (As part of preventive medicine evaluation or re-evaluation, preventive counseling as appropriate for age or stage of development and risk factors present. See counseling recommendations.)  If female, include breast exam if appropriate for stage of development/I procedure per calendar year  Blood pressure, height and weight/I procedure per calendar year  Hemoglobin, hematocrit, or CBC/I procedure between ages II-18  Immunizations  Lipid Profile/I procedure per calendar year  Glucose/I procedure per calendar year (only for high-risk individuals²)	99384: Initial preventive medicine evaluation 99394: Periodic preventive medicine re-evaluation      85018: Hemoglobin 85013, 85014: Hematocrit 85025, 85027, 85032, 85041, G0306, G0307: CBC      See immunization codes.     80061: Lipid Profile     82947: Glucose, quantitative 82948: Glucose, blood, reagent strip     36415, 36416: Routine venipuncture	<ul> <li>Z00.121 Encounter for routine child health examination with abnormal findings</li> <li>Z00.129 Encounter for routine child health examination without abnormal findings</li> <li>Z12.39 Encounter for other screening for malignant neoplasm of breast</li> <li>Z13.220 Encounter for screening for lipid disorders</li> <li>Z13.1 Encounter for screening for diabetes mellitus</li> </ul>
18-34 years	F	Preventive medicine evaluation, re-evaluation, or office visit/I visit per calendar year (As part of preventive medicine evaluation or re-evaluation, preventive counseling as appropriate for age or stage of development and risk factors present. See counseling recommendations.) Blood pressure, height and weight/I procedure per calendar year Breast exam/I procedure per calendar year	99385: Initial preventive medicine evaluation 99395: Periodic preventive medicine re-evaluation	Z00.00 Encounter for general adult medical examination without abnormal findings     Z00.01 Encounter for general adult medical examination with abnormal findings      Z12.39 Encounter for other screening for malignant neoplasm of breast
		Hemoglobin, hematocrit, or CBC/I procedure between ages II-18  Immunizations Pelvic exam/I procedure per calendar year Pap smear/I procedure every 3 years for ages 21-29 Pap smear/I procedure every 3 years for ages 30-34 or I procedure every 5 years with HPV test	<ul> <li>85018: Hemoglobin 85013, 85014: Hematocrit 85025, 85027, 85032, 85041, G0306, G0307: CBC</li> <li>See immunization codes.</li> <li>88141-88143, 88147, 88148, 88150, 88152-88153, 88164-88167, 88174, 88175, G0123, G0124, G0141, G0143, G0144, G0145, G0147, G0148: Pap smear</li> <li>87624, 87625, 0500T: HPV test</li> </ul>	<ul> <li>Z01.411 Encounter for gynecological examination (general) (routine) with abnormal findings</li> <li>Z01.419 Encounter for gynecological examination (general) (routine) without abnormal findings</li> <li>Z12.72 Encounter for screening for malignant neoplasm of vagina</li> <li>Z12.4 Encounter for screening for malignant neoplasm of cervix</li> </ul>
		Lipid profile/I procedure per calendar year     Glucose/I procedure per calendar year (only for high-risk individuals²)	80061: Lipid profile     82947: Glucose, quantitative     82948: Glucose, blood, reagent strip     36415, 36416: Routine venipuncture	<ul> <li>Z13.220 Encounter for screening for lipid disorders</li> <li>Z13.1 Encounter for screening for diabetes mellitus</li> </ul>

<sup>&</sup>lt;sup>1</sup> See page 10 for additional lipid screening guidelines

<sup>&</sup>lt;sup>2</sup> See page 10 for additional glucose screening guidelines





Age	Sex	Procedures Recommended/ Number of Times Recommended for Age Range	CPT Codes Accepted for Each Procedure	ICD-I0-CM Code
35-39 years	F	Preventive medicine evaluation, re-evaluation or office visit/I visit per calendar year (As part of preventive medicine evaluation or re-evaluation, preventive counseling as appropriate for age or stage of development and risk factors present. See counseling recommendations.) Blood pressure, height and weight/I procedure per calendar year	99385: Initial preventive medicine evaluation 99395: Periodic preventive medicine re-evaluation	Z00.00 Encounter for general adult medical examination without abnormal findings     Z00.01 Encounter for general adult medical examination with abnormal findings
		Breast exam/I procedure per calendar year		Z12.39 Encounter for other screening for malignant neoplasm of breast
		Immunizations	See immunization codes.	
		Pelvic exam/I procedure per calendar year	• 88141-88143, 88147, 88148, 88150, 88152-88153,	Z01.411 Encounter for gynecological examination
		Pap smear/I procedure every 3 years or I procedure every 5 years with HPV test	88164-88167, 88174, 88175, G0123, G0124, G0141, G0143, G0144, G0145, G0147, G0148: Pap smear • 87624, 87625, 0500T: HPV test	(general) (routine) with abnormal findings  • Z01.419 Encounter for gynecological examination (general) (routine) without abnormal findings  • Z12.72 Encounter for screening for malignant neoplasm of vagina  • Z12.4 Encounter for screening for malignant neoplasm of cervix
		Lipid profile/I procedure per calendar year	80061: Lipid profile	Z13.220 Encounter for screening for lipid disorders
		Mammogram/l procedure per calendar year	77067: Mammography     77063: Screening digital breast tomosynthesis bilateral     All mammography codes can be filed with modifier 26 for the interpretation of the mammogram.	Z12.31 Encounter for screening mammogram for malignant neoplasm of breast     Z12.39 Encounter for other screening for malignant neoplasm of breast
		Glucose/I procedure per calendar year (only for high-risk individuals²)	82947: Glucose, quantitative     82948: Glucose, blood, reagent strip     36415, 36416: Routine venipuncture	Z13.1 Encounter for screening for diabetes mellitus

<sup>&</sup>lt;sup>2</sup> See page 10 for additional glucose screening guidelines





Sex	Number of Times Recommended for Age Range	CPT Codes Accepted for Each Procedure	ICD-10-CM Code
M	<ul> <li>Preventive medicine evaluation, re-evaluation or office visit/I visit per calendar year         (As part of preventive medicine evaluation or re-evaluation, preventive counseling as appropriate for age or stage of development and risk factors present. See counseling recommendations.)</li> <li>Blood pressure, height and weight/I procedure per calendar year</li> <li>Hemoglobin, hematocrit, or CBC/I procedure between ages II-18</li> <li>Immunizations</li> <li>Lipid profile/I procedure per calendar year</li> <li>Glucose/I procedure per calendar year (only for high-risk individuals²)</li> </ul>	99385: Initial preventive medicine evaluation 99395: Periodic preventive medicine re-evaluation      85018: Hemoglobin 85013, 85014: Hematocrit 85025, 85027, 85032, 85041, G0306, G0307: CBC      See immunization codes.      80061: Lipid profile     82947: Glucose, quantitative 82948: Glucose, blood, reagent strip     36415, 36416: Routine venipuncture	<ul> <li>Z00.00 Encounter for general adult medical examination without abnormal findings</li> <li>Z00.01 Encounter for general adult medical examination with abnormal findings</li> <li>Z13.220 Encounter for screening for lipid disorders</li> <li>Z13.1 Encounter for screening for diabetes mellitus</li> </ul>
F	<ul> <li>Preventive medicine evaluation, re-evaluation or office visit/I visit per calendar year (As part of preventive medicine evaluation or re-evaluation, preventive counseling as appropriate for age or stage of development and risk factors present. See counseling recommendations.)</li> <li>Blood pressure, height and weight/I procedure per calendar year</li> <li>Breast exam/I procedure per calendar year</li> <li>Immunizations</li> <li>Pelvic exam/I procedure per calendar year</li> <li>Pap smear/I procedure every 3 years or I procedure every 5 years with HPV test</li> </ul>	<ul> <li>99386: Initial preventive medicine evaluation 99396: Periodic preventive medicine re-evaluation</li> <li>See immunization codes.</li> <li>88141-88143, 88147, 88148, 88150, 88152-88153, 88164-88167, 88174, 88175, G0123, G0124, G0141, G0143, G0144, G0145, G0147, G0148: Pap smear</li> <li>87624, 87625, 0500T: HPV test</li> </ul>	<ul> <li>Z00.00 Encounter for general adult medical examination without abnormal findings</li> <li>Z00.01 Encounter for general adult medical examination with abnormal findings</li> <li>Z12.39 Encounter for other screening for malignant neoplasm of breast</li> <li>Z01.411 Encounter for gynecological examination (general) (routine) with abnormal findings</li> <li>Z01.419 Encounter for gynecological examination (general) (routine) without abnormal findings</li> <li>Z12.72 Encounter for screening for malignant neoplasm of vagina</li> <li>Z12.4 Encounter for screening for malignant</li> </ul>
	<ul> <li>Lipid profile/I procedure per calendar year</li> <li>Mammogram/I procedure per calendar year</li> <li>Glucose/I procedure per calendar year</li> </ul>	<ul> <li>80061: Lipid profile</li> <li>77067: Mammography</li> <li>77063: Screening digital breast tomosynthesis bilateral All mammography codes can be filed with modifier 26 for the interpretation of the mammogram.</li> <li>82947: Glucose, quantitative</li> </ul>	neoplasm of cervix  Z13.220 Encounter for screening for lipid disorders  Z12.31 Encounter for screening mammogram for malignant neoplasm of breast  Z12.39 Encounter for other screening for malignant neoplasm of breast  Z13.1 Encounter for screening for diabetes mellitus
	F	per calendar year (As part of preventive medicine evaluation or re-evaluation, preventive counseling as appropriate for age or stage of development and risk factors present. See counseling recommendations.)  Blood pressure, height and weight/I procedure per calendar year Hemoglobin, hematocrit, or CBC/I procedure between ages II-18  Immunizations Lipid profile/I procedure per calendar year Glucose/I procedure per calendar year (only for high-risk individuals²)  F Preventive medicine evaluation, re-evaluation or office visit/I visit per calendar year (As part of preventive medicine evaluation or re-evaluation, preventive counseling as appropriate for age or stage of development and risk factors present. See counseling recommendations.) Blood pressure, height and weight/I procedure per calendar year Breast exam/I procedure per calendar year Immunizations Pelvic exam/I procedure per calendar year Pap smear/I procedure every 3 years or I procedure every 5 years with HPV test  Lipid profile/I procedure per calendar year Lipid profile/I procedure per calendar year  Lipid profile/I procedure per calendar year  Lipid profile/I procedure per calendar year	per calendar year (As part of preventive medicine evaluation or re-evaluation, preventive counseling as appropriate for age or stage of development and risk factors present. See counseling recommendations.)  Blood pressure, height and weight/I procedure per calendar year  Hemoglobin, hematocrit, or CBC/I procedure between ages 11-18  Immunizations  Lipid profile/I procedure per calendar year  Glucose/I procedure per calendar year  Glucose/I procedure per calendar year  Preventive medicine evaluation, re-evaluation or office visit/I visit per calendar year (As part of preventive medicine evaluation or re-evaluation, preventive counseling as appropriate for age or stage of development and risk factors present. See counseling recommendations.)  Blood pressure, height and weight/I procedure per calendar year  Immunizations  Pelvic exam/I procedure per calendar year  Immunizations  Pelvic exam/I procedure per calendar year  Pap smear/I procedure per calendar year  Pap smear/I procedure per calendar year  Lipid profile/I procedure per calendar year  Lipid profile/I procedure per calendar year  Lipid profile/I procedure per calendar year  Pap smear/I procedure per calendar year  Lipid profile/I procedure per calendar year  Lipid profile/I procedure per calendar year  Pap smear/I procedure per calendar year  Lipid profile/I procedure per calendar year  Lipid profile/I procedure per calendar year  Lipid profile/I procedure per calendar year  Pap smear/I procedure per calendar year  Lipid profile/I procedure per calendar year  Pap smear/I procedure per calendar year

<sup>&</sup>lt;sup>2</sup> See page 10 for additional glucose screening guidelines





		Procedures Recommended/ Number of Times Recommended	CPT Codes Accepted	
Age	Sex	for Age Range	for Each Procedure	ICD-10-CM Code
40-49 years	М	<ul> <li>Preventive medicine evaluation, re-evaluation or office visit/I visit per calendar year         (As part of preventive medicine evaluation or re-evaluation, preventive counseling as appropriate for age or stage of development and risk factors present. See counseling recommendations.)</li> <li>Blood pressure, height and weight/I procedure per calendar year</li> <li>Immunizations</li> <li>Lipid profile/I procedure per calendar year</li> <li>Glucose/I procedure per calendar year</li> </ul>	99386: Initial preventive medicine evaluation 99396: Periodic preventive medicine re-evaluation      See immunization codes.     80061: Lipid profile     82947: Glucose, quantitative	<ul> <li>Z00.00 Encounter for general adult medical examination without abnormal findings</li> <li>Z00.01 Encounter for general adult medical examination with abnormal findings</li> <li>Z13.220 Encounter for screening for lipid disorders</li> <li>Z13.1 Encounter for screening for diabetes mellitus</li> </ul>
			82948: Glucose, blood, reagent strip	
50 years and older	F	<ul> <li>Preventive medicine evaluation, re-evaluation or office visit/I visit per calendar year         (As part of preventive medicine evaluation or re-evaluation preventive counseling as appropriate for age or stage of development and risk factors present. See counseling recommendations.)</li> <li>Blood pressure, height and weight/I procedure per calendar year</li> </ul>	36415, 36416: Routine venipuncture     99386, 99387: Initial preventive medicine evaluation 99396, 99397: Periodic preventive medicine re-evaluation	Z00.00 Encounter for general adult medical examination without abnormal findings     Z00.01 Encounter for general adult medical examination with abnormal findings
		<ul> <li>Breast exam/I procedure per calendar year</li> <li>Baseline Bone Density of hips or spine/I procedure per lifetime beginning at 65 years of age</li> </ul>	77080: Dual-energy x-ray absorptiometry	<ul> <li>Z12.39 Encounter for other screening for malignant neoplasm of breast</li> <li>Z13.820 Encounter for screening for osteoporosis</li> </ul>
		<ul> <li>Immunizations</li> <li>Pelvic exam/I procedure per calendar year</li> <li>Pap smear/I procedure for women ages 50 through 65 every 3 years or I procedure every 5 years with HPV test</li> </ul>	<ul> <li>See immunization codes.</li> <li>88141-88143, 88147, 88148, 88150, 88152-88153, 88164-88167, 88174, 88175, G0123, G0124, G0141, G0143, G0144, G0145, G0147, G0148: Pap smear</li> <li>87624, 87625, 0500T: HPV test</li> </ul>	<ul> <li>Z01.411 Encounter for gynecological examination (general) (routine) with abnormal findings</li> <li>Z01.419 Encounter for gynecological examination (general) (routine) without abnormal findings</li> <li>Z12.72 Encounter for screening for malignant neoplasm of vagina</li> <li>Z12.4 Encounter for screening for malignant</li> </ul>
		<ul> <li>Lipid profile/I procedure per calendar year</li> <li>Mammogram/I procedure per calendar year or every 2 years</li> </ul>	80061: Lipid profile     77067: Mammography     77063: Screening digital breast tomosynthesis bilateral     All mammography codes can be filed with modifier 26	neoplasm of cervix     Z13.220 Encounter for screening for lipid disorders     Z12.31 Encounter for screening mammogram for malignant neoplasm of breast     Z12.39 Encounter for other screening for malignant
		• Flexible sigmoidoscopy/ I procedure every five years or colonoscopy/ I procedure every ten years <sup>3</sup>	for the interpretation of the mammogram.  • 45330, 45331, 45333, 45338, 45346, G0104: Sigmoidoscopy, flexible  • 44388, 44389, 44392, 44394, 44401, 45378, 45380, 45381, 45384, 45385, 45388, 45390, G0105, G0121: Colonoscopy	neoplasm of breast  Z12.12 Encounter for screening for malignant neoplasm of rectum  Z12.11 Encounter for screening for malignant neoplasms of colon  Z11.51 Encounter for screening for intestinal infectious diseases
		Glucose/I procedure per calendar year	82947: Glucose, quantitative     82948: Glucose, blood, reagent strip     36415, 36416: Routine venipuncture	Z13.1 Encounter for screening for diabetes mellitus

<sup>&</sup>lt;sup>3</sup> See page 10 for additional cancer screening guidelines





Age	Sex	Procedures Recommended/ Number of Times Recommended for Age Range	CPT Codes Accepted for Each Procedure	ICD-I0-CM Code
50 years and older	М	<ul> <li>Preventive medicine evaluation, re-evaluation or office visit/I visit per calendar year         (As part of preventive medicine evaluation or re-evaluation, preventive counseling as appropriate for age or stage of development and risk factors present. See counseling recommendations.)</li> <li>Blood pressure, height and weight/I procedure per calendar year</li> </ul>	99386, 99387: Initial preventive medicine evaluation 99396, 99397: Periodic preventive medicine re-evaluation	<ul> <li>Z00.00 Encounter for general adult medical examination without abnormal findings</li> <li>Z00.01 Encounter for general adult medical examination with abnormal findings</li> </ul>
		Immunizations     Lipid profile/I procedure per calendar year     Flexible sigmoidoscopy/I procedure every five years or colonoscopy/I procedure every ten years <sup>3</sup>	<ul> <li>See immunization codes.</li> <li>80061: Lipid profile</li> <li>45330, 45331, 45333, 45338, 45346, G0104: Sigmoidoscopy, flexible</li> <li>44388, 44389, 44392, 44394, 44401, 45378, 45380, 45381, 45384, 45385, 45388, 45390, G0105, G0121: Colonoscopy</li> </ul>	<ul> <li>Z13.220 Encounter for screening for lipid disorders</li> <li>Z12.12 Encounter for screening for malignant neoplasm of rectum</li> <li>Z12.11 Encounter for screening for malignant neoplasms of colon</li> <li>Z11.51 Encounter for screening for intestinal infectious diseases</li> </ul>
		Glucose/I procedure per calendar year	82947: Glucose, quantitative     82948: Glucose, blood, reagent strip     36415, 36416: Routine venipuncture	Z13.1 Encounter for screening for diabetes mellitus

<sup>&</sup>lt;sup>3</sup> See page 10 for additional cancer screening guidelines



It's good to be Blue.

## Healthy You! Preventive/Wellness Diagnosis Codes



(The diagnosis codes listed in the table below should be used to report preventive/wellness evaluations.)

- Use diagnosis codes Z00.121, Z00.129, Z00.111, Z00.00, Z00.01, Z01.411, or Z01.419 whenever preventive/wellness evaluation and management (E/M) services are reported on the claim (other services may also be reported on the claim).
- Use diagnosis code Z23 to report preventive/wellness evaluations when the only service performed during the encounter is the administration of immunizations.
- Use diagnosis codes Z12.39, Z12.31, Z12.39, Z12.4, Z12.12, Z12.72, Z11.51, or Z12.11 to report special screenings for a specific disease (e.g., breast cancer).

ICD-10-CM Code	Code Text
Z23	Encounter for immunization
Z00.121	Encounter for routine child health examination with abnormal findings
Z00.129	Encounter for routine child health examination without abnormal findings
Z00.111	Health examination for newborn 8 to 28 days old
Z00.00	Encounter for general adult medical examination without abnormal findings
Z00.01	Encounter for general adult medical examination with abnormal findings
Z01.411	Encounter for gynecological examination (general) (routine) with abnormal findings
Z01.419	Encounter for gynecological examination (general) (routine) without abnormal findings
Z12.39	Encounter for other screening for malignant neoplasm of breast
Z12.31	Encounter for screening mammogram for malignant neoplasm of breast
Z12.39	Encounter for other screening for malignant neoplasm of breast
Z12.4	Encounter for screening for malignant neoplasm of cervix
Z12.12	Encounter for screening for malignant neoplasm of rectum
Z12.72	Encounter for screening for malignant neoplasm of vagina
Z11.51	Encounter for screening for intestinal infectious diseases
Z12.11	Encounter for screening for malignant neoplasm of colon
Z13.1	Encounter for screening for diabetes mellitus
Z13.220	Encounter for screening for lipid disorders
Z13.820	Encounter for screening for osteoporosis

<sup>\*</sup> Routine vision and hearing testing is not reimbursed as a separate procedure but is considered a component of the preventive medicine evaluation or re-evaluation.

## Healthy You! Codes for Immunizations and Skin Test



It's good to be Blue.

Please use the appropriate code(s) when filing wellness claims which include immunizations or skin testing.

CPT Code	CPT Code Text	CPT Code	CPT Code Text
G0008	Administration of influenza virus vaccine	90620	Meningococcal recombinant protein and outer membrane vesicle vaccine, serogroup B (MenB), 2 dose schedule, ages 10-25, for intramuscular use
G0009	Administration of pneumococcal vaccine	90621	Meningococcal recombinant lipoprotein vaccine, serogroup B (MenB), 3 dose schedule (0,2,6 months), ages 10-25, for intramuscular use
G0010	Administration of hepatitis B vaccine	90630	Influenza virus vaccine, quadrivalent (IIV4), split virus, preservative free, ages 18-64, for intradermal use (Code reinstated 01012015)
Q2035	Influenza virus vaccine, split virus, when administered to individuals 3 years of age and older, for intramuscular use (AFLURIA)	90632	Hepatitis A vaccine, adult dosage, for intramuscular use
Q2036	Influenza virus vaccine, split virus, when administered to individuals 3 years of age and older, for intramuscular use (FL ULA VAL)	90633	Hepatitis A vaccine, pediatric/adolescent dosage-2 dose schedule, for intramuscular use
Q2037	Influenza virus vaccine, split virus, when administered to individuals 3 years of age and older, for intramuscular use (FLUVIRIN)	90634	Hepatitis A vaccine, pediatric/adolescent dosage-3 dose schedule, for intramuscular use
Q2038	Influenza virus vaccine, split virus, when administered to individuals 3 years of age and older, for intramuscular use (Fluzone)	90636	Hepatitis A and B vaccine (HepA-HepB), adult dosage, for intramuscular use
000IA	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-Co V-2) (Coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 30 mcg/0.3mL dosage, diluent reconstituted; first dose	90644	Meningococcal conjugate vaccine, serogroups C &Y and haemophilus influenzae B vaccine (Hib-MenCY), 4 dose schedule, ages 2-18 months, for intramuscular use (Desc revised 7/1/2015)
0002A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-Co V-2) (Coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 30 mcg/0.3mL dosage, diluent reconstituted; second dose	90647	Hemophilus influenza b vaccine (Hib), PRP-OMP conjugate (3 dose schedule), for intramuscular use
0011A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-Co V-2) (Coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 100 mcg/0.5mL dosage; first dose	90648	Hemophilus influenza b vaccine (Hib), PRP-T conjugate (4 dose schedule), for intramuscular use
0012A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-Co V-2) (Coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 100 mcg/0.5mL dosage; second dose	90649	Human Papilloma Virus (HPV) vaccine, types 6, 11, 16, 18 (quadrivalent), 3 dose schedule, for intramuscular use, ages 9-26, once per lifetime (includes Gardasil).
86580	Skin test; tuberculosis, intradermal	90650	Human Papilloma Virus (HPV) vaccine, types 16, 18, bivalent, 3 dose schedule (0, 1, 6 mos.), for intramuscular use, ages 9-26, once per lifetime (includes Cervarix).
90460	Immunization administration through 18 years of age via any route of administration, with counseling by physician or other qualified health care professional; first vaccine/toxoid component (New 01/01/2011)	90651	Human Papilloma Virus (HPV) vaccine, types 6, 11, 16, 18, 31, 33, 45, 52, 58, nonavalent, 3 dose schedule, for intramuscular use, ages 9-45, once per lifetime (Gardasil 9).
90461	Immunization administration through 18 years of age via any route of administration, with counseling by physician or other qualified health care professional; each additional vaccine/toxoid component (List separately in addition to code for primary procedure.) (New 01/01/2011)	90653	Influenza vaccine, inactivated (IIV), subunit, adjuvanted, for intramuscular use
90470	HINI immunization administration (intramuscular, intranasal), including counseling when performed (Effective 09/28/2009)	90654	Influenza virus vaccine, trivalent (IIV3), split virus, preservative-free, for intradermal use
90471	Immunization administration; one vaccine	90655	Influenza virus vaccine, split virus, preservative free, 6-35 months dosage, for intramuscular or jet injection use
90472	Immunization administration; each additional vaccine	90656	Influenza virus vaccine, split virus, preservative free, ages 3-18 years, for intramuscular use
90619	Meningococcal conjugate vaccine, serogroups A, C, W, Y, quadrivalent, tetanus toxoid carrier (MenACWY-TT), for intramuscular use	90657	Influenza virus vaccine, split virus, 6-35 months dosage, for intramuscular or jet injection use

#### Healthy You! Codes for Immunizations and Skin Test



It's good to be Blue.

Please use the appropriate code(s) when filing wellness claims which include immunizations or skin testing.

CPT Code	CPT Code Text	CPT Code	CPT Code Text
90658	Influenza virus vaccine, split virus, ages 3-18 years, for intramuscular use	90694	Influenza virus vaccine, quadrivalent ( allV 4 ), inactivated, adjuvanted, preservative free, 0.5 mL dosage, for intramuscular use
90660	Influenza virus vaccine, live, ages 2-49, for intranasal use (FluMist®) **	90696	Diphtheria, tetanus toxoids, acellular pertussis vaccine and polio virus vaccine, inactive (DTaP-IPV), when administered to children 4 years through 6 years of age, for intramuscular use
90661	Influenza virus vaccine, derived from cell cultures, subunit, preservative and antibiotic free, for intramuscular use, ages 18 and above	90697	Diphtheria, tetanus toxoids, acellular pertussis vaccine, inactivated poliovirus vaccine, Haemophilus influenzae type b PRP-OMP conjugate vaccine, and hepatitis B vaccine (DTaP-IPV-Hib-HepB), for intramuscular use
90662	Influenza virus vaccine, split virus, preservative free, enhanced immunogenicity via increased antigen content, for intramuscular use, ages 65 and above	90698	Diphtheria, tetanus toxoids, acellular pertussis vaccine, Hemophilus influenza B and polio virus vaccine, inactivated (DTaP-Hib-IPV) for intramuscular use
90670	Pneumococcal conjugate vaccine, 13 valent, for intramuscular use	90700	Diphtheria, tetanus toxoids, and acellular pertussis vaccine (DTap) when administered to individuals younger than 7 years, for intramuscular use
90672	Influenza virus vaccine, quadrivalent, live, ages 2-49, for intranasal use	90702	Diphtheria and tetanus toxoids (DT) absorbed when administered to individuals younger than 7 years, for intramuscular use
90673	Influenza virus vaccine, trivalent (RIV3), derived from recombinant DNA, hemagglutinin (HA) protein only, preservative and antibiotic free, for intramuscular use	90707	Measles, mumps and rubella virus vaccine (MMR), live, for subcutaneous use *
90674	Influenza virus vaccine, quadrivalent, ages 4 and older, for intramuscular use	90710	Measles, mumps, rubella, and varicella vaccine (MMRV), live, for subcutaneous use *
90677	Pneumococcal conjugate vaccine, 20 valent (PCV20), for intramuscular use	90713	Poliomyelitis vaccine, inactivated, (IPV), for subcutaneous or intramuscular use
90680	Rotavirus vaccine, pentavalent, 3 dose schedule, live, ages 2-8 months, for oral use	90714	Tetanus and diphtheria toxoids (Td) absorbed, preservative free, when administered to individuals 7 years or older, for intramuscular use
90681	Rotavirus vaccine, human, attenuated, 2 dose schedule, live, ages 2-5 months, for oral use	90715	Tetanus, diphtheria toxoids and acellular pertussis vaccine (TdaP), when administered to individuals 7 years or older, for intramuscular use
90682	Influenza virus vaccine, quadrivalent (RIV4), derived from recombinant DNA, hemagglutinin (HA) protein only, preservative and antibiotic free, for intramuscular use	90716	Varicella virus vaccine, live, for subcutaneous use
90685	Influenza virus vaccine, split virus, preservative free, when administered to children 6-35 months of age, for intramuscular use	90723	Diphtheria, tetanus toxoids, acellular pertussis vaccine, Hepatitis B, and polio virus vaccine, inactivated (DtaP-HepB-IPV), for intramuscular use
90686	Influenza virus vaccine, split virus, preservative free, when administered to individuals 3 years of age and older, for intramuscular use	90732	Pneumococcal polysaccharide vaccine, 23-valent, adult or immunosuppressed patient dosage, when administered to individuals 2 years or older, for subcutaneous or intramuscular use
90687	Influenza virus vaccine, quadrivalent (IIV4), split virus, 0.25 mL dosage, for intramuscular use	90734	Meningococcal conjugate vaccine, serogroups A, C,Y and W-135, (tetravalent), ages 2-55, for intramuscular use
90688	Influenza virus vaccine, split virus, when administered to individuals 3 years of age and older, for intramuscular use	90736	Zoster (shingles) vaccine, live, for subcutaneous injection. Zostavax vaccine for shingles for individuals age 50 and older, once per lifetime.
90689	Influenza virus vaccine quadrivalent (IIV 4 ), inactivated, adjuvanted, preservative free, 0.25 mL dosage, for intramuscular use	90739	Hepatitis B vaccine (HepB), adult dosage, 2 dose schedule, for intramuscular use

<sup>\*</sup> Rubella Screening for Women of Childbearing Age: If patient is not pregnant and vaccination history is unknown, provide vaccination. Serology is not recommended prior to vaccination for non-pregnant women. If patient is pregnant, serology is recommended. If serology is negative, provide vaccination after delivery.

<sup>\*\*</sup> FluMist® is recommended for patients 2-49 years of age. FluMist® is not recommended for patients who are pregnant, immunocompromised, actively wheezing, less than 5 years of age and currently wheezing, have a history of Guillain-Barre syndrome, or have asthma or other underlying medical condition that predisposes them to influenza complications.



It's good to be Blue.



#### Please use the appropriate code(s) when filing wellness claims which include immunizations or skin testing.

CPT Code	CPT Code Text	CPT Code	CPT Code Text
90740	Hepatitis B vaccine, dialysis or immunosuppressed patient dosage (3 dose schedule), for intramuscular use	90748	Hepatitis B and Hemophilus influenza B vaccine (HepB-Hib), for intramuscular use
90743	Hepatitis B vaccine, adolescent (2 dose schedule), for intramuscular use	90750	Zoster (shingles) vaccine (HZA), recombinant, subunit, adjuvanted, for intramuscular use
90744	Hepatitis B vaccine, pediatric/adolescent dosages (3 dose schedule), for intramuscular use	90756	Influenza virus vaccine, quadrivalent (CCIIV4), derived from cell cultures, subunit, antibiotic free, 0.5 ml dosage, for intramuscular use
90746	Hepatitis B vaccine, adult dosage, for intramuscular use	91300	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 30 mcg/0.3mL dosage, diluent reconstituted, for intramuscular use
90747	Hepatitis B vaccine, dialysis immunosuppressed patient dosages (4 dose schedule), for intramuscular use	91301	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV2) (Coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 100 mcg/0.5mL dosage, for intramuscular use

Healthy You!
Counseling Recommendations



It's good to be Blue.

You should provide preventive counseling on the following topics to patients of the appropriate age or stage of development. Preventive counseling and risk assessment are an integral part of preventive medicine evaluations and re-evaluations. Preventive counseling should also be provided as appropriate during other patient encounters.

Торіс	Age(s) to Consider Counseling for Patient and/or Parent
Counseling to promote physical activity	All ages
Counseling to promote a healthy diet and healthy weight	All ages
Counseling to prevent or stop smoking / tobacco use	Ages 9 and up
Counseling to promote achievement of developmental milestones and healthy cognition	infancy-adolescence
Counseling to promote healthy emotional and social well-being	All ages
Counseling to prevent chronic health disease related to personal or family health risk factors	All ages
Counseling to prevent motor and sports vehicle injury to include speed and use of car seats, seat belts and helmets	All ages
Counseling to prevent household and recreational injuries	All ages
Counseling to prevent lead exposure and identify exposure risk	6 months - 6 years
Counseling to prevent alcohol / drug abuse	Ages 9 and up
Counseling to prevent unintended pregnancy	As appropriate based on stage of development and sexual activity
Counseling to prevent sexually transmitted diseases	As appropriate based on stage of development and sexual activity

#### Additional Screening Guidelines for Cholesterol, Glucose and Cancer:

- Annual lipid profile screenings are available beginning at age 2.
  - High-risk individuals should have their first lipid profile screening before age 11.A fasting lipid profile is the recommended screening method. If values are within the normal reference range, the patient should be retested in 3-5 years. High-risk is defined as a family history of high lipids or early CVD; or unknown history; or other CVD risk factors such as overweight, obesity, hypertension or diabetes.
- Annual glucose screenings are available for high-risk individuals between the ages of 3 - 39.

High-risk individuals are defined as follows:

 Family history of diabetes (i.e., parents or siblings with diabetes)

- Obesity
- Blood pressure of 135/80 or greater
- Race/ethnicity (i.e., African-Americans, Hispanic-Americans, Native Americans, Asian-Americans, or Pacific Islanders)
- Previously identified pre-diabetic or diagnosed diabetic
- Low HDL cholesterol or high triglycerides
- History of gestational diabetes
- <sup>3</sup> Flexible sigmoidoscopy and colonoscopy information:

Consultations are not covered under Healthy You!.

Additional screenings (flexible sigmoidoscopy, colonoscopy) for individuals considered to be at high risk for colorectal cancer, as outlined below, may be covered under the appropriate medical portion of your health plan.

High-risk individuals in this category are defined as follows:

 Strong family history of colorectal cancer or polyps (in first-degree relative younger than 60 or two first-degree

- relatives of any age). A first-degree relative is defined as a parent, sibling or child.
- Known family history of colorectal cancer syndromes
- Personal history of colorectal cancer polyps

Please note: The Healthy You! benefit covers only one of these visits per calendar year for patients. If a patient is referred to another provider to complete the wellness screening test(s) or for a consultation visit, only the wellness screening test(s) will be covered under the Healthy You! wellness benefit. Subsequent office visits and/or consultations are not covered under the Healthy You! wellness benefit.