North Carolina Medicaid Special Bulletin



August 2019

Attention: All Providers

Influenza Vaccine and Reimbursement Guidelines for 2019-2020 for North Carolina Medicaid and NC Health Choice

Attention: All Providers

Influenza Vaccine and Reimbursement Guidelines for 2019-2020 for North Carolina Medicaid and NC Health Choice

Composition of the trivalent influenza vaccines for the 2019-2020 influenza season is:

- A/Brisbane/02/2018 (H1N1)pdm09-like virus (updated)
- A/Kansas/14/2017 (H3N2)-like virus (updated)
- B/Colorado/06/2017-like (Victoria lineage) virus

Quadrivalent (four-component) vaccines, which protect against a second lineage of B viruses, are recommended to contain the three recommended viruses above plus B/Phuket/3073/2013-like (Yamagata lineage) virus.

For further details on the 2019-2020 influenza vaccine, visit the <u>Centers for Disease Control</u> (CDC) Flu Season web page.

NC Immunization Program/Vaccines for Children (NCIP/VFC)

Under NC Immunization Program/Vaccines for Children (NCIP/VFC) guidelines, the N.C. Division of Public Health (DPH) Immunization Branch distributes all required childhood vaccines to local health departments, Federally Qualified Health Centers (FQHC), Rural Health Clinics (RHC), hospitals and private providers.

For the 2019-2020 influenza season, NCIP/VFC influenza vaccine – all quadrivalent – is available at no charge to providers for children 6 months through 18 years of age who are eligible for the VFC program, according to the NCIP coverage criteria. The current NCIP coverage criteria and definitions of VFC categories can be found on <u>DPH's Immunization</u> Branch web page.

For providers interested in enrolling in the VFC program, information can be found on the <u>CDC information page</u> and the <u>NC DPH website</u>.

Eligible VFC children include Medicaid beneficiaries and NC Health Choice beneficiaries who are American Indian and Alaska Native (AI/AN). These beneficiaries can be identified as AI/AN in one of two ways:

- 1. They are either identified as MIC-A and MIC-S on their NC Health Choice Identification Cards or,
- 2. Beneficiaries/parents may self-declare their VFC eligibility status according to NCIP/VFC program policy.

When NC Health Choice beneficiaries self-declare their status as AI/AN, and the provider administers the state-supplied vaccine, the provider must report the CPT vaccine code with \$0.00 and may bill NC Health Choice for the administration costs only. For further details, refer to the June 2012 Medicaid Bulletin article <u>Billing for Immunizations for American Indian and Alaska</u> <u>Native NC Health Choice Recipients.</u>

All other NC Health Choice beneficiaries are considered **insured (not VFC eligible)** and must be administered privately purchased vaccines.

For VFC/NCIP vaccines administered to VFC-eligible children, providers must report only the vaccine code(s) with \$0.00. Providers may bill DMA for the administration fee for Medicaid and eligible AI/AN NC Health Choice beneficiaries.

Providers who administer privately purchased vaccines to VFC eligible beneficiaries will not be reimbursed for the vaccine and cannot bill the beneficiary for that cost. Only the administration fee(s) will be reimbursed.

Providers must purchase vaccines for children who are **not** VFC-eligible (including all NC Health Choice children who are not AI/AN) and adult patients. For Medicaid-eligible beneficiaries age 19 years and older, purchased vaccine and administration costs may be billed to NC Medicaid, according to the guidelines stated in Tables 2 and 3 below. To determine who is eligible for NCIP influenza and other vaccines, visit <u>DPH's Immunization</u> Branch web page.

Billing/Reporting Influenza Vaccines for Medicaid Beneficiaries

The following tables indicate the vaccine codes that may be either reported (with \$0.00 billed) or billed (with the usual and customary charge) for influenza vaccine, depending on the age of the beneficiaries and the formulation of the vaccine. The tables also indicate the administration codes that may be billed, depending on the age of the beneficiaries and the vaccine(s) administered to them.

Note: The information in the following tables is **not** detailed billing guidance. Specific information on billing all immunization administration codes for **Health Check beneficiaries** can be found in the <u>*Health Check Billing Guide.*</u>

Table 1Influenza Billing Codes for Medicaid Beneficiaries Less Than 19 Years of Age WhoReceive VFC Influenza Vaccine. These codes are reported with \$0.00.

Vaccine CPT	NDC covered by	CPT Code Description
Code to Report	VFC Program	
90672	66019-0306-10	Influenza virus vaccine, quadrivalent, live (LAIV4), for intranasal use
90674	70461-0319-03	Influenza virus vaccine, quadrivalent (ccIIV4), derived from cell cultures, subunit, preservative and antibiotic free, for intramuscular use
90685	49281-0519-25	Influenza virus vaccine, quadrivalent (IIV4), split virus, preservative-free, 0.25 mL dosage, for intramuscular use
90686	19515-0906-52 33332-0319-01 49281-0419-10 49281-0419-50 58160-0896-52	Influenza virus vaccine, quadrivalent (IIV4), split virus, preservative free, 0.5 mL dosage, for intramuscular use
90687	49281-0631-15	Influenza virus vaccine, quadrivalent (IIV4), split virus, NOT preservative free, 0.25 mL dosage, for intramuscular use

Vaccine CPT Codes to Report

90688	33332-0419-10	Influenza virus vaccine, quadrivalent (IIV4), split virus, NOT preservative free, 0.5 mL dosage, for intramuscular
		use

Administrative CPT Codes to Bill

Administration CPT Code(s) to Bill	CPT Code Description
90471EP	Immunization administration (includes percutaneous, intradermal, subcutaneous or intramuscular injections); one vaccine (single or combination vaccine/toxoid)
+990472EP (add-on code)*	Immunization administration (includes percutaneous, intradermal, subcutaneous or intramuscular injections); each additional vaccine (single and combination vaccine/toxoid) (List separately in addition to code for primary procedure.)
90460EP	Immunization administration through 18 years via any route of administration, with counseling by physician or other qualified health care professional.
90473EP	Immunization administration by intranasal or oral route; 1 vaccine (single or combination vaccine/toxoid). Do not report 90473 in conjunction with 90471.

* 90472 will only be used if another vaccine is given in addition to the flu vaccine. Providers may bill more than one unit of 90472 as appropriate.

Table 2Influenza Billing Codes for Medicaid Beneficiaries 19 to 21 Years of Age

Use the following codes to bill Medicaid for an influenza vaccine **purchased** and administered to beneficiaries aged **19-21** years.

Note: The VFC/NCIP provides influenza products for recipients aged 6 months through 18 years **only**. The VFC/NCIP will **NOT** provide influenza vaccine for recipients 19 years and older.

Vaccine CPT Code to	CPT Code Description
Report	
90672	Influenza virus vaccine, quadrivalent, live (LAIV4), for
	intranasal use
90674	Influenza virus vaccine, quadrivalent (ccIIV4), derived from cell
	cultures, subunit, preservative and antibiotic free, 0.5 mL dosage,
	for intramuscular use
90682	Influenza virus vaccine, quadrivalent (RIV4), derived from
	recombinant DNA, hemagglutinin (HA) protein only,
	preservative and antibiotic free, for intramuscular use
90686	Influenza virus vaccine, quadrivalent (IIV4), split virus,
	preservative free, 0.5 mL dosage, for intramuscular use

Vaccine CPT Codes to Report

90688	Influenza virus vaccine, quadrivalent (IIV4), split virus, NOT
	preservative free, 0.5 mL dosage, for intramuscular use
90756	Influenza virus vaccine, quadrivalent (ccIIV4), derived from cell
	cultures, subunit, antibiotic free, 0.5 mL dosage, for
	intramuscular use

Administrative CPT Codes to Report

Administrative CPT Code(s) to Report	CPT Code Description
90471EP	Immunization administration (includes percutaneous, intradermal, subcutaneous, or intramuscular injections); one vaccine (single or combination vaccine/toxoid)
+90472EP (add-on code)*	Immunization administration (includes percutaneous, intradermal, subcutaneous, or intramuscular injections); each additional vaccine (single and combination vaccine/toxoid) (List separately in addition to code for primary procedure).
90473EP	Immunization administration by intranasal or oral route; 1 vaccine (single or combination vaccine/toxoid). <i>Do not report</i> 90473 in conjunction with 90471.

* 90472 will only be used if another vaccine is given in addition to the flu vaccine. Providers may bill more than one unit of 90472 as appropriate.

Table 3

Influenza Billing Codes for Medicaid Beneficiaries 21 Years of Age and Older

Use the following codes to **bill** Medicaid for an *injectable* influenza vaccine **purchased** and administered to beneficiaries **21** years of age and older.

Note: The VFC/NCIP provided influenza products for VFC-age (6 months through 18 years of age) beneficiaries **only**. The VFC/NCIP will **not** provide influenza vaccine for beneficiaries 19 years and older.

Vaccine CPT Code to Report	CPT Code Description
90653	Influenza vaccine, inactivated (IIV), subunit, adjuvanted, for intramuscular use
90662	Influenza virus vaccine (IIV), split virus, preservative free, enhanced immunogenicity via increased antigen content, for intramuscular use
90672	Influenza virus vaccine, quadrivalent, live (LAIV4), for intranasal use
90674	influenza virus vaccine, quadrivalent (ccIIV4), derived from cell cultures, subunit, preservative and antibiotic free, 0.5mL dosage, for intramuscular use
90682	Influenza virus vaccine, quadrivalent (RIV4), derived from recombinant DNA, hemagglutinin (HA) protein only, preservative and antibiotic free, for intramuscular use

Vaccine CPT Code to Report

90686	Influenza virus vaccine, quadrivalent (IIV4), split virus, preservative free, 0.5 mL dosage, for intramuscular use
90688	Influenza virus vaccine, quadrivalent (IIV4), split virus, NOT preservative free, 0.5 mL dosage, for intramuscular use
90756	Influenza virus vaccine, quadrivalent (ccIIV4), derived from cell cultures, subunit, antibiotic free, 0.5 mL dosage, for intramuscular use:

Administrative CPT Code(s) to Bill

Administrative CPT Code(s) to Bill	CPT Code Description
90471	Immunization administration (includes percutaneous,
	intradermal, subcutaneous, or intramuscular injections); one
	vaccine (single or combination vaccine/toxoid)
+90472 (add-on code)*	Immunization administration (includes percutaneous,
	intradermal, subcutaneous, or intramuscular injections); each
	additional vaccine (single and combination vaccine/toxoid)
	(List separately in addition to code for primary procedure)
90473EP	Immunization administration by intranasal or oral route; 1
	vaccine (single or combination vaccine/toxoid). Do not report
	90473 in conjunction with 90471.

* 90472 will only be used if another vaccine is given in addition to the flu vaccine. Providers may bill more than one unit of 90472 as appropriate.

For beneficiaries 21 years or older receiving an influenza vaccine, an evaluation and management (E/M) code cannot be reimbursed to any provider on the same day that injection administration fee codes (e.g., 90471 or 90471 and +90472) are reimbursed, unless the provider bills an E/M code for a separately identifiable service by appending modifier 25 to the E/M code.

Billing/Reporting Influenza Vaccines for NC Health Choice Beneficiaries

The following table indicates the vaccine codes that may be either reported (with \$0.00) or billed (with the usual and customary charge) for influenza vaccine, depending on an NC Health Choice beneficiary's VFC eligibility (that is, if the beneficiary is AI/AN) and the formulation of the vaccine. The table also indicates the administration codes that may be billed.

Table 4

Influenza Billing Codes for NC Health Choice Beneficiaries 6 Years through 18 Years of Age Who Receive VFC Vaccine (MIC-A and MIC-S Eligibility Categories or Beneficiaries in Other Categories who Self-Declare AI/AN Status) or Purchased Vaccine (All Other NC Health Choice Eligibility Categories)

Vaccine CPT Code to	CPT Code Description
Report	
90672	Influenza virus vaccine, quadrivalent, live (LAIV4), for intranasal use
90674	Influenza virus vaccine, quadrivalent (ccIIV4), derived from cell cultures, subunit, preservative and antibiotic free, 0.5 mL dosage, for intramuscular use
90682	Influenza virus vaccine, quadrivalent (RIV4), derived from recombinant DNA, hemagglutinin (HA) protein only, preservative and antibiotic free, for intramuscular use
90686	Influenza virus vaccine, quadrivalent (IIV4), split virus, preservative free, 0.5 mL dosage, for intramuscular use
90688	Influenza virus vaccine, quadrivalent (IIV4), split virus, NOT preservative free, 0.5 mL dosage, for intramuscular use
90756	Influenza virus vaccine, quadrivalent (ccIIV4), derived from cell cultures, subunit, antibiotic free, 0.5 mL dosage, for intramuscular use:

Vaccine CPT Code to Report

Administrative CPT Code(s) to Bill

Administrative CPT Code(s) to Bill	CPT Code Description
90471TJ	Immunization administration (includes percutaneous, intradermal, subcutaneous or intramuscular injections); one vaccine (single or combination vaccine/toxoid)
+90472TJ (add-on code)*	Immunization administration (includes percutaneous, intradermal, subcutaneous or intramuscular injections); each additional vaccine (single and combination vaccine/toxoid) (List separately in addition to code for primary procedure).
90460TJ	Immunization administration through 18 years via any route of administration, with counseling by physician or other qualified health care professional.
90473TJ	Immunization administration by intranasal or oral route; 1 vaccine (single or combination vaccine/toxoid). <i>Do not report</i> 90473 in conjunction with 90471.

* 90472 will only be used if another vaccine is given in addition to the flu vaccine. Providers may bill more than one unit of 90472 as appropriate

Notes

- The EP modifier should **not** be billed on NC Health Choice claims. The TJ modifier should be used.
- There is no co-pay for office visits and wellness checks.

Immunization Billing for Medicaid and NC Health Choice Beneficiaries from FQHCs and RHCs

• For beneficiaries 0 through 20 years of age

If vaccines are provided through the NCIP/VFC, the center/clinic shall report the CPT vaccine codes (with \$0.00 billed) under Physician Services NPI and may bill for the administration codes (CPT procedure codes 90471EP through 90472EP OR 90460EP). This billing is appropriate when only vaccines are provided at the visit, or if vaccines were provided in conjunction with a wellness check. If a core visit was billed, CPT vaccine codes shall be reported (with \$0.00 billed) under Physician Services NPI and an administration code shall not be billed.

If **purchased vaccines (non-VFC eligible)** were administered, the center/clinic may bill the CPT vaccine codes (with their usual and customary charge) under the Physician Services NPI for the vaccines administered and may bill for the administration codes (with the usual and customary charge). This billing is appropriate if only vaccines were given at the visit or if vaccines were given in conjunction with a wellness check. If a core visit was billed, CPT vaccine codes shall be reported (with \$0.00 billed) under the Physician Services NPI provider number and the administration codes shall not be billed. For detailed billing guidance, refer to the *Health Check Billing Guide*.

Note: When billing for NC Health Choice beneficiaries, refer to the detailed billing guidance above including Table 4 and the Core Visit policy in <u>DHB's</u> <u>Provider Library web page</u>.

• For beneficiaries 21 years of age and older

When purchased vaccines are administered, CPT vaccine codes may be billed (with the usual and customary charge) and administration codes may be billed (with the usual and customary charge) under the Physician Services NPI. This is applicable when vaccine administration was the only service provided that visit. When a core visit is billed, the CPT vaccine code shall be reported (with \$0.00 billed) under the Physician Services NPI and an immunization administration code may not be billed.

For influenza vaccine and administration fee rates, refer to the <u>Physician's Drug</u> <u>Program fee schedule</u> and <u>Physician Services Fee Schedule</u>.

Immunization Billing for Medicaid Beneficiaries from Immunizing Pharmacies

• For beneficiaries 19 years of age and older

Effective Jan. 1, 2016, NC Medicaid will reimburse pharmacies for covered vaccines, including influenza vaccines, as permitted by G.S. 90-85.15B (see below) when administered to NC Medicaid beneficiaries 19 years of age and older by an immunizing pharmacist.

Table 5
Billing Codes to be used by Pharmacist for NC Medicaid
Beneficiaries 19 Years of Age or Older

Vaccine CPT Code to	CPT Code Description
Report	-
90653CG	Influenza vaccine, inactivated (IIV), subunit, adjuvanted, for
	intramuscular use
90662CG	Influenza virus vaccine (IIV), split virus, preservative free,
	enhanced immunogenicity via increased antigen content, for
	intramuscular use
90672CG	Influenza virus vaccine, quadrivalent, live (LAIV4), for intranasal
	use
90674CG	influenza virus vaccine, quadrivalent (ccIIV4), derived from cell
	cultures, subunit, preservative and antibiotic free, 0.5mL dosage,
	for intramuscular use
90682CG	Influenza virus vaccine, quadrivalent (RIV4), derived from
	recombinant DNA, hemagglutinin (HA) protein only, preservative
	and antibiotic free, for intramuscular use
90686CG	Influenza virus vaccine, quadrivalent (IIV4), split virus,
	preservative free, 0.5 mL dosage, for intramuscular use
90688CG	Influenza virus vaccine, quadrivalent (IIV4), split virus, NOT
	preservative free, 0.5 mL dosage, for intramuscular use
90756CG	Influenza virus vaccine, quadrivalent (ccIIV4), derived from cell
	cultures, subunit, antibiotic free, 0.5 mL dosage, for intramuscular
	use:

**The CG modifier must be appended to every vaccine and vaccine administration CPT code used to bill vaccines by pharmacists. The CG modifier identifies a Pharmacy Provider in NCTracks for vaccine claims billing purposes.*

Billing Codes to be used by Pharmacists for NC Medicaid Beneficiaries 19 Years of Age and Older

CPT Code(s)	CPT Code Description
90471CG	Immunization administration (includes percutaneous, intradermal,
	subcutaneous, or intramuscular injections); one vaccine (single or
	combination vaccine/toxoid)
90472CG (add-on	Immunization administration (includes percutaneous, intradermal,
code)*	subcutaneous, or intramuscular injections); each additional vaccine.
	(Separately list the add-on code(s) for each additional single vaccine
	and/or combination vaccine/toxoid administered, in addition to the
	primary procedure)
90473CG	Immunization administration by intranasal or oral route; 1 vaccine
	(single or combination vaccine/toxoid). Do not report 90473 in
	conjunction with 90471.

The CG modifier must be appended to every vaccine and vaccine administration CPT code used to bill vaccines by pharmacists. The CG modifier identifies a Pharmacy Provider in NCTracks for vaccine claims billing purposes. *Providers may bill more than one unit of 90472 as appropriate.

Detailed information about the regulations regarding pharmacist immunization can be found at <u>Pharmacist Administrated Vaccine and Reimbursement Guidelines</u> published in the October 2016 Medicaid Bulletin.

NDC's Change Each Year for Influenza Vaccines

Providers are required to use appropriate NDCs that correspond to the vaccine used for administration and corresponding CPT code. Note that not all products and NDCs under their respective CPT codes will be covered.

Influenza vaccines are licensed each year with new NDCs, so it is important to report the correct code for the products you are using to avoid having claims deny with edit 00996 (Mismatched NDC) which will require the claim to be resubmitted with the correct NDC. Below are the influenza vaccine procedure (CPT) codes and corresponding NDCs that should be used for the 2019-2020 influenza season:

CPT Codes	NDC codes
90653	Fluad: 70461-0019-03, 70461-0019-04
90662	Fluzone High-Dose: 49281-0405-65, 49281-0405-88
90672	FluMist Quadrivalent: 66019-0306-01, 66019-0306-10
90674	Flucelvax Quadrivalent: 70461-0319-03, 70461-0319-04
90682	Flublok Quadrivalent: 49281-0719-10, 49281-0719-88
90685	Fluzone Quadrivalent: 49281-0519-00, 49281-0519-25;
	Afluria Quadrivalent: 33332-0219-20, 33332-0219-21
90686	Afluria Quadrivalent: 33332-0319-01, 33332-0319-02
	Fluarix Quadrivalent: 58160-0896-41, 58160-0896-52
	FluLaval Quadrivalent: 19515-0906-41, 19515-0906-52
	Fluzone Quadrivalent syringe: 49281-0419-50, 49281-0419-88
	Fluzone Quadrivalent vial: 49281-0419-10, 49281-0419-58
90687	Fluzone Quadrivalent: 49281-0631-15, 49281-0631-78
90688	Afluria Quadrivalent: 33332-0419-10, 33332-0419-11
	FluLaval Quadrivalent: 19515-0897-01, 19515-0897-11
	Fluzone Quadrivalent: 49281-0631-15, 49281-0631-78
90756	Flucelvax Quadrivalent: 70461-0419-10, 70461-0419-11

CPT and NDC codes for the 2019-2020 Influenza Vaccine Products

GDIT, (800) 688-6696