


HIV in Baltimore City, Maryland

Colin Flynn, ScM

Chief, Center for HIV Surveillance, Epidemiology and Evaluation

October 17, 2019

HIV Diagnosis Trends




Living HIV Diagnoses, Year-end 2016 Ranked by Rates

Rank	Metropolitan Area	Reported Cases	Rate per 100,000
1	Miami-Fort Lauderdale-West Palm Beach, FL	53,269	872.2
2	New York-Newark-Jersey City, NY-NJ-PA	138,830	684.7
3	Baton Rouge, LA	5,097	610.0
4	Baltimore-Columbia-Towson, MD	17,013	607.4
5	New Orleans-Metairie, LA	7,679	604.1
6	Atlanta-Sandy Springs-Roswell, GA	32,043	552.9
7	Memphis, TN-MS-AR	6,926	514.9
8	Jackson, MS	2,911	502.3
9	San Francisco-Oakland-Hayward, CA	23,031	490.1
10	Columbia, SC	3,923	479.9
18	Philadelphia-Camden-Wilmington, PA-NJ-DE-MD	23,920	393.6
30	Washington-Arlington-Alexandria, DC-VA-MD-WV	20,038	325.8
	United States*	1,008,264	308.5

CDC. HIV Surveillance Report, 2017. Vol. 29. Table 30




2018 Continuum of Care






HIV Diagnosis Sex at Birth Trends

Number of HIV Diagnoses by Sex at Birth and Year of Diagnosis, Baltimore City 2010-2018




People Living with HIV by Gender




HIV Diagnosis Race/Ethnicity Trends

Number of HIV Diagnoses by Race/Ethnicity and Year of Diagnosis, Baltimore City 2010-2018




People Living with HIV by Race/Ethnicity




HIV Diagnosis Age Trends

Number of HIV Diagnoses by Age at Diagnosis and Year of Diagnosis, Baltimore City 2010-2018




2018 HIV Diagnoses, Age at Diagnosis

Age at Diagnosis of New 2018 HIV Diagnoses




People Living with HIV, Age on 12/31/18

Age on 12/31/2018 of Persons Living with Diagnosed HIV or AIDS




Age at Diagnosis vs. Current Age

Age at Diagnosis of New 2018 HIV Diagnoses versus Age on 12/31/2018 of Persons Living with Diagnosed HIV or AIDS



Estimated Percent Undiagnosed


Estimated Percent HIV Undiagnosed, United States, 2016 Total = 14.2%






HIV Diagnosis Exposure Trends


Number of HIV Diagnoses by Exposure Category and Year of Diagnosis, Baltimore City 2010-2018



People Living with HIV by Exposure



People Living with HIV by Exposure





New HIV Diagnoses

	N	%
2018 HIV Diagnoses	224	100.0%
Linked to Care within 1 mo.	176	78.6%
Linked to Care within 3 mos.	191	85.3%
Late Diagnoses	43	19.2%
Median First CD4 Count	407	cells/microliter
Estimated Mean Time to Diagnosis (MD)	6.5	years



Persons Living with HIV

	N	%
Estimated HIV Prevalence 12/31/18	12,484	100.0%
Diagnosed HIV	11,036	88.4%
In Care	8,970	71.9%
Recent CD4<200	864	6.9%
Virally Suppressed	7,412	66.2%



Epidemiological Profile





phpa.health.maryland.gov/ OIDEOR/CHSE

Baltimore City Annual HIV Epidemiological Profile

Data reported through June 30, 2019



Center for HIV Surveillance, Epidemiology and Evaluation Infectious Disease Prevention and Health Services Bureau Prevention and Health Promotion Administration http://phpa.health.maryland.gov/OIDEOR/CHSE

