



Windows PowerShell: Batch Files on Steroids

Doug Hennig
Stonefield Software Inc.
Email: dhennig@stonefield.com
Corporate Web sites: www.stonefieldquery.com
and www.stonefieldsoftware.com
Personal Web site : www.DougHennig.com
Blog: DougHennig.BlogSpot.com
Twitter: [DougHennig](https://twitter.com/DougHennig)

Windows PowerShell has been included with the operating system since Windows 7 and is available for download for older systems. What is PowerShell? It's Microsoft's task automation scripting framework. PowerShell isn't just a replacement for batch files; it can do a lot more than batch files ever could. This session looks at PowerShell, including why you should start using it and how to create PowerShell scripts.

Introduction

While having a graphical user interface like Microsoft Windows is great for both ease-of-use and productivity, nothing beats commands for performing repetitive tasks. After all, a single command can replace clicking buttons, choosing menu items, and selecting choices in dialogs. Microsoft has provided a command-line interface ever since the first release of DOS. It also provided a way to put multiple commands into a text file with a “bat” extension (a “batch” file) and have one command execute all of the commands in the file.

If you’ve ever used batch files to automate system tasks, you know they have numerous shortcomings. Error handling is rudimentary and the list of commands is short, so there’s really only a small set of things you can do with batch files, like copying or moving files.

Although the command shell (cmd.exe) and batch files are still available in Windows, they’ve been supplanted in functionality by Windows PowerShell. PowerShell has been around for several years. Starting with Windows 7, it ships with the operating system and is available for download for older systems. The latest version is 4.0, which comes with Windows 8.1 and Windows Server 2012 R2 and can be installed on older systems.

The key things to know about PowerShell are:

- It’s built on the .NET framework, so it has full access to .NET’s extensive class library.
- It also has full access to COM and WMI, so it can do just about any system administrative task.
- PowerShell statements are interpreted rather than compiled, so they can be executed interactively in PowerShell’s console window.
- PowerShell is dynamically rather than statically typed, so it works more like VFP than like .NET for data typing.
- Like .NET, everything in PowerShell is an object.

What is PowerShell good for?

In a word, everything:

- Server administration: restart or shutdown servers, change passwords, restart services, terminate processes, or just about any other task you can think of.
- Web server administration: manage web sites, application pools, and virtual directories.
- Workstation administration: perform backups, create user accounts, set or determine configuration settings, kill processes, and so on.
- Application administration: many tasks you would perform using a GUI to manage tools like SQL Server and Exchange Server are available as PowerShell commands.

- Anything else you want to automate. Later in this document, we'll look at automating deploying VFP applications.

Here's a simple example: suppose you want to document the values of system environment variables. Here's how you do it using the Windows 8.1 GUI:

- Right-click the Windows Start button and choose System.
- Click the *Advanced system settings* link.
- Click the *Environment Variables* button.
- For each one, click the Edit button, copy the name and the values, and paste them into the documentation.

Here's how to do it using PowerShell:

- Launch PowerShell; the next section discusses several ways to do that.
- Type the following:

```
dir env: | select key, value | export-csv result.csv
```

Not only does this one statement save time, it can also be automated, which the GUI steps cannot.

Starting with PowerShell

The easiest way to starting playing with PowerShell is to open a console window. There are several ways you can do that:

Windows 8

- Open File Explorer, choose the File tab, and select either *Open Windows PowerShell* or *Open Windows PowerShell as administrator* to open a window in the current folder.
- Press Windows-S to open Search, type "PowerShell," and select *Windows PowerShell* from the list of matches. Right-click it and choose *Run as administrator* if necessary.

Older operating systems

- Click the Start button, choose All Programs, Accessories, Windows PowerShell, and select Windows PowerShell. Right-click it and choose *Run as administrator* if necessary.
- Click the Start button, type "PowerShell" in the search box, and select Windows PowerShell. Right-click it and choose *Run as administrator* if necessary.
- From a Windows Explorer window, type "powershell" in the address bar.

PowerShell is located in `C:\Windows\System32\WindowsPowerShell\v1.0`, so you can also run `PowerShell.exe` in that folder.

The console window is shown in **Figure 1**.




Figure 1. The Windows PowerShell console looks very much like the `Cmd.exe` console.

The first thing to know about the console window is that any `Cmd.exe` command works. So, you can type `cls` (to clear the display), `dir`, `cd`, or the name of an executable or BAT file.


The second thing to know about the console window is that you can customize it a bit by clicking the icon in the title bar and choosing `Properties` from the shortcut menu. You can change the font, the cursor size, the window size, and text and background colors.

Let's explore some of PowerShell using the console window.

Variables

PowerShell variable names start with "\$", are not case-sensitive, and can contain any character except "!", "@", "#", "%", "&," comma, period, and space. You should avoid using reserved words (use `Get-Help about_reserved_words` for a list of them) and built-in variable names (`Get-Help about_automatic_variables` shows a list). Also, variable names starting with "Data" seem to cause problems. The normal naming convention for variables is camel case, such as "myVariableName."


Variables are assigned a value with "=". You can output the value of a variable using just its name or with the `Write-Host` command, as shown in **Figure 2**.



```
Windows PowerShell
PS D:\Development\Writing\Sessions\PowerShell\Samples> $helloWorld = "Hello World"
PS D:\Development\Writing\Sessions\PowerShell\Samples> $helloWorld
Hello World
PS D:\Development\Writing\Sessions\PowerShell\Samples> write-host $HelloWorld
Hello World
PS D:\Development\Writing\Sessions\PowerShell\Samples>
```

Figure 2. Assign a value to a variable using “=” and display it by typing its name or using Write-Host.

Variables can be passed to commands. In **Figure 3**, the variable \$folder is passed to the dir command.



```
Windows PowerShell
PS D:\Development\Writing\Sessions\PowerShell\Samples> $folder = "c:\users"
PS D:\Development\Writing\Sessions\PowerShell\Samples> dir $folder

Directory: C:\users

Mode                LastWriteTime         Length Name
----                -
d-----           04/13/2014  11:30 AM             AdminDoug
d-----           11/21/2013  10:13 AM             Administrator
d-----           04/13/2014  11:28 AM             Default.migrated
d-----           04/29/2014   1:56 PM             dhennig
d-----           11/21/2013  10:13 AM             dhenn_000
d-----           04/13/2014  11:30 AM             DougHennig
d-r--           04/13/2014  11:28 AM             Public
d-----           04/10/2014   6:10 PM             TEMP
d-----           04/13/2014  11:31 AM             UpdatusUser

PS D:\Development\Writing\Sessions\PowerShell\Samples>
```

Figure 3. Variables can be passed to commands.

Variables can be one of the data types shown in **Table 1**. PowerShell automatically determines the data type when you assign a value:

```
$v1 = "1"
$v2 = 1
$v3 = 1.1
```

In this case, \$v1 is a string, \$v2 an int, and \$v3 a decimal. PowerShell also does automatic type conversion when necessary:

```
"1" + 1  
1 + "1"
```

The first statement displays “11” while the second displays “2.”


You can also specify the data type in square brackets:

```
[int]$value = 10
```

Table 1. Data types in PowerShell.

Type	Description
[int]	32-bit signed integer
[long]	64-bit signed integer
[string]	Fixed-length string of Unicode characters
[char]	Unicode 16-bit character
[byte]	8-bit unsigned character
[bool]	Boolean True/False value
[decimal]	128-bit decimal value
[single]	Single-precision 32-bit floating point number
[double]	Double-precision 64-bit floating point number
[xml]	Xml object
[array]	Array of values
[hashtable]	Hashtable object

String literals can either be surrounded with single or double quotes. The difference between the two is that double quotes cause “interpolation,” or expansion of variables, while single quotes don’t. See **Figure 4** for an example.



```
Windows PowerShell  
PS D:\Development\Writing\Sessions\PowerShell\Samples> $v1 = "quick"  
PS D:\Development\Writing\Sessions\PowerShell\Samples> $v2 = "The $v1 brown fox"  
PS D:\Development\Writing\Sessions\PowerShell\Samples> $v3 = 'The $v1 brown fox'  
PS D:\Development\Writing\Sessions\PowerShell\Samples> $v2  
The quick brown fox  
PS D:\Development\Writing\Sessions\PowerShell\Samples> $v3  
The $v1 brown fox  
PS D:\Development\Writing\Sessions\PowerShell\Samples>
```

Figure 4. Double quotes cause interpolation; single quotes don’t

Use “+” to concatenate strings. In this code, “Windows PowerShell” is displayed:

```
$v1 = "Windows"  
$v2 = "PowerShell"
```

```
$v1 + ' ' + $v2
```

Like VFP macros, a period ends a variable in evaluation:

```
$here = get-item .  
"Hello $here.Name"
```

This displays “Hello *path*.Name” rather than the expected “Hello *pathname*,” where *path* is the current folder. That happens because the period terminates the variable name rather than being used as the dot between the object and member names. In VFP, we’d handle this by using two periods, one to terminate the variable name and one for the dot notation. In PowerShell, use:

```
"Hello $($here.Name)"
```

Arrays are zero-based indexed lists of variables. You can specify an array using a comma-delimited list of values using one of the following ways:

```
$a = 1, 2, 3  
$b = @(4, 5, 6)
```

Use “@()” for an empty array:

```
$c = @()  
$c.Count
```

“+” adds an element to an array or can even combine arrays:

```
$a + 4  
$a + $b
```


Arrays can be mixed data types:

```
$b + "text"
```

Use “array[index]” to access individual elements or “startIndex..EndIndex” for a range of values:

```
$a[0]  
$b[1..2]
```

See **Figure 5** for the results of these operations.

A screenshot of a Windows PowerShell window titled "Windows PowerShell". The window has a blue title bar with standard Windows window controls (minimize, maximize, close). The background is dark blue, and the text is white. The terminal shows the following commands and output:


```
PS D:\Development\Writing\Sessions\PowerShell\Samples> $a = 1, 2, 3
PS D:\Development\Writing\Sessions\PowerShell\Samples> $b = @(4, 5, 6)
PS D:\Development\Writing\Sessions\PowerShell\Samples> $c = @()
PS D:\Development\Writing\Sessions\PowerShell\Samples> $c.Count
0
PS D:\Development\Writing\Sessions\PowerShell\Samples> $a + 4
1
2
3
4
PS D:\Development\Writing\Sessions\PowerShell\Samples> $a + $b
1
2
3
4
5
6
PS D:\Development\Writing\Sessions\PowerShell\Samples> $b + "text"
4
5
6
text
PS D:\Development\Writing\Sessions\PowerShell\Samples> $a[0]
1
PS D:\Development\Writing\Sessions\PowerShell\Samples> $b[1..2]
5
6
PS D:\Development\Writing\Sessions\PowerShell\Samples>
```

Figure 5. Arrays are easy to work with in PowerShell.

A HashTable stores name-value pairs of any data type and length. To declare a HashTable, use similar syntax to arrays but with curly braces instead of parenthesis and semi-colons instead of commas.

```
$organizers = @{"TEG" = "Tamar Granor"; "RAS" = "Rick Schummer"; "DH" = "Doug Hennig"}
$organizers
$organizers["RAS"]
$organizers["SP"] = "Steffen Pirsig"
$organizers
$organizers.Remove("SP")
$organizers
$organizers.Clear()
$organizers
```

See **Figure 6** for the results.



```
Select Windows PowerShell
PS D:\Development\Writing\Sessions\PowerShell\Samples> $organizers = @{"TEG" = "Tamar Granor"; "RAS" = "Rick Schummer";
"DH" = "Doug Hennig"}
PS D:\Development\Writing\Sessions\PowerShell\Samples> $organizers

Name                Value
----                -
DH                  Doug Hennig
RAS                 Rick Schummer
TEG                 Tamar Granor

PS D:\Development\Writing\Sessions\PowerShell\Samples> $organizers["RAS"]
Rick Schummer
PS D:\Development\Writing\Sessions\PowerShell\Samples> $organizers["SP"] = "Steffen Pirsig"
PS D:\Development\Writing\Sessions\PowerShell\Samples> $organizers

Name                Value
----                -
DH                  Doug Hennig
RAS                 Rick Schummer
SP                  Steffen Pirsig
TEG                 Tamar Granor

PS D:\Development\Writing\Sessions\PowerShell\Samples> $organizers.Remove("SP")
PS D:\Development\Writing\Sessions\PowerShell\Samples> $organizers

Name                Value
----                -
DH                  Doug Hennig
RAS                 Rick Schummer
TEG                 Tamar Granor

PS D:\Development\Writing\Sessions\PowerShell\Samples> $organizers.Clear()
PS D:\Development\Writing\Sessions\PowerShell\Samples> $organizers
PS D:\Development\Writing\Sessions\PowerShell\Samples>
```

Figure 6. A Hashtable is a list of name-value pairs that can be accessed by name or index.

PowerShell ISE

While the PowerShell console window is fine for playing around, eventually you'll want a better environment to work in. That environment is PowerShell ISE (interactive scripting environment). ISE has a built-in console window, a script editor, an integrated debugger, and IntelliSense for commands, so like the VFP or Visual Studio interactive development environments (IDEs), it's a better environment to work in. See **Figure 7** to see what ISE looks like.




Figure 7. PowerShell ISE is an interactive development environment for PowerShell.

To run PowerShell ISE, search for “powershell ise” or run `PowerShell_ise.exe` in `C:\Windows\System32\WindowsPowerShell\v1.0`. You can also right-click a `ps1` file (a PowerShell script file we’ll discuss later) and choose Edit, or from a Windows Explorer window, type “powershell_ise” in the address bar.

In addition to the usual menu, toolbar, and status bar of most IDEs, ISE has three main areas:

- The script pane is an editor where you work on a script file. It’s similar to the program editor in VFP: it has IntelliSense and syntax coloring to assist with editing commands.
- The Commands pane shows a list of commands. You can search the list by name, filter by module, and see the syntax and parameters for the selected command.
- The console pane is similar to the console window but adds IntelliSense so it’s a lot easier to work in.

In both the script and console panes, command completion makes it easy to enter a command. Type the first part of the command and, as you can see in **Figure 8**, IntelliSense lists matching commands. Hit Tab for command completion; that is, inserting the selected item into the text. This even works for non-command things like “CD .\;” a list of directories pops up and you can press Tab to enter the selected one.




Figure 8. The console pane in ISE includes IntelliSense.

Commands

There are four types of commands in PowerShell:

- Native commands
- Cmdlets
- Scripts
- Functions

I discussed native commands earlier so let's look at the others.

Cmdlets

Cmdlets are commands built into PowerShell. Their names are standardized to use verb-noun syntax. For example, `Get-Item` displays information about the specified folder:

```
Get-item .  
$here = get-item .  
$here.Name
```

```
$here.GetType()
```

Notice that PowerShell cmdlets are also not case-sensitive; `Get-Item`, `Get-item`, and `get-item` all do the same thing.

To see a list of cmdlets, use `Get-Command`; see **Figure 9**.




Figure 9. `Get-command` lists all commands.

To see commands using a particular verb, use `Get-Command -verb verb`, such as `Get-Command -verb get`. Common verbs are `add`, `clear`, `get`, `new`, and `set`. For commands using a particular noun, use `Get-Command -noun noun`, such as `Get-Command -noun service`. For a list of verbs, use `Get-Verb`. See **Figure 10**.




Figure 10. `Get-Command -noun` lists nouns and `Get-Verb` lists verbs.

`Get-Help` is a great command because it gives you help about PowerShell. `Get-Help cmdlet` displays help about the specified cmdlet (see **Figure 11**). Interestingly, the text displayed by `Get-Help` isn't built into PowerShell but is instead in the scripts that create the cmdlet; we'll see that later in the "Documenting your scripts" section. `Get-Help cmdlet -examples` shows examples of the command.




Figure 11. Get-help is a great way to see information about a specific item.

Many cmdlets have abbreviated names, known as aliases. For example, "gi" is the alias for `Get-Item`. Helpfully, some well-known DOS commands, like `cd` and `dir`, are just abbreviations for PowerShell commands (`Set-Location` and `Get-ChildItem`, in this case). Use `Get-Alias` or its alias `gal` to see a list of aliases. See **Figure 12**.

You can create your own aliases using `Set-Alias alias command`. However, user-defined aliases are only in effect for that PowerShell session and are forgotten once you've closed it. If you want to use a certain set of aliases regularly, use the `Export-Alias` and `Import-Aliases` commands to write to and read from text files of aliases.

Like FoxPro commands and functions, which in general can be abbreviated to the first four letters of the name, abbreviations are fine for use at the command line but I don't recommend using them in scripts for reasons of clarity.




Figure 12. Aliases, such as “gi” for “get-item,” make typing in the command window easier.

Table 2 lists some commonly used cmdlets.

Table 2. Commonly used cmdlets.

Name	Description
Add-Content	Writes to a file. Similar to the VFP STRTOFILE() function.
Get-ChildItem	Gets the items in the specified path. Similar to the VFP ADIR() function but can work with other things such as environment variables and the Windows Registry, and has a lot of flexibility including recursively reading subdirectories.
Get-Content	Reads the content of a file. Similar to the VFP FILETOSTR() function.
Get-Date	Gets the current date. Similar to the VFP DATE() function.
Get-ItemProperty	Gets the properties of the specified item. Often used to get values from the Registry.
Get-Location	Gets the current location. Similar to the VFP CURDIR() function.
Get-Member	Displays a list of the members of the specified object (remember that everything in PowerShell is an object). Similar to the VFP AMEMBERS() function.
Get-Variable	Lists variables. Similar to the VFP DISPLAY MEMORY command.
New-Object	Instantiates the specified class. Similar to the VFP NEWOBJECT() function.
Remove-Item	Removes the specified item. Similar to the VFP ERASE and RD commands but can be recursive and can handle non-empty folders.
Test-Path	Determines if the specified path exists. Similar to the VFP FILE() and DIRECTORY() functions, although it works on any path, including Registry entries.
Write-Host	Outputs to the console. Similar to the VFP ? command.

Scripts

A PowerShell script is a text file with a “ps1” extension that contains PowerShell statements. Although you can use any text editor to create a script, as we saw earlier, using PowerShell ISE is the preferred editing environment. You can type the statements in a new script or open and edit an existing script file

To run a script, click the green arrow in the toolbar or press F5. One thing you’ll quickly find is that by default, PowerShell execution policy prevents running scripts (**Figure 13**).





Figure 13. By default, running PowerShell scripts is disabled.

To allow script execution, use `Set-ExecutionPolicy level`, where *level* is one of the levels shown in **Table 3**. Note that you either need to run PowerShell as administrator or add `-scope currentuser` to the command.

Table 3. Use one of these settings with `Set-ExecutionPolicy` to control script execution.

Type	Description
Restricted	Scripts cannot be executed.
AllSigned	All scripts must be signed by a trusted publisher.
RemoteSigned	Scripts downloaded from the Internet must be signed by a trusted publisher.
Unrestricted	Scripts can be executed. You are prompted for permissions before running scripts downloaded from the Internet.

Interestingly, although you can run a script in ISE by simply typing its name in the console pane, that doesn’t quite work in the console window; see **Figure 14** for an example.



```
Windows PowerShell
PS D:\Development\Writing\Sessions\PowerShell\Samples> helloworld
helloworld : The term 'helloworld' is not recognized as the name of a cmdlet, function, script file, or operable
program. Check the spelling of the name, or if a path was included, verify that the path is correct and try again.
At line:1 char:1
+ helloworld
+ ~~~~~
+ CategoryInfo          : ObjectNotFound: (helloworld:String) [], CommandNotFoundException
+ FullyQualifiedErrorId : CommandNotFoundException

Suggestion [3,General]: The command helloworld was not found, but does exist in the current location. Windows PowerShell
does not load commands from the current location by default. If you trust this command, instead type ".\helloworld". See
"get-help about_Command_Precedence" for more details.
PS D:\Development\Writing\Sessions\PowerShell\Samples>
```

Figure 14. Running a script in the console window gives an error unless you prefix it with “.\.”

As the hint suggests, prefix the script name with .\ to run it as an “encapsulated” script; that is, like a separate application. This is sometimes called “dot source running.” You can also run a script using . .\script (that is, a period, a space, a period, a backslash, then the script name), which runs the script as part of the command session, which means variables can overwrite each other. This probably isn’t practical in a production environment but is handy for testing and debugging.

Speaking of debugging, debugging PowerShell scripts is very much like debugging in other IDEs. Set or clear a breakpoint on a statement by choosing Toggle Breakpoint from the Debug menu or pressing F9. Start running a script or continue to the next breakpoint using Run/Continue in the Debug menu or F5. Step through code using the Step Over, Step Into, and Step Out items in the Debug menu (F10, F11, and Shift-F11, respectively). Stop debugging using Stop Debugger in the Debug menu or Shift-F5. The console pane acts like the VFP Command window in that you can change the values of variables, execute other commands while execution is paused, and so on.

Some other things to know about scripts:

- “#” is the comment begin character, similar to “*” in VFP:

```
# Get the current folder.
$currFolder = Get-Location
```
- “&” runs an executable program, similar to “!” in VFP. For example, this code runs VFP with a parameter:

```
$VFPexe = "C:\Program Files (x86)\Microsoft Visual FoxPro 9\vfp9.exe"
$buildConfig = "-c$currFolder\Build.fpw"
& $VFPexe $buildConfig
```

PowerShell profile

A profile is a script that runs when PowerShell starts, similar to the Startup Program setting in VFP. The path of the profile is contained in the built-in variable \$profile; by

default, it contains “C:\Users*username*\Documents\WindowsPowerShell\Microsoft.PowerShell_profile.ps1,” but that script file isn’t created automatically.

The following set of commands checks whether the file specified in `$profile` exists, creates the file, and opens it in Notepad:

```
Test-Path $Profile
New-Item -Path $Profile -ItemType file -Force
notepad $Profile
```

Some of the things you can do in the profile are load aliases, load frequently-used modules (I’ll discuss modules later), set the default path, and so on.

Functions

Functions in PowerShell are just like user-defined functions in VFP. The syntax for a function is:

```
function Name(parameters)
{
    code
}
```

Here’s an example:

```
function Get-Greeting()
{
    "Hello, Doug"
}
```

Here are some function concepts:

- The function name doesn’t have to follow verb-noun syntax. Here’s the same function with a different name:

```
function Hello-World()
{
    "Hello, Doug"
}
```
- As you can see in these examples, parameters are not required in the function definition.
- Parameters can be specified as shown in the syntax above, using a `param` statement, which must be the first thing in the code block, or not at all but retrieved using the `$args` variable.

```
function Hello-World()
{
    param ($name)
    "Hello, $name"
}
```

```
function Test-Args()
{
    $passed = $args[0] + " " + $args[1]
    "The parameters are $passed"
}
```

- Parameters are referenced like variables—that is, they are prefixed with “\$”—and can either be data-typed or not. Multiple parameters are separated with commas.

```
function Hello-World([string]$name)
{
    "Hello, $name"
}
```

- Even if they are included in the definition, parameters don’t have to be passed unless they’re mandatory (see the next point); the variables specified as parameter names are null or false in that case. Use something like the following to determine if a parameter was passed a value:

```
if (!$name)
```

- You can specify that a parameter must be passed a value using the mandatory keyword. You’re prompted for missing values when the script is run in ISE but get an error otherwise.

```
function Hello-World([parameter(mandatory=$true)] $name)
{
    "Hello $name"
}
```

- You can specify a default value for parameters that aren’t passed:

```
function Hello-World()
{
    param ($name = "Unknown")
    "Hello, $name"
}

function Hello-World($name = "Unknown")
{
    "Hello, $name"
}
```

- Use the return statement to return a value from the function.

Similar to a VFP PRG file, if a script file contains only a function, executing the script file won’t do anything. You have to “load” the script file for PowerShell to recognize its functions. To do that, type period, space, and the path to the script file (which you need to prefix with “\.” For example, to make the Get-Greeting function available, do the following (assuming it’s in a script file named GetGreeting.ps1):

```
. .\GetGreeting.ps1
```

Now you can type “Get-” and see “Get-Greeting” in the IntelliSense list.

Note that if you name the script file and the function the same, PowerShell gets a little confused and sometimes lists both. For that reason, I suggest using a different script file name.

To avoid having to do this every time you start ISE, you can load your functions at startup by adding the appropriate commands to your profile.

Documenting your scripts

As I mentioned earlier, `Get-Help` doesn't display hard-coded text but instead reads the help information from the script file. This is called “comment-based help.” To add documentation to your own script files, use syntax like the following:

```
function MyFunction($someParameter)
{
    <#
    .Synopsis
    This describes what the function does.

    .Description
    This is a longer description of the function.

    .Example
    Show the syntax here

    Describe what happens here. You can have multiple .Example sections.

    .Parameter someParameter
    Discuss the parameter.

    .Notes
    Anything you want, such as your name.

    .Link
    The URL for documentation, your web site, etc.
    #>

    # Code for the function
}
```

Other keywords are available; see <http://tinyurl.com/orlvxte> for more information on comment-based help.

To display help for the function, use `Get-Help function` or `Get-Help function -full`, where *function* is the function name.

Modules

A module is a PowerShell script with a “psm1” extension. Modules usually consist of functions so they don't execute when loaded but simply make those functions available to

other scripts. The environment variable `psModulePath`, which you can see in PowerShell using `$env:psModulePath`, contains the paths for modules. To load a module, use `Import-Module moduleName`. The `Get-Module` command lists loaded modules.

You can create your own module by creating a script with a “psm1” extension rather than “ps1.” Putting your psm1 file into one of the folders in the modules path, usually `C:\Users\UserName\Documents\WindowsPowerShell\Modules`, makes it available to be imported into any script.

Lots of modules are available for PowerShell. Some popular ones are:

- PSCX (PowerShell Community Extensions; <http://pscx.codeplex.com>) provides features like SQL queries against databases, zipping and unzipping files, reading from and writing to the clipboard, and so on.
- PsGet (<http://psget.net>) makes it easy to find and install other modules.
- Posh-Hg and Posh-Git (available using PsGet) provide PowerShell integration with the Mercurial and Git version control systems.
- The popular application installer Chocolatey (<https://chocolatey.org>) is actually a PowerShell module that supports downloading and installing thousands of applications using a single command. We’ll see this in the “Automating application installation” section of this document.

Operators

PowerShell uses the comparison operators shown in **Table 4**. Note that comparisons are case-insensitive; use a prefix of “c” (such as “-ceq”) for a case-sensitive comparison. If the item being compared is a scalar value, the result of the comparison is true or false. If the item is a collection or array, the result is any matching values.

Table 4. PowerShell comparison operators.

Operator	Description
-eq	Equals
-ne	Not equals
-gt	Greater than
-lt	Less than
-ge	Greater than or equals
-le	Less than or equal
-like	Like; you can use “*” as a wildcard character.
-notlike	Not like
-contains	Contains
-notcontains	Does not contain
-in	In a list
-notin	Not in a list

PowerShell has three logical operators: “-not” (or its abbreviation “!”), “-and,” and “-or.”

PowerShell has several assignment operators. “++” is the increment operator; “\$i++” is the equivalent of “\$i = \$i + 1.” Similarly, “--” is the decrement operator. “+=” adds the specified value; “\$x += \$y” is the equivalent of “\$x = \$x + \$y.”

Branching code

Like VFP, PowerShell has an `if` statement that allows conditional branches. Here’s the syntax:

```
if (some condition)
{
    statement(s)
}
```

The condition must be in parentheses and be an expression that returns a Boolean value and the statements must be surrounded by curly braces. Typically, you’ll compare one value to another using one of the comparison operators listed in **Table 4**. You can combine expressions using logical operators discussed earlier.

The `else` and `elseif` statements provide alternate execution paths:

```
if (some condition)
{
    statement(s)
}
elseif
{
    statement(s)
}
elseif
{
    statement(s)
}
else
{
    statement(s)
}
```

The PowerShell `switch` statement is similar to the VFP DO CASE structure, but not as flexible: rather than each CASE statement being a complete Boolean expression, including function and method calls, `switch` only allows you to test the various possible values of a single expression (although it doesn’t have to be, and is rarely, Boolean). Here’s the syntax:

```
switch (expression)
{
    value1
    {
        statement(s)
    }
    value2
    {
        statement(s)
    }
}
```

```
    }  
    default  
    {  
        statement(s)  
    }  
}
```

Here are some comments about this:

- Like `if`, the expression must be in parentheses and the statements must be surrounded with curly braces.
- `default` is the PowerShell equivalent of VFP's `otherwise`. It's not required but is a good idea.

`Branching.ps1`, one of the files accompanying this document, shows examples of `if` and `switch` statements.

```
$a = 3  
$b = ""  
  
# IF  
if ($a -eq 1)  
{  
    $b = "Red"  
}  
elseif ($a -eq 2)  
{  
    $b = "Blue"  
}  
if ($a -eq 3)  
{  
    $b = "Green"  
}  
Write-Host $b  
  
# SWITCH  
$a = 1  
switch ($a)  
{  
    1 {$b = "Red"}  
    2 {$b = "Blue"}  
    3 {$b = "Green"}  
    default {$b = "Unknown"}  
}  
Write-Host $b
```

Loops

PowerShell has the traditional set of looping constructs: `do/while/until`, `for`, and `foreach`. In addition, it has two commands that control loop execution: `break` and `continue`.

do while, while, and do until

`do while` and `while` execute a block of code as long as a condition is true. The difference is that `do while` tests the condition at the end so it executes at least once; `while` tests the condition at the start so it may not execute at all. This code outputs the numbers 1 through 5:

```
$i = 1
do
{
    Write-Host $i
    $i++
}
while ($i -le 5)
```

`do until` is the opposite of `do while`: it executes until the condition becomes true.

```
$i = 1
do
{
    Write-Host $i
    $i++
}
until ($i -gt 5)
```

for

The `for` command use the same syntax as C, C#, JavaScript, and similar languages:

```
for (initialization; termination condition; repeat expression)
```

Initialization typically initializes a loop counter to a starting value, the termination condition specifies when the loop is done, and the repeat expression typically increments the loop counter. For example:

```
for ($i = 1; $i -lt 6; $i++)
{
    Write-Host $i
}
```

foreach

`foreach` executes a block of code once for each item in an array or collection. It uses similar syntax to VFP and other C-like languages. For example, this code lists all of the files in the current folder and its subdirectories:

```
$currFolder = Get-Location
foreach($item in (Get-ChildItem -Path $currFolder -Recurse -File))
{
    $source = $item.DirectoryName + "\" + $item
    Write-Host $source
}
```

break and continue

In VFP, if you need to break out of a loop early, you use the `exit` command. In PowerShell use `break` instead. The PowerShell equivalent of VFP's `loop` command, which skips to the next iteration, is `continue`.

Error handling


PowerShell has the familiar `try/catch/finally` construct for handling errors. You can even throw an exception. See the code in the "Backing up files" section of this document for an example.

"\$?" is a built-in variable containing the status of the last statement. If it's true, the statement succeeded. It can be used, for example, in branching code to do different things based on whether the code was successful or not.

If an error occurred, the built-in variable `$Error` can be used to retrieve the error information. The "Backing up files" section of this document also has an example.

Pipelining

Pipelining means sending the output of one command to the input of another. For example, `Get-ChildItem` lists the files in the current folder while `Sort-Object` sorts a collection by some attribute. What happens if we send the output of `Get-ChildItem` to `Sort-Object`? See **Figure 15** for the results. The pipe ("`|`") character causes the pipelining to occur.



```
Windows PowerShell
PS D:\Development\Writing\Sessions\PowerShell\Samples> get-childitem

Directory: D:\Development\Writing\Sessions\PowerShell\Samples

Mode                LastWriteTime         Length Name
----                -
d-----          06/19/2014 10:19 AM             BuildSetup
-a----          06/20/2014 10:28 AM          1095 Backup.ps1
-a----          06/19/2014 12:32 PM           311 Branching.ps1
-a----          06/19/2014  2:18 PM          1341 DUMPMEBackup.ps1
-a----          05/11/2014  8:30 AM            42 HelloWorld.ps1
-a----          06/19/2014 11:51 AM           610 Loops.ps1

PS D:\Development\Writing\Sessions\PowerShell\Samples> get-childitem | sort-object length

Directory: D:\Development\Writing\Sessions\PowerShell\Samples

Mode                LastWriteTime         Length Name
----                -
-a----          05/11/2014  8:30 AM            42 HelloWorld.ps1
-a----          06/19/2014 12:32 PM           311 Branching.ps1
-a----          06/19/2014 11:51 AM           610 Loops.ps1
-a----          06/20/2014 10:28 AM          1095 Backup.ps1
-a----          06/19/2014  2:18 PM          1341 DUMPMEBackup.ps1
d-----          06/19/2014 10:19 AM             BuildSetup

PS D:\Development\Writing\Sessions\PowerShell\Samples>
```

Figure 15. The result of piping the output of `Get-ChildItem` to `Sort-Object`.

A special kind of piping cmdlet is a filter. A filter takes something as an input, removes unwanted items, and sends the rest as output. One built-in filter is `Where-Object`, which acts like the `WHERE` clause in a SQL statement. **Figure 16** shows the result of this command:

```
Get-ChildItem | Where-Object {$_.Length -gt 1000} | Sort-Object Length
```




Figure 16. Using `Where-Object` to filter a list.

The built-in variable `$_` means the current item being examined by the filter cmdlet. In this case, it only returns items whose `Length` property is greater than 1,000 bytes.

Your own scripts can support pipelining using the built-in variable `$input`, which contains the pipelined data. For example, this one-line script in a file named `FindVFP.ps1` looks through the input piped to it for a file named “vfp9.exe:”

```
$input | Where-Object {$_.Name -eq "vfp9.exe"}
```

This command shows the location of `vfp9.exe` somewhere under `C:\Program Files (x86)` (you could use `C:\` instead but that would take longer):

```
Get-ChildItem 'C:\Program Files (x86)' - Recurse | FindVFP
```

You can also create your own filter. Although the `FindVFP` script acts like a filter, it doesn’t start executing until `$input` has been completely filled with data. A filter, on the other hand, starts processing immediately, using the `$_` variable for the current item. The only difference between a filter and a function is the “filter” keyword.

For example, here’s a filter, taken from <http://tinyurl.com/om8v2fc>, which filters out anything not containing the specified keyword:

```
filter Grep($keyword)
{
    if ((($_ | Out-String) -like "$keyword*")
    {
```

```
}
    $-
}
```

The following command lists all PRG files in the current folder and all subdirectories:

```
Get-ChildItem -Recurse | Grep .prg
```

Working with .NET

Since PowerShell is based on the .NET framework, it's easy to use .NET classes in PowerShell statements. The `new-object` cmdlet instantiates the specified class; "System" is inferred so you don't have to specify that namespace. For example:

```
$web = New-Object Net.WebClient
$web.DownloadFile("http://www.swfox.net/speakers/doughennig.jpg",
    "$((Get-Location).Path)\Doug.jpg")
```

instantiates the `System.Net.WebClient` class and downloads a file. You can use `Get-Member` to see a list of the members of the instantiated object.

To call a static member of a class, use the syntax `[Class]::Member`. For example, this gets a new Guid:

```
$guid = [Guid]::NewGuid()
```

Script examples

Let's look at some examples of scripts to learn more about how they work.

Automating application installation

Chocolatey is a PowerShell utility that automates the installation of Windows applications. It saves you having to manually navigate to the publisher's web site, finding the correct download link, and downloading and installing the application. As of this writing, nearly 2,000 applications can be installed using Chocolatey, including Google Chrome, Firefox, Microsoft SQL Server Express, Microsoft Visual Studio, Notepad++, Filezilla, Git, Mercurial, Skype, Dropbox, and so on (obviously, you'll need valid license keys for some applications). You can read more about Chocolatey and see a list of the available applications at <http://chocolatey.org>. Scott Hanselman also had an informative blog post about it at <http://tinyurl.com/pmdhfv5>.

You can install Chocolatey with a single, albeit complex, command:

```
@powershell -NoProfile -ExecutionPolicy unrestricted -Command
    "iex ((new-object net.webclient)
    .DownloadString('https://chocolatey.org/install.ps1'))" &&
    SET PATH=%PATH%;%systemdrive%\chocolatey\bin
```

This is actually three statements in one:

- @powershell invokes PowerShell from any command window, and the statement prior to “-Command” tells PowerShell to allow unrestricted script execution.
- The text between “-Command” and “&&” instantiates the .NET WebClient class, tells it to download Install.ps1 from chocolatey.org, and runs it.
- The SET PATH statement adds Chocolatey to your path so it can be executed from anywhere.

Using Chocolatey to install an application is as easy as typing `cinst appName` in a command window. <https://chocolatey.org/packages> lists the applications and their installation command lines.

Of course, you can even automate Chocolatey itself. Here’s an example of a simple script that installs Chocolatey and then uses it to download and install Filezilla, Google Chrome, and Notepad++. Think about how quickly such a script could set up a new machine for you, whether a physical or virtual machine, whether local, remote, or in the cloud.

```
# Allow scripts to run; this needs to be executed in the console pane.
#Set-ExecutionPolicy unrestricted -Scope CurrentUser
```

```
# Download and install Chocolatey
Invoke-Expression ((new-object net.webclient)
    .DownloadString('https://chocolatey.org/install.ps1'))
```

```
# Add Chocolatey to the path so we can run it from anywhere
set PATH=%PATH%;%systemdrive%\chocolatey\bin
```

```
# Start installing apps
cinst Filezilla
cinst GoogleChrome
cinst NotepadPlusPlus
```

For even more automation, take a look at Boxstarter (<http://boxstarter.org>). It can perform completely unattended installs of Windows boxes, including installing the latest Windows updates.

Backing up files

Backup.ps1 performs a backup by zipping files, including those in subdirectories, into a file named `Backup_date.zip`, where *date* is the date the backup was made.

The script starts by ensuring a string parameter named `$sourceFolder` was passed and that it’s not null or empty. It then imports the PSCX PowerShell module discussed earlier. After assigning the name of the zip file to the `$zipFileName` variable and setting the current folder to the source folder, the script gets a list of all of the files in the folder and its subdirectories and pipes them to the `Write-Zip` cmdlet to add them to the zip file. “\$?” is a built-in variable containing the status of the last statement, so it’s used to write the appropriate message. If an error occurred, the built-in variable `$Error` is used to retrieve the error information.

```
Param(
    [parameter(Mandatory = $true)]
    [ValidateNotNullOrEmpty()]
    [string]$sourceFolder
)

# Import the Powershell Community Extensions add-on module.
Import-Module PSCX

# Get the name of the zip file.
$zipFileName = $sourceFolder + "\Backup\Backup_$(Get-Date -f yyyy-MM-dd)" + '.zip'

try
{
    # Set the current folder to the specified location.
    Set-Location $sourceFolder

    # Create the Backup folder if it doesn't exist.
    $exists = Test-Path ($sourceFolder + "\Backup")
    if (-not $exists)
    {
        md ($sourceFolder + "\Backup")
    }

    # Loop through all the files in the folder and add them to a zip file.
    Get-ChildItem $sourceFolder -Recurse -File |
        Write-Zip -OutputPath $zipFileName

    # Check for errors
    if ($?)
    {
        Write-Host "Backup successful"
    }
    else
    {
        Write-Host "Backup failed"
    }
}

catch
{
    Write-Host "Error occurred at $(Get-Date): $($Error[0].Exception.Message)"
}

finally
{
    Write-Host "Backup finished at $(Get-Date)"
}
```

To see this script in action, pass it the name of a folder to backup:

```
Backup (Get-Location)
```

Automating application deployment

Deployment of an application is a very important step. After all, if you can't install the application on someone's system, there's no point in writing it. Deployment is often a complex job involving many steps. If any of those steps are forgotten or done incorrectly, the user may end up with a faulty installer. That leads to extra support work and even mistrust of your abilities. Getting this part of the application lifecycle right is crucial.

I use a carefully crafted checklist to make sure I do all of the steps necessary to deploy my applications. As they got more complicated, the list got longer and longer and therefore more likely to be error-prone. Automating as many tasks as possible helps to ensure the deployment process is both accurate and efficient.

Many of the tasks involved in deployment involve files: copying, moving, deleting, creating, changing, digitally signing, and so on. Sounds like a perfect job for PowerShell.

BuildSetup.ps1, included with the sample files accompanying this document, is a stripped-down version of an actual script we use to deploy Stonefield Query Enterprise. Let's look at it one section at a time.

The script starts with some helper functions. RemoveFile removes the specified file if it exists. The script uses this instead of the built-in Remove-Item because that cmdlet throws an exception if the file doesn't exist.

```
function RemoveFile([string]$path)
{
    If (Test-Path $path)
    {
        Remove-Item $path
    }
}
```

Pause waits for a keypress.

```
function Pause
{
    Write-Host "Press any key to continue ..."
    $x = $host.UI.RawUI.ReadKey("NoEcho,IncludeKeyDown")
}
```

As its name suggests, FTPUpload uploads the files in the specified folder, including those in subdirectories, to the specified FTP path. Note that the FTP server name, user name, and password are read from a file (ftp.txt) so they aren't exposed in the script.

```
function FTPUpload($sourceFolder, $targetFolder)
{
    # Get the FTP server settings.
    $settings = Get-Content DontDeploy\ftp.txt
    $ftp = $settings[0]
    $user = $settings[1]
    $pass = $settings[2]
```

```
# Create a WebClient object.
$webclient = New-Object System.Net.WebClient
$webclient.Credentials = New-Object System.Net.NetworkCredential($user, $pass)

# Upload all files in all subdirectories of the folder.
foreach($item in (Get-ChildItem -Path $sourceFolder -Recurse -File))
{
    try
    {
        # Get the source file.
        $source = $item.DirectoryName + "\" + $item;

        # Get the directory on the FTP site.
        $directory = "";
        if ($item.DirectoryName.Length -gt 0)
        {
            $directory = $item.DirectoryName.Replace($sourceFolder, "")
            $directory = $directory.Replace("\", "/")
        }
        $directory += "/"

        # Create the complete target path and upload it.
        $target = $ftp + $targetFolder + $directory + $item

        Write-Host Uploading $item.FullName to $target

        $uri = New-Object System.Uri($target)
        $webclient.UploadFile($uri, $item.FullName)
    }
    catch [Exception]
    {
        # Log if something failed.
        Write-Host $_.Exception.Message;
        $content = "`r`nFile " + $item.FullName + "`r`n" +
            $_.Exception.Message + "`r`n"
        Add-Content BuildLog.txt $content
    }
}
}
```

The body of the script starts by deleting BuildLog.txt if it exists and getting the current path:

```
# Erase the log file.
RemoveFile BuildLog.txt

# Get the current folder.
$currFolder = Get-Location
```

The next step requires some explanation. We want to automate the building of our application's executable, so BuildProject.prg takes care of that. This code opens MyApp.pjx, sets its version number to "1.0." plus the number of days after 01/01/2000 (for example, building the EXE on June 19, 2014 results in a version number of "1.0.5283"), adjusts the

copyright to use the current year, and builds MyApp.exe. Any errors are logged to BuildLog.txt.

```
local lcVersion, ;
    loProject, ;
    lcCopyRight, ;
    llReturn, ;
    laError[1]
lcVersion = GetVersionNumber()
modify project MyApp\MyApp noshow nowait
loProject          = _vfp.ActiveProject
loProject.VersionNumber = lcVersion
lcCopyRight        = loProject.VersionCopyright
if not empty(lcCopyRight)
    loProject.VersionCopyright = stuff(lcCopyRight, at('-', lcCopyRight) + 1, ;
        4, transform(year(date())))
endif not empty(lcCopyRight)
llReturn = loProject.Build('MyApp\MyApp.exe', 3, .F., .T.)
loProject.Close()
if not llReturn
    aerror(laError)
    strtofile(transform(datetime()) + ': building MyApp failed: ' + ;
        laError[2] + chr(13) + chr(10), 'BuildLog.txt', .T.)
endif llReturn
quit
```

* Get the version number: 1.0. + the number of days after 01/01/2000.

```
function GetVersionNumber
local lnJulian, ;
    lcJulian, ;
    lcVersion
lnJulian = val(sys(11, date())) - val(sys(11, {^2000-01-01}))
lcJulian = padl(transform(lnJulian), 4, '0')
lcVersion = '1.0.' + lcJulian
return lcVersion
```

To execute this code from PowerShell, we have to run VFP and tell it to use Build.fpw as the configuration file because that file tells VFP to execute BuildProject.prg using this command:

```
command = do BuildProject.prg
```

Here's the part of the PowerShell script that finds where VFP is located by looking in the Windows Registry (I could have hard-coded the path but this is more flexible) and running it. Note that output is piped to Out-Null, which forces PowerShell to wait until BuildProject.prg is done and VFP terminates.

```
$regEntry = Get-ItemProperty -Path
Registry::HKEY_CLASSES_ROOT\Visual.FoxPro.Application.9\shell\open\command
$value = $regEntry.'(default)'
$file = $value.Substring(1, $value.IndexOf('"', 2) - 1)
$VFPexe = Get-ChildItem $file
```

```
$buildConfig = "-c$currFolder\Build.fpw"
& $VFPexe -t $buildConfig | Out-Null
```

Now that the executable is built, the next job is to digitally sign it. First, we find the location of SignTool.exe using similar code to how we found VFP, then we read the password for the certificate from a file (CertPW.txt), and finally sign MyApp.exe.

```
$regEntry = Get-ItemProperty -Path
"Registry::HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Microsoft SDKs\Windows\v7.1A"
$value = $regEntry.'InstallationFolder'
$file = $value + "Bin\signtool.exe"
$signTool = Get-ChildItem $file

# Get the password for the certificate.
$password = Get-Content DontDeploy\certpw.txt
$params = 'sign', '/f', "$currFolder\DontDeploy\mycert.pfx", '/p', $password

# Sign the exe.
Write-Host "Signing executable"
$signParams = $params + '/d', 'My Application', 'MyApp\myapp.exe'
& $signTool $signParams
```

The next step is building Setup.exe using Inno Setup. As before, we look in the Windows Registry to find out the location of the Inno compiler and have it run MyApp.iss.

```
$regEntry = Get-ItemProperty -Path
Registry::HKEY_CLASSES_ROOT\InnoSetupScriptFile\Shell\Compile\Command
$value = $regEntry.'(default)''
$file = $value.Substring(1, $value.IndexOf('"' , 2) - 1)
$exe = Get-ChildItem $file
$innoCompiler = $exe.DirectoryName + "\iscc"

# Build Setup.exe.
$signParams = "/sStandard=$signTool $params $" + "p"
& $innoCompiler $signParams myapp.iss
```

The last major task is uploading Setup.exe to the FTP site using the FTPUpload function we saw earlier.

```
Write-host "=====  
$sourcePath = Join-Path $currFolder "Output"  
FTPUpload $sourcePath "httpdocs/Downloads/Sample"
```

Finally, if anything went wrong, display a message.

```
If (Test-Path BuildLog.txt)
{
    Write-Host "See BuildLog.txt for a list of errors in the process."  
    Pause
}
```


Now, when I'm finished coding and testing my application, I simply run BuildSetup.ps1 and when the smoke clears, I have a digitally signed setup executable sitting on my FTP site ready for my users to download and install.

Calling PowerShell from VFP

Executing PowerShell commands and scripts from a VFP application is a little tricky but doable. The secret is to use Rick Strahl's wwDotNetBridge (<http://tinyurl.com/l8axhx2>) to talk to classes in the .NET System.Management.Automation assembly.

RunningPSFromVFP.PRG, included with the downloads for this document, shows how to do it. This example displays the running processes.

```
* Instantiate wwDotNetBridge.
```

```
set procedure to wwDotNetBridge
loBridge = createobject('wwDotNetBridge', 'V4')
```

```
* Load the PowerShell assembly. Get the location using
* [psobject].assembly.location in PowerShell.
```

```
llReturn = loBridge.LoadAssembly('C:\Windows\Microsoft.Net\assembly\' + ;
    'GAC_MSIL\System.Management.Automation\v4.0.3.0.0__31bf3856ad364e35' + ;
    '\System.Management.Automation.dll')
if not llReturn
    messagebox(loBridge.cErrorMsg)
    return
endif not llReturn
```

```
* Create a PowerShell object.
```

```
loPS = loBridge.InvokeStaticMethod('System.Management.Automation.PowerShell', ;
    'Create')
```

```
* Add a command to execute. You can also call AddScript to add a script.
```

```
loBridge.InvokeMethod(loPS, 'AddCommand', 'Get-Process')
```

```
* We want to call the Invoke method of the PowerShell object but the following
* statement gives an "ambiguous match found" error because there are two
* overloads of Invoke that accept no parameters but with different return
* values and wwDotNetBridge can't tell which to call.
```

```
*
* loResult = oBridge.InvokeMethod(loPS, 'Invoke')
```

```
* Instead, we'll go through the methods of the PowerShell object, look for the
* first Invoke method, and call it. It returns Collection<PSObject>. Note that
* we need an empty array for the second parameter of Invoke.
```

```
loType    = loBridge.InvokeMethod(loPS, 'GetType')
loMethods = loBridge.InvokeMethod(loType, 'GetMethods')
loArray   = loBridge.CreateArray()
for lnI = 0 to loMethods.Count - 1
    loMethod = loMethods.Item(lnI)
```

```
    if loMethod.Name = 'Invoke'
        loResult = loBridge.InvokeMethod(loMethod, 'Invoke', loPS, loArray)
        exit
    endif loMethod.Name = 'Invoke'
next lnI

* Create a cursor to hold the process information.

create cursor Processes (Name C(50), ID I)

* Copy the result collection to an array and process each entry.

loArray.FromEnumerable(loResult)
for lnI = 0 to loArray.Count - 1
    loItem = loArray.Item(lnI)

* We want to get the ProcessName member of the object but this doesn't work:
* Members is a PSMemberInfoCollection<PSMemberInfo> but accessing it like this
* gives the collection, not the PSPropertyInfo object.
*
* loName    = loBridge.GetPropertyEx(loProcess, 'Members["ProcessName"]')
*
* Instead, get the Members collection and go through it, looking for the
* members we're interested in.

    loMemb    = loBridge.GetPropertyEx(loItem, 'Members')
    loMembers = loBridge.CreateArray()
    loMembers .FromEnumerable(loMemb)
    append blank
    for lnJ = 0 to loMembers .Count
        loMember = loMembers.Item(lnJ)
        try
            lcName = loBridge.GetPropertyEx(loMember, 'Name')
            do case
                case lcName = 'ProcessName'
                    replace Name with loBridge.GetPropertyEx(loMember, 'Value')
                case lcName = 'Id'
                    replace ID with loBridge.GetPropertyEx(loMember, 'Value')
            endcase
        catch
        endtry
    next lnJ
next lnI

* Display the processes.

go top
browse
```

For more information on calling PowerShell from applications (specifically .NET applications), see <http://tinyurl.com/mdutq5t> and <http://tinyurl.com/kmqfwzl>.

Resources

There are a ton of resources available for all things PowerShell; simply Google “powershell” and be prepared to be overwhelmed! Some good places to start, though, are:

- <http://www.powershellpro.com> provides many tutorials and scripts that cover a wide range of topics.
- <http://technet.microsoft.com/en-us/scriptcenter/powershell.aspx> is Microsoft’s PowerShell center. It has links for webcasts, downloads, blogs, scripts, tutorials, and more.

Summary

Windows PowerShell is a relatively new tool that allows you to automate just about any task you can think of. It’s relatively easy to learn, is very powerful, and once you’ve created a script, can save you a lot of time doing tasks the manual way.

Biography

Doug Hennig is a partner with Stonefield Software Inc. He is the author of the award-winning Stonefield Database Toolkit (SDT); the award-winning Stonefield Query; the MemberData Editor, Anchor Editor, and CursorAdapter and DataEnvironment builders that come with Microsoft Visual FoxPro; and the My namespace and updated Upsizing Wizard in Sedna.

Doug is co-author of *VFPX: Open Source Treasure for the VFP Developer, Making Sense of Sedna and SP2*, the *What’s New in Visual FoxPro* series, *Visual FoxPro Best Practices For The Next Ten Years*, and *The Hacker’s Guide to Visual FoxPro 7.0*. He was the technical editor of *The Hacker’s Guide to Visual FoxPro 6.0* and *The Fundamentals*. All of these books are from Hentzenwerke Publishing (<http://www.hentzenwerke.com>). He wrote over 100 articles in 10 years for FoxTalk and has written numerous articles in FoxPro Advisor, Advisor Guide to Visual FoxPro, and CoDe. He currently writes for FoxRockX (<http://www.foxrockx.com>).

Doug spoke at every Microsoft FoxPro Developers Conference (DevCon) starting in 1997 and at user groups and developer conferences all over the world. He is one of the organizers of the annual Southwest Fox and Southwest Xbase++ conferences (<http://www.swfox.net>). He is one of the administrators for the VFPX VFP community extensions Web site (<http://vfp.codeplex.com>). He was a Microsoft Most Valuable Professional (MVP) from 1996 through 2011. Doug was awarded the 2006 FoxPro Community Lifetime Achievement Award (<http://tinyurl.com/ygnk73h>).

