How To Configure The Security Settings In Internet Explorer 8?

These instructions are for Internet Explorer version 8. If you are using version 7, Please use FAQ: <u>How to</u> <u>configure the security settings in Internet Explorer 7</u>?

- 1. Click on 'Tools' in the upper right corner at the top the Internet Explorer.
- 2. Click on 'Internet Options' at the bottom of the list that comes up after clicking on 'Tools'.

File Edit View Favorites	Tools Help	
😭 Favorites 🛛 🍰 🏈 Suggest	Delete Browsing History InPrivate Browsing Reopen Last Browsing Session	Ctrl+Shift+Del Ctrl+Shift+P
	InPrivate Filtering InPrivate Filtering Settings	Ctrl+Shift+F
	Pop-up Blocker SmartScreen Filter Manage Add-ons	
	 Compatibility View Compatibility View Settings 	
	Subscribe to this Reed Reed Discovery	
	Developer Tools	F12
	Windows Messenger Diagnose Connection Problems KeyScrambler	

Note: If the version of Internet Explorer on your PC is below the minimum requirement, please upgrade the browser version on your workstation before you use the PC for the Interactive Network. If you need help upgrading your browser please contact your dealership's computer support personnel.

3. Click on the 'Security' tab.

Internet Option Screen

reate home page tabs, ty	pe each addres	ss on its own line.
p://www.in.honda.com/		*
Use current U	Use default	Use blank
y /		-
te temporary files, history	, cookies, save	ed passwords,
Web form information.		
velete browsing history or	exit	
	Delete	Settings
nge search defaults.		Settings
nge how webpages are de	splayed in	Settings
	reate nome page taos, ty p://www.in.honda.com/ 	Preate nome page taos, type each address p://www.in.honda.com/ Use current Use default y te temporary files, history, cooldes, save web form information. Delete browsing history on exit Delete nge search defaults.

4. Click on the 'Trusted Sites' icon so that the words 'Trusted Sites' are highlighted.

If you are using Windows Vista with Internet Explorer 8 or Windows 7 with Internet Explorer 8, the Protected Mode will automatically be disabled for sites that are listed in your Trusted Sites. Please validate the sites listed in Trusted Sites are sites you trust. If you are using Windows XP, this option will not be available.

- 5. Click on the 'Sites' button.
- 6. Ensure that the check box for 'Require server verification (https:) for all sites in this zone' is unchecked at the bottom.
- 7. Enter '*.honda.com' in the 'Add this website to the zone' field.
- 8. Click on the 'Add' button.
- 9. Click on the 'Close' button once '*.honda.com' is listed in the 'Websites:' box.

🥥 😪 🗸 🚫	Trusted sites	2
Internet Local intranet Trusted sites Restricted sites	You can add and remove websites fi this zone will use the zone's security	from this zone. All websites in v settings.
Trusted sites	ies	
trust not to damage your computer or your files.	Add this website to the zone:	Add
Security level for this zone	Websites:	
Custom Custom settings. - To change the settings, click Custom level. - To use the recommended settings, click Defaul	".acura.com ".ahmdealer.com ".ahm-ownerlink.com ".edcor.com ".edcor.com	Remove
	F Require server verification (https:) for all	sites in this zone
Custom level Defaul	tlevel	Close
Peret all mores to defaul	tievel T	

- 10. Click on the 'Custom Level' button.
- 11. At the bottom of the screen, set the "Reset custom settings" option to Low, and click Reset. Answer Yes to the confirmation prompt.
- 12. In the settings list, scroll down to the ActiveX Controls and Plug-ins section.
- 13. Select 'Enable' for "Initialize and script ActiveX controls not marked as safe for scripting"
- 14. Click on the 'OK' button.
- 15. You may be prompted to accept the changes, click on the 'Yes' button.

General Security Privacy Content Connections Programs Advanced	∫ Settings
Select a zone to view or change security settings.	Enable Download signed ActiveX controls Disable Enable Prompt Download unsigned ActiveX controls Disable
Trusted sites	Enable Prompt Initialize and script ActiveX controls not marked as safe for sx O Disable Enable Enable O Disable O Disable
Custom Custom settings. - To change the settings, click Custom level. - To use the recommended settings, click Default level.	Crity allow approved domains to use ActiveX without prompt Crity allow approved domains to use ActiveX without prompt CriteRoble Takes effect after you restart Internet Explorer
Custom level Default level	Reset custom settings Reset to: Low (default) Reset
Reset all zones to default level	OK. Cancel
Some settings are managed by your system administrator. OK Cancel Rody	

16. Click on the 'Privacy' tab at the top.

Note: It is recommended to un-check the 'Turn on Pop-up Blocker' box while using the Interactive Network website.

17. Click on the 'Sites' button.



- 18. Enter 'honda.com' in the 'Address of Web site' field.
- **19.** Click on the 'Allow' button.
- 20. Click on the 'OK' button once 'honda.com' is listed in the 'Managed Web sites:' box.

You can specify which	h websites are always or never all	wed to use
cookes, regardless of the pe the exact address of the Block.	e website you want to manage, and	I then click Allow
remove a site from the list of click the Remove button	of managed stes, select the name	of the website
ddress of website:		
		Block
		1026
		Allow
anaged websites:	17. J. S. S.	Allow
lanaged websites: Domain	Setting	Allow
lanaged websites: Domain nonda.com	Setting Always Allow	Allow Remove
lanaged websites: Domain honda.com	Setting Always Allow	Allow Remove Remove all
anaged webstes: Domain nonda.com	Setting Always Allow	Allow Remove Remove all
anaged websites: Domain nonda.com	Setting Always Allow	Allow Remove Remove all

- 21. Click on the General tab.
- 22. Click the Settings button in the Browsing History area.
- 23. Select the "Every time I visit this web page." option under the "Check for new versions of stored pages:" option.

emporary Internet Fi	les and History Set	tings 🔀
Temporary Internet Fi	les	
Internet Explorer sto for faster viewing lat	eres copies of webpage er.	es, images, and media
Check for newer ver	sions of stored pages:	6
Every time I v	isit the webpage	×
C Every time I s	tart Internet Explorer	
C Automatically		
C Never		
Disk space to use (8 (Recommended: 5	- 1024MB): 0 - 250MB)	31 🚔
Current location:		
C:\Documents and Se Internet Files\	ttings\dcs\Local Settir	igs\Temporary
Move folder	View objects	View files
History		
Specify how many d of websites you hav	ays Internet Explorer e visited.	should save the list
Days to keep pages	in history:	20 🛨
L		_
	OK	Cancel

- 24. Click on the "OK' button to close Internet Options.
- 25. You must re-launch Internet Explorer for the changes to take effect.

Configuring Compatibility Mode

The following instructions are for configuring IE8 to run in "Compatibility Mode"

- 1. Launch Internet Explorer 8.0
- 2. Click on Page from the toolbar
- 3. Select Compatibility View Settings

in compationity	20 Free M	New Window	Ctrl+N	<u> </u>
	Packs [Se	& cut	Ctrl+X	
	Previous G	Paste	Ctrl+V	
	Select Month Windows Fo	Blog with Windows Live E-mail with Windows Live B, Translate with Live Search		
	-	All Accelerators	•	
bage	Wind Wind secre anno	Save As Send Page by E-mail Send Link by E-mail Edit with Notepad		
	ques Wind	Compatibility View Compatibility View Settings		
	ideas etc? :	Com	•	
	Ques Wind	Style Encoding Caret Browsing	, F7	
	custo us he	Properties		

- 4. Enter the following websites then click on Add
 - Honda.com
 - Acura.com
 - ahmdealer.com

Compatibility View Settings	×
You can add and remove websites to be displa Compatibility View.	ayed in
Add this website:	
	Add
Websites you've added to Compatibility View:	
acura.com ahmdealer.com honda.com	Remove
 Include updated website lists from Microsoft Display intranet sites in Compatibility View Display all websites in Compatibility View 	J
	Close

- 5. Click on the Close button
- 6. Restart Internet Explorer

If after completing these steps, you still experience problems connecting to the iN site, you may need to restore your browser settings to a default state. This will undo any earlier changes, forcing you to reconfigure the browser from the beginning.

To do this:

- 1. Close the Internet Explorer.
- 2. Go to Start > Settings > Control Panel
- 3. Click the Internet Options (Network and Internet > Internet Options on Windows 7 PCs.)
- 4. Click the Advanced tab.
- 5. Click the Reset button.
- 6. Click Reset in the confirmation screen to finalize the process. You will need to restart the browser, and then reconfigure the browser starting from the beginning of this document.

				-
1.1	Always expan Enable Caret	nd ALT text to Browsing for r	r images new windows and tal	5
1.1	Move system	caret with for	cus/selection change	s —
	Reset text siz	ze to medium f	for new windows and	tabs
	Reset text siz	ze to medium v evel for new v	while zooming*	
	Browsing	Even of new w	NITIOUWS and Cabs	
	Automatically	check for Inte	ernet Explorer updat	es
	Automatically	recover from	page layout errors v	vith Compa
	Close unused	folders in Hist debugging (Ir	tory and Favorites*	
	THE REPORT OF THE PARTY OF THE		CONTROC EXplor OF 7	
1	 Disable script Disable script 	debugging (O	ther)	
	Disable script Disable a noti	debugging (O ification about	ther) every script error	لت.
1 *Tak	Disable script Disable script Display a noti as effect after vo	debugging (O ification about	every script error	
.∢ *Tak	 Disable script Disable script Display a noti es effect after yo 	debugging (O ification about ou restart Inte	every script error ernet Explorer	
*Tak	Disable script Disable script Disable script Display a noti es effect after yc	debugging (O ification about ou restart Inte	every script error erroet Explorer Restore advar	.ced settings
*Tak	Disable script Disable script Display a noti es effect after yo ternet Explorer s	debugging (O ification about ou restart Inte	every script error ernet Explorer Restore advar	بر iced settings
*Tak	Disable script Disable script Display a noti oright Display a noti ses effect after yo iternet Explorer s s Internet Explore ion.	debugging (O frication about ou restart Inte settings rer's settings to	other) every script error ernet Explorer Restore advar	iced settings

Reset In	nternet Explorer Settings		×
<u>.</u>	Are you sure you want to r settings?	eset all Internet Explorer	
	Resetting includes: • Disable toolbars and add-ons • Default web browser settings • Privacy settings • Security settings	 Advanced options Tabbed browsing settings Pop-up settings 	
	Delete personal settings Resets home pages, search provisettings. Deletes temporary Inter information, passwords and InPri	iders and Accelerators to default met files, history, cookies, web form vate Filtering data.	
	You must restart Internet Explorer fo	or these changes to take effect.	
How d	loes resetting affect my computer?	Reset Cancel	1