



Excel VBA Advanced

Best STL

- Courses never cancelled: guaranteed
- Last minute rescheduling
- 24 months access to Microsoft trainers
- 12+ months schedule
- UK wide delivery

www.microsofttraining.net

E&OE

Best Training reserves the right to revise this publication and make changes from time to time in its content without notice.

Copyright Best STL, www.microsofttraining.net

Like this training manual? Why not learn even more on one of our industry-leading training courses?



These training manuals are just a sample of the top-class training provided by [Best STL](#). We are a London based company who provide courses throughout the UK - either in our own training centres or directly at our client's offices.

We partner with companies of all sizes, from international blue chip organisations to start-ups and freelancers, to provide comprehensive training on everything from Microsoft Office to management, finance and key work skills.

We've helped over 40,000 individuals in countless companies save hundreds of thousands of hours, through increased productivity and improved workflows. Not to mention that they are now the envy of their peers with their new found expertise!

Why Best STL?

- ✓ **Expert Trainers**
We are proud to have the most experienced and qualified Microsoft Trainers in the industry.
- ✓ **Fantastic Customer Satisfaction**
98%+ of our clients would recommend us. [You can see all 42,781 \(and counting\) reviews here](#), completely uncensored.
- ✓ **24 months training support**
We provide you with unlimited support for 24 months via our forums where we have experts online ready to answer all your questions.
- ✓ **Courses never cancelled: Guaranteed**
When you book one of our Microsoft desktop or management skills courses we guarantee that the course will never be cancelled meaning no risk of disruption to your schedule.

A sample of our courses:

[Excel VBA](#)

[Microsoft Excel](#)

[Microsoft Word](#)

[Microsoft PowerPoint](#)

[Microsoft SharePoint](#)

[Time Management Skills](#)

[Presentation Skills](#)

[Introduction to Management](#)

[Cisco](#)

[Oracle](#)

To view our full range of courses visit www.microsofttraining.net/

Just a few of our satisfied customers



Contact us for more information on any of our training services by emailing info@microsofttraining.net

Contents

Unit 1: Working with Ranges	1
What is a Range?	1
Range Property of the Application.....	1
Cells Property	1
The SpecialCells Method.....	2
Naming Ranges	3
Working with Collections	4
The Collection Object	4
Explicit creation of a collection	4
Referring to a collection in a standard module	5
Using the Collections Object Directly	6
Unit 1 Practice Activity	7
Unit 2: Charts	8
Creating charts from worksheet data.....	8
Key Properties and methods of the chart object	8
Creating Charts from Arrays.....	9
Unit 3: PivotTable Object	11
Understanding PivotTables	11
Creating A PivotTable.....	11
2003 Pivot Wizard Procedure.....	12
2007/2010 Procedure	13
Using the PivotTable Wizard Method	14
Using PivotFields	15
Unit 3 Practice Activity	16
Unit 4: Working with Arrays	17
What is an Array	17
Array Sizes	17
One Dimensional Arrays.....	18
Arrays with Multiple Dimensions.....	19
A word about index numbers.....	20
Ubound and Lbound	21
Saving arrays in names	21
Unit 4 Practice Activity 1	22
Unit 4 Practice Activity 2	23
Unit 5: Triggers and Events	24
Workbook Events.....	25
Worksheet Events.....	26
Timer Controlled Macro	26
Unit 6: Working with Text Files	26
Importing a Text File	26
FileStream	27
Unit 6 Practice Activity	28
Unit 7: Working with Procedures and Parameters	29
Procedure Arguments.....	29
Passing Arguments.....	29
Optional Arguments.....	30
Default Values	31
Passing arguments by value and reference	31
Unit 8: Active X Data Objects	33
Key Objects	33
The Connection Object.....	33
The RecordSet Object	34
A word about the connection string	35
Unit 8 Practice Activity	38
Unit 9: Creating Add-Ins	39

VBA Password Protection	40
Unit 10: About Macro Security	41
Macro security settings and their effects	41
Change Macro Security Settings	42
APPENDIX I: Class Modules	43
What can be done with Class Modules?	43
Why use Class Modules?	43
What is a Class?	43
How Does a Class Module Work?	44
Key Elements in a class module	44
Property Get and Let Procedures	44
Example of a Class Module	45
Referring to user defined Objects in Code	46
Using IntelliSense™	46
APPENDIX II: Programming Techniques.....	47
Best Practice for Excel Programming.....	47

Copyright Best STL, www.microsofttraining.net

Unit 1: Working with Ranges

What is a Range?

When we refer to a range in Excel we mean either a singular cell, a rectangular block of cells, or a union of many rectangular blocks. In VBA Range is an object with its own properties and methods. Just to complicate things range can also be a property of the application object, the worksheet object and indeed the range object, where it refers to a specified range object.

Range Property of the Application

You can use the range property of the application to refer to a range object on the active worksheet.

For example;

Range("B2")

Range("A1:B7")

Range("A1:B3,E1:O9")

Note the last example refers to a union, or non-contiguous range.

Cells Property

The Cells Property of the range object can be used to specify the parameters in the range property to define a range object.

For example the following refers to range A1:E5

Range (Cells(1,1), Cells (5,5))

The cells property can also be used to refer to particular cells within a range; or a range within a range.

The following refers to cell F9

Range ("D10:G20").Cells (0,3)

You can also shortcut this reference thus

Range ("D10:G20") (0,3)

The SpecialCells Method

The SpecialCells method allows certain types of cell to be identified within a range.

It has the following syntax:

SpecialCells(*Type*, *Value*)

The type argument specifies the cells to be included

xlCellTypeAllFormatConditions	Cells of any format
xlCellTypeAllValidation	Cells having validation criteria
xlCellTypeBlanks	Empty cells
xlCellTypeComments	Cells containing notes
xlCellTypeConstants	Cells containing constants
xlCellTypeFormulas	Cells containing formulas
xlCellTypeLastCell	The last cell in the used range
xlCellTypeSameFormatConditions	Cells having the same format
xlCellTypeSameValidation	Cells having the same validation criteria
xlCellTypeVisible	All visible cells
xlCellTypeFormulas.	Cells containing formulas
xlCellTypeLastCell.	The last cell in the used range
xlCellTypeSameFormatConditions.	Cells having the same format
xlCellTypeSameValidation.	Cells having the same validation criteria
xlCellTypeVisible.	All visible cells

This argument is used to determine which types of cells to include in the result

xlErrors
xlLogical
xlNumbers
xlTextValues

The following code will delete all the numbers in a worksheet, leaving only text data and formulae in place

```
Sub DeleteNumbersInworksheet()  
  
    Cells.SpecialCells(xlCellTypeConstants, xlNumbers).ClearContents  
  
End Sub
```

Naming Ranges

One of the most useful techniques in Excel is to name ranges. A named range can simplify code as it is possible to refer to the name and not the cell references

To create a named range we use the add method of the workbook's names collection. The following code creates a named range called "NewName" on sheet2 of the active workbook on the range "E5:J10"

```
Sub AddNamedrange()  
  
    Names.Add Name:="NewName", RefersTo:="=Sheet2!$E$5:$J$10"  
  
End Sub
```

Alternatively it is possible to set a name by defining the name property of the range object.

```
Sub AddRangeNameProperty()  
  
    Range("A1:V3").Name = "RangeName"  
  
End Sub
```


Working with Collections

A class is a blueprint for an object, and individual objects are “instances” of a class. A collection is simply a group of individual objects with which we are going to work.

For example in the code above we have defined a class called customers, and code to generate a single instance of that class; i.e. one individual customer. In practice we will be working with more than one customer and we will wish to define them as being part of a collection object so we can process them using some of the methods and properties of the collection object.

The Collection Object

The collection object has a number of properties and methods associated with it; of which the most important are:

Method/Property	Description
Count	A method that returns the number of objects in the collection
Add	A method that adds an item to the collection
Remove	Removes an item to a collection
Items(index)	Refers to an individual item in the collection either by its index number (position in collection) or by its name

Explicit creation of a collection

We can create a collection in a class module. This simply requires us to define the collections objects and methods in the normal way

```
Option Explicit
Private FCustomers As New Collection

Public Function add(ByVal value As Customer)
    Call FCustomers.add(value, value.Name)
End Function

Public Property Get Count() As Long
    Count = FCustomers.Count
End Property

Public Property Get Items() As Collection
    Set Items = FCustomers
End Property
```

```

Public Property Get Item(ByVal value As Variant) As Customer
    Set Item = FCustomers(value)
End Property

Public Sub Remove(ByVal value As Variant)
    Call FCustomers.Remove(value)
End Sub

```

The above code simply defines a collection called customers (class module name). The variable FCustomers is defined as a collection object. The various methods and properties are then defined. For example, the remove method is defined in a procedure that uses the remove method of the collection object to remove a specified item from the collection.

Referring to a collection in a standard module

Once defined, a collection can be employed in the same way as any other collection.

```

Dim aCustomer As Customer
Dim theCustomers As New Customers
    Set aCustomer = New Customer
    aCustomer.Name = "Kur Avon"
    aCustomer.MainAddress = "132 Long Lane"
    Call theCustomers.add(aCustomer)

    Set aCustomer = New Customer
    aCustomer.Name = "Fred Perry"
    aCustomer.MainAddress = "133 Long Lane"
    Call theCustomers.add(aCustomer)

    Set aCustomer = New Customer
    aCustomer.Name = "Jo Bloggs"
    aCustomer.MainAddress = "134 Long Lane"
    Call theCustomers.add(aCustomer)

For Each aCustomer In theCustomers.Items
    Sheets(1).Range("A1").Select
    ActiveCell.value = aCustomer.Name
    ActiveCell.Offset(0, 1).value = aCustomer.MainAddress
    ActiveCell.Offset(1, 0).Select
Next aCustomer

```

The above code simply defines a "customer" variable and a "customers" variable; assigns three objects to the collection and then writes the name and address to a worksheet in the current workbook, using a "FOR EACH" loop.

Using the Collections Object Directly

It is possible to create a collection using the VBA collection class directly. The code below creates a collection called employees and assigns three instances of the custom object employees to it.

```
Sub TestEmployeesCollection()  
  
    Dim anEmployee As Employee  
    Dim i As Long  
  
    Set anEmployee = New Employee  
    anEmployee.Name = "Stephen Williams"  
    anEmployee.Rate = 500  
    anEmployee.HoursPerWeek = 50  
    Call Employees.add(anEmployee, anEmployee.Name)  
  
    Set anEmployee = New Employee  
    anEmployee.Name = "Kur Avon"  
    anEmployee.Rate = 50  
    anEmployee.HoursPerWeek = 50  
    Call Employees.add(anEmployee, anEmployee.Name)  
  
    Set anEmployee = New Employee  
    anEmployee.Name = "Bill Bailey"  
    anEmployee.Rate = 250  
    anEmployee.HoursPerWeek = 50  
    Call Employees.add(anEmployee, anEmployee.Name)  
  
    Set anEmployee = New Employee  
    anEmployee.Name = "Alexander Armstrong"  
    anEmployee.Rate = 250  
    anEmployee.HoursPerWeek = 50  
    Call Employees.add(anEmployee, anEmployee.Name)  
  
    For Each anEmployee In Employees  
  
        MsgBox anEmployee.Name & " Earns " & "£" &  
anEmployee.GetGrossWeeklyPay()  
  
        Next anEmployee  
  
End Sub
```

Unit 1 Practice Activity

1. Open the file **Ranges**.
2. Working on Sheet "Test", insert a new module in this file, and write a sub procedure named **LayoutTable** that:
 - selects a whole table of data;
 - adjusts the width of all the columns to 12pts;
 - formats the font colour of the first column to blue;
 - aligns the text centrally in the first row.
3. Assign this macro to a custom button on your **quick access toolbar**.
4. Run and test **LayoutTable** on the table in Sheet1 of this workbook.
5. Using the Test sheet write another sub procedure named **FormatNumbers** that selects a whole table excluding the top row and the left-most column and formats it to a currency style.
6. Assign this macro to a custom button on your quick access toolbar.
7. Run and test **FormatNumbers** on the table in Sheet1 of this workbook.
8. Create a final sub procedure in your named **LastCell** that selects the last cell of a table (the one in the bottom right-hand corner) and:
 - makes the font size 14pts;
 - adds a yellow fill colour; and
 - autofits the column.
9. Assign this macro to a custom button on your **quick access** toolbar.
10. Run and test **LastCell** on the table in Sheet1 of this workbook.
11. Create a new sub procedure named **FormatWeeklyReport**.
12. Call into this sub procedure the three macros created above.
13. Assign this macro to a custom button on your **quick access** toolbar.
14. Run and test **FormatWeeklyReport** on the table in **Sheet2** of this workbook.
15. Save the file as **My Ranges**.



Online support forum and knowledge base

www.microsofttraining.net/forum

Visit our forum to have your questions answered by our Microsoft qualified trainers.

Unit 2: Charts

Creating charts from worksheet data

Charts are created by working with the chart object. The key elements to a chart are:

- Data source
- Type
- Location

These are controlled by the following properties.

Key Properties and methods of the chart object

Properties/Methods	Description
SetSourceData	This specifies the data that will be modelled in the chart. Includes 2 key arguments; Source which specifies the data range, and PlotBy which determines if the series is in rows or columns
ChartType	Select one from a list of chart types recognized by Excel
Location	Specifies if the chart is to be embedded into a worksheet or whether it will occupy a sheet of its own
Add	Adds a new chart to the active workbook

The following code example creates a simple chart object and then sets the above properties.

```
Public Sub EmbeddedChart()  
  
    Set aChart = Charts.Add  
    Set aChart = aChart.Location(Where:=xlLocationAsObject, Name:="Sheet1")  
    With aChart  
        .ChartType = xl3DBarClustered  
        .SetSourceData Source:=Sheets("Sheet1").Range("B2:E6"), PlotBy:=xlRows  
        .HasTitle = True  
        .ChartTitle.Text = "Sales Summary"  
    End With  
  
End Sub
```

Creating Charts from Arrays

In the example above, the chart's source data was to be found in sheet1 range B2:E6 of the active workbook. It is however possible to set a chart's source data to the contents of an array.

```
Public Sub ChartFromArray()  
  
    Dim SourceRange As Range  
    Dim aWorksheet As Worksheet  
    Dim aWorkBook As Workbook  
    Dim aChart As Chart  
    Dim aNewSeries As Series  
    Dim intCount As Integer  
    Dim SalesArray As Variant  
    Dim MonthArray As Variant  
  
    MonthArray = Array("Jan", "Feb", "March")  
  
    Set SourceRange = Sheets("Source Sheet").Range("B2:E6")  
  
    Set aWorkBook = Workbooks.Add  
    Set aWorksheet = aWorkBook.Worksheets(1)  
    Set aChart = aWorkBook.Charts.Add  
  
    With aChart  
  
        For intCount = 1 To 4  
  
            'create a new series  
  
            Set aNewSeries = .SeriesCollection.NewSeries  
            SalesArray = SourceRange.Offset(intCount, 1).Resize(1, 3).Value  
            aNewSeries.Values = SalesArray  
            aNewSeries.XValues = MonthArray  
  
            Next intCount  
  
            .HasLegend = True  
            .HasTitle = True  
            .ChartTitle.Text = "First Quarter Sales"  
  
        End With  
    End With
```

The above code creates a new workbook, adds a chart and then populates the chart with data taken from a source workbook.

Within the For...Next loop, four new series are created. At each loop a new series is created with the "NewSeries" method. The appropriate row's data is then assigned directly to the variant "SalesArray", and sales array is assigned to the values property of the new series.

Copyright Best STL, www.microsofttraining.net

Unit 3: PivotTable Object

Understanding PivotTables

A pivot table is a table that can be used to summarize data from a worksheet or an external source such as a database.

A Pivot table can only be created using the Pivot table wizard.

Creating A PivotTable

The wizard makes the creation of the pivot table quite easy. By following a series of prompts the wizard takes over and creates the pivot table for you.

To do this:

2003 Version


- Pull down the **Data** menu
- Select **Pivot Table and Pivot Chart Report (See 2003 Procedure below)**

2007/2010 Version

Insert Ribbon > PivotTable Button (Far left)
(See 2007/10 Procedure on next Page)


2003 Pivot Wizard Procedure

The **PivotTable and PivotChart Wizard – Step 1 of 3** dialog box appears.




- Select **Where the data is that you want to analyze**
- Select **What kind of report you want to create**
- Click **Next**.

The **PivotTable and PivotChart Wizard – Step 2 of 3** dialog box appears.




- The selected range appears in the **Range** window
- Change the range if needed
- Click **Next**.

The **PivotTable and PivotChart Wizard – Step 3 of 3** dialog box appears.




- Select **Where do you want to put the Pivot Table**
- Click **Finish**
- Drag the field buttons to the desired page, row, column and data fields.

2007/2010 Procedure



- Select **Where the data is that you want to analyze**
- Select **where you want to create the report**
- Click **OK**.



- Drag the field buttons to the desired page, row, column and data fields.

Using the PivotTable Wizard Method

The **PivotTable Wizard** method of the Worksheet object can be used to create a pivot table in code without displaying the wizard.

The **PivotTable Wizard** method has many arguments. The main ones are described below:

Argument	Definition
SourceType	The source of the PivotTable data. The SourceData argument must also be specified when using this.
SourceData	A range object that specifies the data for the PivotTable.
TableDestination	A range object indicating where the table will be placed.
TableName	The name by which the table can be referred.

An example of the **PivotTable Wizard** method is shown below:

```
Sub MakePivot ()  
  
Dim DataRange As Range  
Dim Destination As Range  
Dim PvtTable As PivotTable  
  
Set Destination = Worksheets("Sales Summary").Range("A12")  
Set DataRange = Range("A9", Range("J9").End(xlDown))  
  
ActiveSheet.PivotTableWizard SourceType:=xlDatabase, _  
SourceData:=DataRange, TableDestination:=Destination,  
TableName:="SalesInfo"  
  
End Sub
```

This code runs the PivotTable wizard, capturing the data in the current worksheet then placing a pivot table in the worksheet called "Sales Summary". In this instance the PivotTable contains no data, because the row, column and data fields haven't been assigned.

Using PivotFields

Once a PivotTable is created pivot fields must be assigned. The **PivotFields** collection is a member of the PivotTable object containing the data in the data source with each Pivot Field getting its name from the column header. PivotFields can be set to page, row, column and data fields in the PivotTable.

In the Sales – April 2004 the fields are: Sales Date, Make, Model, Type, Colour, Year, VIN Number, Dealer Price, Selling Price, Salesperson.

The table below lists the PivotTable destinations for PivotFields.

Destination	Constant
Row Field	xlRowField
Column Field	xlColumnField
Page Field	xlPageField
Data Field	xlDataField
To Hide A Field	xlHidden

The following syntax shows how a PivotField is defined by setting its Orientation property to the desired destination column:

```
.PivotTables(Index).PivotFields(Index).Orientation = Destination  
.PivotTables("SalesInfo").PivotFields("Salesperson").Orientation = xlPageField  
PivotTables("SalesInfo").PivotFields("Colour").Orientation = xlRowField
```

To optimize the setting of the Pivot Table orientation use the With Statement:


```
Set PvtTable = Sheets("Sales Summary").PivotTables("SalesInfo")  
With PvtTable  
    .PivotFields("Salesperson").Orientation = xlPageField  
    .PivotFields("Year").Orientation = xlRowField  
    .PivotFields("Make").Orientation = xlColumnField  
    .PivotFields("Selling Price").Orientation = xlDataField  
End With
```

Unit 3 Practice Activity

1. Open the file **Chart Exercise**.
2. Through code create a PivotTable with the following structure:

Sum of Sales	Column Labels				
Row Labels	Qtr1	Qtr2	Qtr3	Qtr4	Grand Total
Books	144207	147871.8	151822.8	151776	595677.6
Downloads	238684	240398	250219	247687	976988
DVD	138662	149449	144931	147804	580846
T-shirts	173047	178253	181556	177227	710083
Vinyl Records	150837	166792	169073	168926	655628
Grand Total	845437	882763.8	897601.8	893420	3519222.6

3. You want to create a chart from this, but you do not want the user to modify the PivotTable data. Write code that copies and uses Paste Values to create a copy of the table above.
4. In code create a column chart of the data on its own sheet, not including the totals.



5. You want to give this chart a dynamic axis so that it changes depending on the data source. Use code to:
 - a. Analyse the sales to figure out the highest and lowest totals (hint: WorksheetFunction.Min and WorksheetFunction.Max will return these)
 - b. Subtract 1% from the lowest value, and add 1% to the highest value to form the upper and lower boundaries of the Value axis.
6. To test this out, modify some of the source data and rerun the code. Check if the axis has changed.
7. Save the file as **My Chart Exercise**.



Online support forum and knowledge base

www.microsofttraining.net/forum

Visit our forum to have your questions answered by our Microsoft qualified trainers.

Unit 4: Working with Arrays

What is an Array

An array can be regarded as a variable that can hold a collection of values which can be referenced by an index number. Typically an array is defined in the same way as a variable, with the difference that it is followed by brackets.

The following code contains an array that can hold 5 integers
`Dim intArray(1 to 5) as integer`

When creating an array it is necessary to specify its size (the number of elements that it can hold) and the number of dimensions contained by the array.

Array Sizes

An array's size can be specified either when it is declared or later during the code's execution. The former case creates a static array, the later a dynamic array.

A static array is an array that is sized in the Dim statement that declares the array.

```
Dim StatArray(1 To 100) As string
```

You can't change the size or data type of a static array.

A dynamic array is an array that is not sized in the Dim statement. Instead, it is sized later with the ReDim statement.

```
Dim DynArray() As string  
ReDim DynamicArray(1 To 100)
```

You can change the size of a dynamic array, but not the data type.

One Dimensional Arrays

The arrays considered so far are one dimensional, in that they have a simple row of variables. For example an array defined as;

```
Dim strArray(1-5) as string
```

Could be visualized as

1	2	3	4	5
---	---	---	---	---

with 5 spaces which can contain string values.

When the array is populated, we could visualize the following

Bill	Ben	Fred	Mary	Jane
------	-----	------	------	------

In the first view, the numbers are the array's index numbers which are used to identify a particular element. The second refers to the values actually contained in the array.

To allocate a value to a location in array, it is simply necessary to reference the index number and set that equal to the value required. For example:

```
strArray(3) = "Fred"
```

...would be the code used to set the value of the array's third element to the string value "Fred".

Arrays with Multiple Dimensions

Arrays can have more than one index number; that is they can have more than one dimension. Typically we will use 2 dimensional arrays which are in effect virtual tables.

The following code

```
Dim strArray(1 to 5,1 to 3)
```

....creates the following

1,1	1,2	1,3
2,1	2,2	2,3
3,1	3,2	3,3
4,1	4,2	4,3
5,1	5,2	5,3

This is an array with 5 rows and 3 columns. If we wanted to set the value of the last element in the array to the word "hello", we would need;

```
StrArray(5,3) = "Hello"
```

While single and two dimensional arrays are the most commonly used; arrays can have up to 60 dimensions.

Thus the following

```
StrArray(1 to 3,1 to 9,1 to 6)
```

....defines a virtual cube containing 162 spaces.

Once we exceed 3 dimensions, mathematically we are working with hypercubes which are hard to visualize! Fortunately, it is unlikely that you will ever need them.

A word about index numbers

Thus far we have explicitly specified the index numbers in an array as follows;

```
Dim intArray(1 to 4) as integer
```

.....which specifies that the first location is numbered 1 and the last 4.

We could however define the array as follows

```
Dim intArray(4) as integer
```

Here we have again defined an array with 4 locations. However, under normal circumstances the index numbers would be;

0	1	2	3
---	---	---	---

With the first index number starting zero.

This can be changed by using the Option Base statement in the declarations section of the module containing the code

```
Option Base 1
```

.....sets the lower bound index of any array to 1.

It is however better practice to explicitly specify the lower bound index number in the array's declaration.

Ubound and Lbound

The Ubound and Lbound functions return the highest and lowest index numbers in the array. They are useful when cycling through the values contained in an array.

The following code uses the Lbound and Ubound functions to view each item contained in an array

```
Public Sub Array1()  
    Dim data(1 To 10) As Integer  
    Dim I As Integer  
    For I = LBound(data) To UBound(data)  
        MsgBox data(I)  
    Next I  
End Sub
```

Saving arrays in names

As with any variable the array has a limited lifetime which terminates at the latest when the application ceases to run. However, in the same way that we can give a range a name that is saved within the workbook we can also name an array.

This array will then be saved with the workbook and can then be available when the workbook opens.

The following code creates an array, populates it and then saves it to a name; using the add method of the names collection.

This technique allows large volumes of data to be stored in a workbook, outside of the standard worksheets.

```
Public Sub ArrayToName()  
    Dim MyArray(1 To 200, 1 To 3) As Integer  
    Dim I As Integer  
    Dim J As Integer  
    For I = 1 To 200  
        For J = 1 To 3  
            MyArray(I, J) = I + J  
        Next J  
    Next I  
    Names.Add Name:="MyName", RefersTo:=MyArray  
End Sub
```

Unit 4 Practice Activity 1

1. Start a New Workbook.
2. Enter the following data into a worksheet:

	A	B	C	D	E
1		Week 1	Week 2	Week 3	Week 4
2	Sales				
3	Costs				
4	Profit				

3. Rename the worksheet "Sales". Enter 2000 as the costs in row 3 (by hand).
4. Write a procedure named Input_Sales_Figures. The code will prompt the user to enter the Sales figures for weeks 1 to 4 of a given month:
 - a) Declare a string variable SalesMonth. This will hold the month.
 - b) Declare an array SalesData to hold the four Sales figures.
 - c) Use the InputBox function to prompt user for a month – this information will be stored in the variable SalesMonth.
 - d) Use the InputBox function to prompt user for the Sales figures for Weeks 1 to 4. Store each of the answers in the elements of the SalesData array.
 - e) Enter the contents of the SalesMonth variable in Cell A1 in upper case.
 - f) Enter the Sales figures from the SalesData array in the range B2:E2.
 - g) Modify each element of the SalesData array to subtract the costs in row 3, then output these results to row 4 (profit).
 - h) Auto-fit the width of columns A to E.
5. Save the file as **BasicArrays** then close the file.



Online support forum and knowledge base

www.microsofttraining.net/forum

Visit our forum to have your questions answered by our Microsoft qualified trainers.

Unit 4 Practice Activity 2

1. Open the workbook **Expenditure Analysis**.
2. You will create two macros: one that copies the data on the selected sheet; and one that places the data on the sheet you select.

Because the array will be used by two separate procedures you will need to declare it at the *module level*. It is recommended that you declare the variable like so:

```
Dim BudgetTable(34,22) As String
```

There are 34 rows and 22 columns in the data, hence those values.

3. Create a GetTable sub that stores the data from the **2004** sheet. Add a message box to say "Data retrieved". (*Hint: use nested For... Next loops to cycle through the positions in the array*).
3. Add a message box to say "Data retrieved".
4. Create a WriteTable sub that takes the contents of the BudgetTable array and writes them to the **2005** sheet. Again, For... Next loops can be used.
5. AutoFit the columns A:V as part of the WriteTable macro.
6. Add a message box to say "Data entered".
7. Modify the WriteTable code so that only the numbers in the array are increased by 5% (1.05). (*Hint: IsNumeric in VBA help might be of use here*).
8. Test the revised code on the **2006** sheet.
9. Save the file.

Optional Extra

How would you allow the array to work on any size table? (*Hint: look up ReDim and Preserve*).

Write a macro that will generate random values, store them in the array and then entered into the table on a new sheet (*Hint: look up RND in VBA help*).



Online support forum and knowledge base

www.microsofttraining.net/forum


Visit our forum to have your questions answered by our Microsoft qualified trainers.

Unit 5: Triggers and Events

An event is “something that happens” to an object, and usually occurs when an object undergoes a change of state.

For instance when a workbook is selected, its status changes from deactivated to activated and the Activate event fires. Code can be embedded in special event procedures and will run whenever certain events occur.

The screenshot below shows how to select an object and then access the relevant event



Workbook Events

Events for the Workbook object occurs when the workbook is changed or a sheet in the workbook is changed.

Select the desired project in the Project-window of the VBE and activate the object ThisWorkbook by double-clicking it. Any event procedures in the workbook will now be displayed in the Code-window on the right side of the screen. You can create a new event Procedure by selecting Workbook in the Object dropdown, and then select an event in the Procedure dropdown.

The main workbook events are:

- Activate (When the workbook is selected. Also fires when the workbook opens, after the open event)
- AddinInstall
- AddinUninstall
- BeforeClose (Can be used to “clean up” workbook before it closes. Also you can run the save method at this point to ensure the file always automatically saves any changes)
- BeforePrint
- BeforeSave
- Deactivate (Fires when another workbook or application is selected)
- NewSheet (when a new sheet is created)
- Open
- SheetActivate
- SheetBeforeDoubleClick
- SheetBeforeRightClick
- SheetCalculate
- SheetChange
- SheetDeactivate
- SheetSelectionChange
- WindowActivate
- WindowDeactivate
- WindowResize

Worksheet Events

In the worksheet dropdown you can access the following events

- Activate
- BeforeDoubleClick
- BeforeRightClick
- Calculate (Runs whenever a formula's dependent cell value is changed, or when F9 is pressed.)
- Change
- Deactivate
- SelectionChange

Timer Controlled Macro

Timer Event example code:

```
Private Sub Workbook_Open()  
'Application.OnTime Now() + TimeSerial(0, 0, 10), "TimeMe"  
Application.Wait Now() + TimeValue("00:00:05")  
MsgBox "Hi its me"  
End Sub
```

If using the OnTime you need to specify another routine for it to go to.

Use this line if you want to run a macro at a preset time e.g. here set for 9.17pm

```
Application.OnTime TimeSerial(21, 17, 10), "TimeMe"
```

Use either TimeSerial or TimeValue.

Unit 6: Working with Text Files

For people that deal with databases and large systems, the text file is the common 'language' that they can all converse in. This could be in a variety of formats, such as: TXT, PRN, CSV, TSV and many more. It is beneficial to be aware of routines to handle importing and exporting text files as VBA can use them as an input / output between systems.

Importing a Text File

This procedure allows you to import data from a delimited text file. Each line in the text file is written to one row in the worksheet. Items in the text file are separated into separate columns on the worksheet row based on the character you specify.

Minimum code required to import a text delimited file:

```
With ActiveSheet.QueryTables.Add(Connection:="TEXT;C:\VBA\EmployeeData.txt",  
Destination:=Range("A1"))  
.TextFileStartRow = 1
```

```
.TextFileCommaDelimiter = True
.Refresh BackgroundQuery:=False
End With
```

FileStream

Use the FileStream class to read from, write to, open, and close files on a file system, and to manipulate other file-related operating system handles, including pipes, standard input, and standard output.

FileStream buffers input and output for better performance.

FileStream can be used across different VBA models (Excel, Word, Outlook).

FileStream needs to be loaded from the VBA Library before use.

- To reference this file, load the Visual Basic Editor (ALT-F11)
- Select Tools - References from the drop-down menu
- A listbox of available references will be displayed
- Tick the check-box next to 'Microsoft Scripting Runtime'
- The full name and path of the scrrun.dll file will be displayed below the listbox
- Click on the OK button

The two most useful lines of code are

```
FileSystemObject.OpenTextFile
FileSystemObject.CreateTextFile
```

To read in and create a text file, respectively.

Unit 6 Practice Activity

1. Open the file **Text Conversion**.
2. Go to the worksheet **Monthly Download**.
3. In column A there are numbers which refer to the filenames of some text files. The files need to be imported into Excel. Only certain files are to be converted, therefore in column B a “Y” or “N” is used to denote if conversion is required.
4. If there is a “Y” in column B
 - a. Read the text file in
 - b. Output it to the Import worksheet in the file (append to existing data – use the last available row).
5. If there is a “N” in column B
 - a. The file is ignored and the next is processed.
 - b. Record a “Text to Columns” process on the output data to separate it.
6. To ensure the correct amount of files has been processed, a message box should popup at the end of execution displaying the number of files converted.
7. Save the file as **My Text Conversion**.



Online support forum and knowledge base

www.microsofttraining.net/forum

Visit our forum to have your questions answered by our Microsoft qualified trainers.

Unit 7: Working with Procedures and Parameters

Procedure Arguments

There are two types of procedure; sub procedures and function procedures. The difference between them is that function procedures return values, and sub procedures do not. Both sub procedures and function procedures accept arguments. An argument is simply a piece of information that the procedure is to process.

Passing Arguments

The arguments of a procedure are defined within the brackets after the procedure's name. They are then processed within the procedure.

The following function accepts 2 string variables and then concatenates them together.

```
Function StringJoiner(Name1 As String, Name2 As String) As String
    StringJoiner = Name1 & Name2
End Function
```

It is then called from the following sub procedure, with the two arguments defined.

```
Sub RunStringJoiner()
    Dim strResult As String
    strResult = StringJoiner("Stephen ", "Williams")
    MsgBox strResult
End Sub
```

Optional Arguments

You can specify that some or all of the arguments in a procedure are optional.

This procedure has an optional argument strMessage

```
Sub OptArgument(Optional strMessage As String)
```

```
    If strMessage <> "" Then
```

```
        MsgBox strMessage
```

```
    Else
```

```
        MsgBox "I have nothing to say"
```

```
    End If
```

```
End Sub
```

It is called from the following procedure. The first line returns a message box with the word argument value hello as the message. The second has no value for the argument and returns the message "I have nothing to say".

```
Sub CallOptArg()
```

```
    Call OptArgument("Hello")
```

```
    Call OptArgument
```

```
End Sub
```

Default Values

It is common to include a default value with an optional argument. This will be the value of the argument if it is omitted when the procedure is called.

```
Sub OptArgument(Optional strMessage As String = "I have nothing to say")  
  
    MsgBox strMessage  
  
End Sub
```

The above procedure has exactly the same results as the previous example, but is clearly a lot simpler to code and understand.

Passing arguments by value and reference

By default, arguments in VBA are passed by reference. This means that if you pass a variable as an argument from one procedure to another then the called procedure is working with the exact same copy of the variable as the calling procedure. When you pass a variable by value, then the calling procedure makes a copy of the variable, hands that to the called procedure; but retains the original itself. As a result, the variable in the calling procedure is unaffected by the changes made in the calling procedure.

The following procedure sets a variable intVar to the value of 10 and then passes it to another procedure by reference. This procedure adds 10 to it and hands it back, where the final value of 20 is displayed in a message box.

```
Sub PassByRef()  
  
    Dim intVar As Integer  
  
    intVar = 10  
  
    Call RecByRef(intVar)  
  
    MsgBox intVar  
  
End Sub
```

```
Sub RecByRef(IntArgument As Integer)

    IntArgument = IntArgument + 10

End Sub
```

In the following example the intVar is passed by value to the sub RecByRef. Here a copy of the variable is processed, which means it is not passed back to the calling procedure. As a result the message box returns the value 10

```
Sub PassByVal()

    Dim intVar As Integer

    intVar = 10

    Call RecByVal(intVar)

    MsgBox intVar

End Sub
```

```
Sub RecByVal(ByVal intArgument As Integer)

    intArgument = intArgument + 10

End Sub
```

The key is the argument in the called procedure

```
Sub RecByVal(ByVal intArgument As Integer)
```

The byVal keyword specifies that the argument has been passed by value; that is that it is a copy and that the original value will be retained after the called procedure has completed.

Unit 8: Active X Data Objects

Microsoft's ActiveX Data Objects (ADO) is a set of objects for accessing data sources. It provides a layer between VBA and the OLE DB, for example an Access Database.

ADO allows a developer to write programs that access data without knowing how the database is implemented. You must be aware of your database for connection only. No knowledge of SQL is required to access a database when using ADO, although you can use ADO to execute arbitrary SQL commands.

Key Objects

There are two key objects that concern us; the Connection Object and the Recordset Object.

The Connection Object is the link between your Excel Spreadsheet and the database itself. The link must be opened initially, it must be closed when you're finished, and it has varying qualities. These qualities are the *properties* and methods of the Connection Object.

The Recordset is the object you're going to be doing almost all of your work with. A RecordSet object is a container for what is called a *Cursor*. A cursor is a temporary table, which is constructed by performing a query on a table in a database. It doesn't exist in a file; it exists in memory, but other than that, it has all the characteristics of a database table. It has rows (records) and columns (fields), and the rows and columns have properties of their own.

The Connection Object

The connection object has a child object known as the connection string. The connection string provides the path to the database, together with additional information concerning the database's properties.

The following code creates a constant to take the required connection string. It then creates an ADODB connection object and then sets that object's connection string to the defined constant. The connection is then opened, using the connection string's open method.

```
Const ConnString = "Provider=Microsoft.Jet.OLEDB.4.0;Data Source=D:\Documents and Settings\Storage\Work\Access\Simulated Server\Northwind 2003v2.mdb;Persist Security Info=False"  
Dim Connection As ADODB.Connection  
Connection.ConnectionString = ConnString  
Connection.Open
```

The RecordSet Object

The RecordSet Object is used to represent a table or query in the database defined by the connection string. An object variable is defined as an ADO DB RecordSet and is then set to the required table using an SQL statement.

The Recordset can then be manipulated with the following methods and properties.

MoveFirst	Move to first record
MoveNext	Move to next Record
MovePrevious	Move to previous Record
MoveLast	Move to last Record
Edit	Edit current record
AddNew	Add new record
Update	Update changes
Fields()	Used to specify a particular field in the current record either by index number or name
EOF	Specifies whether the cursor is at the end of the file
BOF	Specifies that the cursor is at the beginning of the file


The following code follows on from that shown for the connection object it opens the customer's table as a RecordSet, moves to the first record and then cycles through to the end of the file, writing the customer name to a cell in the active worksheet.

```
Const SQL = "SELECT * FROM customers"
Set rstCustomer = Connection.Execute(SQL)
With rstCustomer
    .MoveFirst
    Sheets(1).Range("a1").select
    Do While Not .EOF
        Activecell.value = .Fields("CompanyName")
        .MoveNext
        Activecell.Offset(1,0).Select
    Loop
End with
```

A word about the connection string


The connection string can often be difficult to code correctly. Fortunately there exists a simple technique to define the string, which involves creating a GUI tool that allows you to browse for the source file and then automatically calculate the connection string.

Create an empty text file and save it with the extension .udl. It will then open as a dialog box.




On the provider tab select the appropriate OLE DB Provider.

On the connection tab, click the browse button and select the required database



Then close the dialog box and open the file using notepad. Within the file you will see the connection string clearly labeled.



```
[oledb]
: Everything after this line is an OLE DB initstring
Provider=Microsoft.Jet.OLEDB.4.0;Data Source=D:\Documents and Settings\Work\Access\Simulated Server\Northwind_2003v2.mdb;Persist Security Info=False
```

You can the copy and paste the code into your procedure.

Unit 8 Practice Activity

1. Open a new workbook and save it as **ADO Customer Report.xlsm**.
2. Insert a module and add code which will add a sheet called **Client Data**.
3. Create a connection to **Sales.accdb**.
4. Open the records and copy only those which have a State of CA to the Client Data worksheet. You can use the SQL command "SELECT * FROM Clients WHERE State ='CA'". Alternatively you could perform the check inside the VBA loop (HINT: there are 7 columns (fields), and there should be 33 rows).
5. In a second macro, create a process which exports the new table to a Word document called **State Clients.docx**. Add the title "**Active Customers**" and format in the style of your choice.

Extra tasks – time permitting

6. Obtain through code how many columns are to be retrieved. (HINT: after you've SELECTed the table, your Recordset has a .Fields.Count method).
7. Modify your code to prompt the user which state they would like a report for. The following SQL command may be useful: "SELECT DISTINCT State FROM Clients"
8. Password protect your code with "state" and save as an Add-In.



Online support forum and knowledge base


www.microsofttraining.net/forum

Visit our forum to have your questions answered by our Microsoft qualified trainers.


Unit 9: Creating Add-Ins

When we create a customised function, that function will typically only be available within that workbook. To make the function available to all workbooks, we must create and then open an Add-In file.

1. Create all the required functions in a separate workbook. This workbook should contain no data as its sole purpose is to hold the functions
2. The file should then be saved and the file type should be Excel AddIn
3. It is then necessary to install the Addin file. The method varies according to the Excel Version
4. 2003. Go to Tools - Addins and in the resulting dialog box tick the new a
5. AddIn file




6. 2007/2010. Click on the office button/file tab, select Excel options and click on the AddIns command. Alongside manage click "Go" and then select the required AddIn



VBA Password Protection

When we write VBA code it is often desirable to have the VBA Macro code not visible to end-users. This is to protect your intellectual property and/or stop users messing about with your code.

To protect your code, from within the Visual Basic Editor



- Open the **Tools** Menu
- Select **VBA Project Properties**

The **Project Properties** dialog box appears.

- Click the **Protection** page tab
- Check "**Lock project for viewing**"
- Enter your password and again to confirm it.
- Click **OK**

After doing this you must **Save and Close** the Workbook for the protection to take effect.

The safest password to use is one that uses a combination of upper, lower case text and numbers. Be sure not to forget it.

Unit 10: About Macro Security

In Excel, you can set a macro security level to control what happens when you open a workbook that contains a macro.

Macro security settings and their effects

The following list summarizes the various macro security settings. Under all settings, if antivirus software that works with 2007 Microsoft Office system is installed and the workbook contains macros, the workbook is scanned for known viruses before it is opened.

- **Disable all macros without notification** Click this option if you don't trust macros. All macros in documents and security alerts about macros are disabled. If there are documents that contain unsigned macros that you do trust, you can put those documents into a trusted location.
- **Disable all macros with notification** This is the default setting. Click this option if you want macros to be disabled, but you want to get security alerts if there are macros present. This way, you can choose when to enable those macros on a case by case basis.
- **Disable all macros except digitally signed macros** This setting is the same as the Disable all macros with notification option, except that if the macro is digitally signed by a trusted publisher, the macro can run if you have already trusted the publisher. If you have not trusted the publisher, you are notified. That way, you can choose to enable those signed macros or trust the publisher. All unsigned macros are disabled without notification.
- **Enable all macros** (not recommended, potentially dangerous code can run) Click this option to allow all macros to run. Using this setting makes your computer vulnerable to potentially malicious code and is not recommended.
- **Trust access to the VBA project object model** This setting is for developers and is used to deliberately lock out or allow programmatic access to the VBA object model from any Automation client. In other words, it provides a security option for code that is written to automate an Office program and programmatically manipulate the Microsoft Visual Basic for Applications (VBA) environment and object model.

Change Macro Security Settings

You can change macro security settings in the Trust Center, unless a system administrator in your organization has changed the default settings to prevent you from changing the settings.

1. On the Developer tab, in the Code group, click Macro Security.
2. In the Macro Settings category, under Macro Settings, click the option that you want.

NOTE Any changes that you make in the Macro Settings category in Excel apply only to Excel and do not affect any other Microsoft Office program.

APPENDIX I: Class Modules

What can be done with Class Modules?

Class modules allow you to create and use your own object types in your application. This implies the following;

- You can easily write code that works with any workbooks that do not have any code.
- Two or more procedures for the event of a command button can be consolidated in one
- The code is easy to use by concealing logic and data.

Why use Class Modules?

Classes make your code:

- Development simpler
- More manageable
- Self-documenting
- Easier to maintain

What is a Class?

A Class is a Blueprint or template of an Object.

In Excel VBA, an Object can mean Workbooks, Worksheets, User forms and Controls etc. Normally an Object has Properties or Methods. A Property stands for Data that describes the Object, and a Method stands for an action that can be ordered to the object.

Properties and Methods of the Object depend on the kind of Object.

For Example;

Worksheet (1).Select

... selects the first worksheet in the workbook. Select is a method of the worksheet object.

How Does a Class Module Work?

A Class Module is a place where a Class is defined. The procedures in a class module are never called directly from other modules like the procedures placed in the standard modules.

In the view of a standard module, the class module doesn't exist.

The thing that exists in the view of a standard module is an instance of the object generated by the class defined by the class module. The methods and procedures of the class are defined within the class module.

Key Elements in a class module

The class module defines all the properties and methods associated with the class. In the example below the "customer" class has two properties associated properties; Name and Main Address.

These are defined by the Property Get and Property let Procedures (see below).

The Customer ID is calculated by taking the leftmost 3 characters from the customer's Name and concatenating that with the 5 leftmost characters from the main Address. This is the result of the method GetCustomerID, and is defined in a function in the class module

Property Get and Let Procedures

A property is implemented using a property let and a property get procedure. When someone sets a value for a property the property let procedure is called with the new value. When someone reads the value of a property the property get procedure is called to return the value. The value is stored as an internal private variable.

Read only properties can be created by implementing a property get procedure without a corresponding property let procedure.

Example of a Class Module

```
Option Explicit

Private strName As String

Private strAddress As String

Public Property Get Name() As String
    Name = strName
End Property

Public Property Let Name(ByVal value As String)
    strName = value
End Property

Public Function GetCustomerID()
    GetCustomerID = Left(strName, 3) & Left(strAddress, 5)
End Function

Public Property Get MainAddress() As String
    MainAddress = strAddress
End Property

Public Property Let MainAddress(ByVal value As String)
    strAddress = value
End Property
```

Referring to user defined Objects in Code

This simply involves creating an instance of the Class in Code and then manipulating it is the way you would any other object.

The following code would be placed in a standard module, and refers to the customer object defined previously.


```
Option Explicit
Dim aCustomer As Customer (1)
Sub TestCustomer()
    Set aCustomer = New Customer (2)
    aCustomer.Name = "Evil Genius" (3)
    aCustomer.MainAddress = "123 the Hollowed out Volcano" (4)
    MsgBox "Company ID is " & vbCrLf & aCustomer.GetCustomerID() (5)
End Sub
```

Line 1 defines an object variable as a Customer variable, and line 2 sets it as a new customer object. Line 3 assigns a value to its name property and line 4 a value to its Main Address property.

Line 4 uses the GetCustomerID Method to generate the CustomerID value and returns it in a message box.

Using IntelliSense™

Microsoft IntelliSense is a convenient way to access descriptions of objects and methods. It speeds up software development by reducing the amount of name memorization needed and keyboard input required. Once a class is defined in a class module, Intellisense will automatically provide drop down lists showing the methods and properties of objects the names of which have been entered into the VBE.



APPENDIX II: Programming Techniques

Writing effective code is both a science and an art. There are obviously rules of logic and syntax that define what will and will not work. Outside of this however, there are usually a multiplicity of ways to achieve a particular end, and as your experience grows you will find a style that suits you. However there are various conventions and best practises that when followed will make your code simpler and more efficient.

Best Practice for Excel Programming

When writing VBA code for Excel, it is best whenever possible to make use of Excel's built in functionality rather than trying to replicate it in your code. For example, if you were working with a list and wanted to place subtotal within it at the end of various groups, you could:

1. Write code that inserts a blank row at the end of each group and then insert a function to total the rows above it.
2. Alternatively, you could use the subtotalling method of the current region to accomplish the same end.

The later technique is the more efficient as it is briefer, easier to understand and executes more quickly. There are also associated methods for removing the subtotals.

```
Sub SubTotals()
```

```
    Range("A6").CurrentRegion.Sort key1:=Range("a7:a41"), Header:=xlYes
```

```
    Range("A6").CurrentRegion.Subtotal Groupby:=1, Function:=xlSum, _  
    TotalList:=Array(6, 11, 16)
```

```
End Sub
```

The code above sorts a database, and then inserts subtotals based on the sorted column.