

Markierte Fläche zeigt Lackaussparung  
Varnish free area

Standdruckform-Nr.: 13817717  
Aufzeichnungs-Nr.: 10030094  
kloc

COLORS:



USE ONLY ON DOGS AND PUPPIES WEIGHING  
**23-44 lbs. OR OLDER**

vetality  
**Firstsectplus** FOR DOGS

USE ONLY ON DOGS AND PUPPIES WEIGHING  
**23-44 lbs. OR OLDER**

vetality  
**Firstsectplus** FOR DOGS



# vetality<sup>™</sup> **Firstsectplus** FOR DOGS

Contains the same active ingredients as **Frontline® Plus for Dogs\***

\*vetality<sup>™</sup> Firstsect<sup>™</sup> Plus is not manufactured by or distributed by Merial Limited. Frontline<sup>®</sup> is a registered trademark of Merial Limited.

**Kills Fleas, Flea Eggs & Flea Larvae  
Kills Ticks & Lice**

Kills all stages of ticks, including those that may transmit Lyme disease.

Aids in control of sarcoptic mange mite infestations.

**Fast-Acting • Long-Lasting • Waterproof**

**3** APPLICATORS



NET CONTENTS: 0.135 fl. oz.  
3 applicators each containing 0.045 fl. oz.

ACTIVE INGREDIENTS:  
Fipronil..... 9.8%  
(S)-Methoprene..... 8.6%  
OTHER INGREDIENTS..... 81.4%  
TOTAL..... 100.0%

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION** SEE LABEL INSERT FOR FIRST AID, PRECAUTIONARY STATEMENTS AND COMPLETE DIRECTIONS FOR USE

Manufactured for: Teva Brands, LLC., 9100 F St., Ste. 200, Omaha, NE 68127



To kill adult fleas, flea eggs and larva, chewing lice, all stages of **Brown dog ticks, American dog ticks, Lone Star ticks, and Deer ticks** which may carry Lyme disease, and to aid in control of sarcoptic mange mites, apply this product **ONLY** to dogs and puppies 8 weeks or older weighing 23-44 lbs. as follows.

**How to Open**  
See label insert for opening instructions.

**How to Apply**  
To apply vetality<sup>™</sup> Firstsect<sup>™</sup> Plus For Dogs: Your dog needs to be dry at the time of application and remain dry for 24 hours after application. Place applicator tip through dog's hair to the skin level between the shoulder blades. Squeeze applicator, applying entire contents in a single spot to the dog's skin. Avoid superficial application to the dog's hair. Allow area to dry before touching treated area. Do not apply more than one applicator per dog per treatment regardless of the dog's weight.

vetality  
**Firstsectplus** FOR DOGS

**Fleas:** Kills fleas, flea eggs and flea larvae.  
**Mites:** Aids in control of sarcoptic mange mite infestations.  
**Ticks:** Kills all stages of ticks (larva, larvae, pupae) from developing. Prevents all flea stages (eggs, larvae, pupae) from developing. Kills newly emerged fleas before they lay eggs. Kills fleas which may cause flea allergy dermatitis.  
**Lice:** Rapidly controls infestations of chewing lice.

**Fleas:** Kills fleas, flea eggs and flea larvae.  
**Mites:** Aids in control of sarcoptic mange mite infestations.  
**Ticks:** Kills all stages of ticks (larva, larvae, pupae) from developing. Prevents all flea stages (eggs, larvae, pupae) from developing. Kills newly emerged fleas before they lay eggs. Kills fleas which may cause flea allergy dermatitis.  
**Lice:** Rapidly controls infestations of chewing lice.

may carry Lyme disease.  
ticks (*Ixodes scapularis*) which  
(*Amblyomma americanum*). Deer  
*vancouveris*). Lone Star ticks  
American dog ticks (*Dermacentor*  
ticks (*Rhipicephalus sanguineus*).

EPA Reg. No. 88052-15-92413  
Batch No.

vetality<sup>™</sup> Firstsect<sup>™</sup> Plus For Dogs contains the active ingredients fipronil and (S)-methoprene that effectively kills and controls fleas, ticks, and chewing lice. vetality<sup>™</sup> Firstsect<sup>™</sup> Plus For Dogs is fast-acting, long-lasting, waterproof, and easy to use. vetality<sup>™</sup> Firstsect<sup>™</sup> Plus For Dogs remains effective even after bathing, water immersion, or exposure to sunlight. vetality<sup>™</sup> Firstsect<sup>™</sup> Plus For Dogs can also be used on breeding, pregnant, and lactating bitches.

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. **Do not allow children to apply product.** TO PREVENT HARM TO YOU AND YOUR DOG, READ THE ENTIRE LABEL AND PACKAGE INSERT BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON DOGS ONLY; DO NOT USE ON RABBITS OR OTHER ANIMALS.

**RESTRICTIONS**  
Do not use on cats, rabbits, or other animals.  
Do not use on puppies under 8 weeks of age and less than 23 lbs.  
Do not allow your dog to ingest this product.  
Do not apply more frequently than once every 4 weeks.  
Do not apply more than one applicator per treatment for one dog regardless of the dog's weight.  
Do not bathe or allow your dog to swim for 24 hours after application.

### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.  
**PESTICIDE STORAGE:** Store unused product in original container only, out of reach of children and animals. **PESTICIDE DISPOSAL:** If partly filled, call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or other for recycling if available.

vetality<sup>™</sup> Firstsect<sup>™</sup> Plus For Dogs is a registered trademark of Teva Brands.  
EPA Reg. No. 88052-15-92413  
EPA Est No. 74720-DEU-01  
Made in Germany

**FREQUENCY OF APPLICATION**  
fleas, flea eggs, and flea larvae on your dog for up to three months. Although vetality<sup>™</sup> Firstsect<sup>™</sup> Plus For Dogs can control fleas for up to three months, if there is a high risk of re-infestation of fleas on your dog or if the dog has fleas which may cause flea allergy dermatitis, apply this product once a month.  
**TICKS:** vetality<sup>™</sup> Firstsect<sup>™</sup> Plus For Dogs kills larva, nymph and adult ticks that may transmit Lyme disease, Rocky Mountain Spotted Fever, ehrlichiosis, babesiosis, and anaplasmosis for at least one month. For best control of ticks, apply once every month.  
**CHEWING LICE:** vetality<sup>™</sup> Firstsect<sup>™</sup> Plus For Dogs kills chewing lice for at least one month. For best control of chewing lice, apply once every month.  
**SARCOPTIC MITES:** Applied once a month, vetality<sup>™</sup> Firstsect<sup>™</sup> Plus For Dogs aids in the control of sarcoptic mange mite infestations.  
Do not reapply vetality<sup>™</sup> Firstsect<sup>™</sup> Plus For Dogs for 30 days.

**SIDE EFFECTS:** Monitor your dog after application. Side effects may include skin irritation such as redness, scratching or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, consult your veterinarian or us at 1-800-775-9416.

**DO NOT USE ON CATS**  
Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian.

Manufactured for Teva Brands, LLC, 9100 F Street, Suite 200, Omaha NE 68127  
If you have questions or comments about this product,  
please write: Teva Brands Pet Owner Response,  
9100 F Street, Suite 200, Omaha, NE 68127  
In Case of Emergency, call: 1-800-775-9416  
Non-Emergency, call: 1-844-276-3290  
P01052-1 RRRN  
90623 25013 2

vetality  
**Firstect<sup>plus</sup>** FOR DOGS

Kills Fleas, Flea Eggs and Larvae, Chewing Lice

Kills all stages of ticks, including those that may transmit Lyme disease.

Aids in control of sarcoptic mange mite infestations.

Fast-Acting • Long-Lasting • Waterproof

Use **Only** On Dogs And Puppies Weighing  
**23-44 lbs.** AND 8 WEEKS  
OR OLDER

**ACTIVE INGREDIENTS:**

Fipronil..... 9.8%

(S)-Methoprene..... 8.8%

**OTHER INGREDIENTS:**..... 81.4%

**TOTAL:**..... 100.0%

KEEP OUT OF REACH OF CHILDREN

**CAUTION**

**FIRST AID**

**IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**HOTLINE NUMBER:** Have the product container or label with you when calling a poison control center, doctor or going for treatment. You may contact us at 1-800-775-9416 for emergency medical treatment information.

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**HAZARDS TO HUMANS.**

**CAUTION.** Harmful if swallowed. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

**HAZARDS TO DOMESTIC ANIMALS**

For external use only. FOR USE ON DOGS AND PUPPIES ONLY. Do not use on dogs or puppies less than 23 pounds or on puppies under 8 weeks of age. DO NOT USE ON CATS OR OTHER ANIMALS. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian. Individual sensitivities, while rare, may occur after using **ANY** pesticide product. Dogs may experience some temporary irritation at the site of product application. If signs persist, or become more severe within a few days of application, consult a veterinarian. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating treatment. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged dogs. Call 1-800-775-9416 for 24-hour assistance.

**SIDE EFFECTS**

Monitor your dog after application. Side effects may include skin irritation such as redness, scratching or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, consult your veterinarian or us at 1-800-775-9416.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**Do not allow children to apply product.**

TO PREVENT HARM TO YOU AND YOUR DOG, READ THE ENTIRE LABEL AND PACKAGE INSERT BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON DOGS ONLY. DO NOT USE ON RABBITS OR OTHER ANIMALS.

Precaucion al consumidor: si usted no puede leer inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. (To the user: If you cannot speak English, do not use this product until the label has been fully explained to you).

**RESTRICTIONS**

Do not use on cats, rabbits, or other animals. Do not use on puppies under 8 weeks of age and less than 23 lbs.

Do not allow your dog to ingest this product. Do not apply more frequently than once every 4 weeks.

Do not apply more than one applicator per treatment for one dog regardless of the dog's weight.

Do not bathe or allow your dog to swim for 24 hours after application.

Vetality™ Firstect™ Plus For Dogs contains the active ingredients fipronil and (S)-methoprene that effectively target fleas, ticks and chewing lice. Vetality™ Firstect™ Plus For Dogs is fast-acting, long-lasting, waterproof, and easy to use. Vetality™ Firstect™ Plus For Dogs remains effective even after bathing, water immersion, or exposure to sunlight. Vetality™ Firstect™ Plus For Dogs can also be used on breeding, pregnant, and lactating bitches.

Do not allow your dog to ingest this product. Do not apply to dogs weighing less than 23 pounds (0.045 fl. oz.).

Do not use more than one applicator per dog. Weigh your dog to be sure you are applying the right dose formulated for the weight of your dog.




To kill adult fleas, flea eggs and larva, chewing lice, all stages of **Brown dog ticks, American dog ticks, Lone Star ticks, and Deer ticks** which may carry Lyme disease, and to aid in control of sarcoptic mange mites, apply this product **ONLY** to dogs and puppies 8 weeks or older weighing 23-44 lbs as follows.



### HOW TO OPEN:

**1** Tear through perforation.



**2** Fold back the safety tab.



**3** Cut with scissors to open applicator.



### HOW TO APPLY:

To apply Vetality™ Firstect™ Plus For Dogs: Your dog needs to be dry at the time of application and remain dry for 24 hours after application. Place applicator tip through dog's hair to the skin level between the shoulder blades. Squeeze applicator, applying entire contents in a single spot to the dog's skin. Avoid superficial application to the dog's hair. Allow area to dry before touching treated area. Do not apply more than one applicator per dog per treatment regardless of the dog's weight.

### FREQUENCY OF APPLICATION

**Fleas:** When used monthly, Vetality™ Firstect™ Plus For Dogs breaks the flea life cycle and controls fleas, flea eggs, and flea larvae on your dog for up to three months. Although Vetality™ Firstect™ Plus For Dogs can control fleas for up to three months, if there is a high risk of re-infestation of fleas on your dog or if the dog has fleas which may cause flea allergy dermatitis, apply this product once a month.

**Ticks:** Vetality™ Firstect™ Plus For Dogs kills larva, nymph and adult ticks that may transmit Lyme disease, Rocky Mountain Spotted Fever,

ehrlichiosis, babesiosis, and anaplasmosis for at least one month. For best control of ticks, apply once every month.

**Chewing Lice:** Vetality™ Firstect™ Plus For Dogs kills chewing lice for at least one month. For best control of chewing lice, apply once every month.

**Sarcoptic Mites:** Applied once a month, Vetality™ Firstect™ Plus For Dogs aids in the control of sarcoptic mange mite infestations.

Do not reapply Vetality™ Firstect™ Plus For Dogs for 30 days.

## STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

**PESTICIDE STORAGE.** Store unused product in original container only, out of reach of children and animals. **PESTICIDE DISPOSAL. If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**CONTAINER HANDLING.** Nonrefillable container. Do not reuse or refill this container.

**If empty:** Place in trash or offer for recycling if available.

### Manufactured for:

Tevra Brands, LLC, 9100 F Street, Suite 200, Omaha NE 68127

If you have questions or comments about this product, please write:

Tevra Brands Pet Owner Response,  
9100 F Street, Suite 200, Omaha, NE 68127

In Case of Emergency, call: 1-800-775-9416

Non-Emergency, call: 1-844-276-3290

Made in Germany

EPA Reg. No. 88052-15-92413



### DO NOT USE ON CATS

Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian.