ICD10 Chiropractic Diagnosis Codes

Disclaimer: When the ICD-10 code requires a 7th character, the code shown assumes "initial encounter."

Disclaimer: This information is based on the General Equivalency Mapping (GEM) files published by CMS. Each doctor must determine the appropriate code for his/her practice. While many codes in ICD-9-CM map directly to codes in ICD-10, in some cases, a clinical analysis will be required to determine which code or codes should be selected, and there will be many situations in which you will need to map the ICD-9 code to the most appropriate ICD-10 Code.

Disclaimer: In the past, 83901-83949 were used as adjustment codes for BCBSM; they have been redefined as dislocation for an initial encounter. Use 7390-7395 in most cases.

Likewise, 8470-8475 are sprain codes, initial encounter.

| ICD-9 Code | ICD-9 Descriptor | Possible Corresponding ICD-10 Codes (for Initial Encounter) | ICD-10 Descriptor |
|------------|--|---|---|
| 307.81 | Tension Headache | G44.209 | Tension-type headache, unspecified, not intractable |
| 346.00 | Migraine with aura, without mention of intractable | G43.109 | Migraine with aura, not intractable, without status migrainosus. Excludes chronic migraine without aura (G43.7-) |
| 353.0 | Brachial Plexus Lesions | G54.0 | Brachial plexus disorders. This category excludes current traumatic nerve root and plexus disorders-see nerve injury by body region. Intervertebral disc disorders (M50-M51), neuralgia or neuritis NOS (M79.2), neuritis or radiculitis brachial NOS (M54.13), neuritis or radiculitis lumbar NOS (M54.16), neuritis or radiculitis lumbosacral NOS (M54.17), neuritis or radiculits thoracic NOS (M54.14), radiculitis NOS (M54.10), spondylosis (M47-) |
| 353.30 | Thoracic Root Lesion not elsewhere | G54.3 | Thoracic root lesion, not elsewhere classified |
| 354.40 | Lumbosacral Root Lesion Not elsewhere classified | G54.4 | Lumbosacral root disorders, not elsewhere classified |
| 354.00 | Carpal Tunnel Syndrome | G56.00 | Carpal tunnel syndrome, unspecified upper limb. This category excludes current traumatic nerve disorder-see nerve injury by body region. |

| ICD-9 Code | ICD-9 Descriptor | Possible Corresponding ICD-10 Codes (for Initial Encounter) | ICD-10 Descriptor |
|--------------------|--|---|--|
| 354.00 (cont'd) | | G56.01 | Carpal tunnel syndrome, right upper limb |
| | | G56.02 | Carpal tunnel syndrome, left upper limb |
| 524.60 | Temporomandibular joint disorder, unspecified | M26.60 | Temporomandibular joint disorder, unspecified. This category excludes current Temporomandibular joint dislocation (503.0), current Temporomandibular joint sprain (503.4) |
| | | M26.69 | Other specified disorders of temporomandibular joint (TMJ) |
| 524.61 | Adhesions/ankylosis of TMJ | M26.61 | Adhesions and ankylosis of TMJ |
| 524.62 | Arthralgia TMJ | M26.62 | Arthralgia of TMJ |
| 718.59 | Ankylosis of Joint Multiple Sites | M24.60 | Ankylosis, unspecified joint (if known, code specific joint and specific side) This category excludes stiffness of joint without ankylosis (M25.6-) spine (M43.2) |
| 718.98 | Joint derangement not otherwise specified or other specified sites | M24.9 | Joint derangement, unspecified (if known, code specific joint and specific side) |
| 719.41 | Pain in joint - shoulder region | M25.519 | Pain in unspecified shoulder (if known, code specific side) This category excludes pain in hand (M79.64-), pain in fingers (M79.64), pain in foot (M79.67-), pain in limb (M79.6), pain in toes (M79.67) |
| | | M25.511 | Pain in right shoulder |
| | | M25.512 | Pain in left shoulder |
| 719.43 | Pain in joint involving forearm | M25.539 | Pain in unspecified wrist (if known, code specific joint and specific side. i.e. distal or proximal forearm) |
| | | M25.531 | Pain in right wrist and distal forearm |
| | | M25.532 | Pain in left wrist and distal forearm |
| 719.44 | Pain in joint involving hand | M79.643 | Pain in unspecified hand (Category excludes pain in joint M25.5-) |
| | | M79.641 | Pain in right hand |

| ICD-9 Code | ICD-9 Descriptor | Possible | ICD-10 Descriptor |
|------------|-------------------------|---|--|
| | | Corresponding ICD-10 Codes (for Initial | |
| | | Encounter) | |
| 719.44 | | M79.642 | Pain in left hand |
| (cont'd) | | 7.500 11.1 | |
| | | M79.646 | Pain in unspecified finger(s) |
| | | M79.644 | Pain in right finger(s) |
| | | M79.645 | Pain in left finger(s) |
| 719.45 | Pain in joint involving | M25.559 | Pain in unspecified hip. This category |
| | pelvic region and thigh | | excludes pain in hand (M79.64), pain in fingers (M79.64), pain in foot (M79,67), |
| | | | pain in limb (M79.6-), pain in toes (M79.67) |
| | | M25.551 | Pain in right hip |
| | | 14123.331 | am m ngm mp |
| | | M25.552 | Pain in left hip |
| 719.46 | Pain in joint involving | M25.569 | Pain in unspecified knee. This category |
| | lower leg | | excludes pain in hand (M79.64), pain in |
| | | | fingers (M79.64), pain in foot (M79,67), |
| | | | pain in limb (M79.6-), pain in toes (M79.67) |
| | | M25.561 | Pain in right knee |
| | | M25.562 | Pain in left knee |
| 719.47 | Pain in joint involving | M25.579 | Pain in unspecified ankle and unspecified |
| | ankle and foot | | foot. This category excludes pain in hand |
| | | | (M79.64), pain in fingers (M79.64), pain in |
| | | | foot (M79,67), pain in limb (M79.6-), pain in |
| | | M25.571 | toes (M79.67) Pain in right ankle and joints of right foot |
| | | 1,123.371 | and margin unite und joints of right root |
| | | M25.572 | Pain in left ankle and joints of left foot |
| 719.48 | Pain in joint involving | M25.50 | Pain in unspecified joint. This category |
| | other specified sites | | excludes ankylosis of joint (M24.6-) and |
| | | | contracture of joint (M24.5-) |

| ICD-9 Code | ICD-9 Descriptor | Possible Corresponding ICD-10 Codes (for Initial Encounter) | ICD-10 Descriptor |
|------------|--|---|--|
| 719.51 | Stiffness of joint not elsewhere classified involving shoulder region | M25.619 | Stiffness of unspecified shoulder, not elsewhere classified. This category excludes pain in hand (M79.64), pain in fingers (M79.64), pain in foot (M79,67), pain in limb (M79.6-), pain in toes (M79.67) |
| | | M25.611 | Stiffness of right shoulder, not elsewhere classified |
| | | M25.612 | Stiffness of left shoulder, not elsewhere classified |
| 719.55 | Stiffness of joint not elsewhere classified involving pelvic region and thigh | M25.659 | Stiffness of unspecified hip, not elsewhere classified. This category excludes ankylosis of joint (M24.6-) and contracture of joint (M24.5-) |
| | | M25.651 | Stiffness of right hip, not elsewhere classified |
| | | M25.652 | Stiffness of left hip, not elsewhere classified |
| 719.58 | Stiffness of joint not elsewhere classified involving other specified joints | M25.6 | Stiffness of joint not elsewhere classified. Excludes 1: ankylosis of joint (M24.6-), contracture of joint (M24.5-) |
| | | M25.60 | Stiffness of unspecified joint, not elsewhere classified |
| | | M25.611 | Stiffness of right shoulder, not elsewhere classified |
| | | M25.612 | Stiffness of left shoulder, not elsewhere classified |
| 719.59 | Stiffness of joint not elsewhere classified involving multiple sites | M25.60 | Stiffness of unspecified joint, not elsewhere classified (NEC) |
| 720.10 | Spinal enthesopathy | M46.00 Spondylopathies (M45 - M49) | Spinal enthesopathy, site unspecified |
| 720.20 | Sacroilitis, not elsewhere classified (NEC) | M46.1 | Sacroilitis, not elsewhere classified |
| 721.0 | Cervical spondylosis | M47.812 | Spondylosis without myelopathy or radiculopathy, cervical region |
| | | M47.813 | Spondylosis without myelopathy or radiculopathy, cervicothoracic region |

| ICD-9 Code | ICD-9 Descriptor | Possible Corresponding ICD-10 Codes (for Initial Encounter) | ICD-10 Descriptor |
|------------|---|---|---|
| 721.3 | Lumbosacral | M47.817 | Spondylosis without myelopathy or |
| | spondylosis without myelopathy | | radiculopathy, lumbosacral region |
| 722.0 | Displacement of cervical intervertebral disc without myelopathy | M50.20 | Other cervical disc displacement, unspecified cervical region. Includes cervicothoracic disc disorders with cervicalgia, cervicothoracic disc disorders. Note: Code to the most superior level of disorder. |
| | | M50.21 | Other cervical disc displacement, high cervical region. Other C2-C3 cervical disc displacement and Other C3-C4 cervical disc displacement |
| | | M50.22 | Other cervical disc displacement mid- cervical region. Other C4-C5 cervical disc displacement. Other C5-C6 cervical disc displacement. Other C6-C7 cervical disc displacement. |
| | | M50.23 | Other cervical disc displacement, cervicothoracic region. Other C7-T1 cervical disc displacement. |
| 722.10 | Displacement of lumbar intervertebral disc without myelopathy | M51.26 | Other intervertebral disc displacement, lumbar region |
| | | M51.27 | Other intervertebral disc displacement, lumbosacral region |
| | | M51.16 | Intervertebral disc disorders with radiculopathy (sciatica), lumbar region Excludes 1 sciatica (M54.3) |
| | | M51.17 | Intervertebral disc disorders with radiculopathy (sciatica), lumbosacral region Excludes 1 sciatica (M54.3) |
| 722.11 | Displacement of thoracic intervertebral disc without myelopathy | M51.24 | Other intervertebral disc disorder, thoracic region |
| | | M51.25 | Other intervertebral disc disorder, thoracolumbar region (Excludes 1 lumbar radiculitis NOS M54.16) |
| | | M51.14 | Intervertebral disc disorders with radiculopathy, thoracic region |

| ICD-9 Code | ICD-9 Descriptor | Possible Corresponding ICD-10 Codes (for Initial Encounter) | ICD-10 Descriptor |
|------------|---|---|---|
| 722.11 | | M51.15 | Intervertebral disc disorders with |
| (cont'd) | | | radiculopathy, thoracolumbar region (Excludes 1 lumbar radiculitis NOS M54.16) |
| 722.20 | Displacement of intervertebral disc NOS site unspecified without myelopathy | M51.9 | Unspecified thoracic, thoracolumbar and lumbosacral intervertebral disc disorder (Unspecified Code) |
| 722.40 | Degeneration of cervical intervertebral disc | M50.30 | Other cervical disc degeneration, unspecified cervical region |
| | | M50.31 | Other cervical disc degeneration, high cervical region (Other C2-C3 Cervical DDD, Other C3-C4 cervical DDD) |
| | | M50.32 | Other cervical disc degeneration, mid- cervical region (Other C4-C5, C5-C6 and C6- C7 cervical DDD) |
| | | M50.33 | Other cervical disc degeneration, cervicothoracic region (Other C7-T1 cervical DDD) |
| 722.51 | Degeneration of thoracic or thoracolumbar intervertebral disc | M51.34 | Other intervertebral disc degeneration, thoracic region |
| | | M51.35 | Other intervertebral disc degeneration, thoracolumbar region |
| 722.52 | Degeneration of lumbar or lumbosacral intervertebral disc | M51.36 | Other intervertebral disc degeneration, lumbar region |
| | | M51.37 | Other intervertebral disc degeneration, lumbosacral region |
| 722.73 | Intervertebral disc disorder with myelopathy lumbar region | M51.06 | Intervertebral disc disorders with myelopathy, lumbar region |
| 722.93 | Other and unspecified disc disorder of lumbar region NEC/NOS | M46.47 | Discitis, unspecified, lumbosacral region |
| | | M51.86 | Other intervertebral disc disorders, lumbar region |
| | | M51.87 | Other intervertebral disc disorders, lumbosacral region |

| ICD-9 Code | ICD-9 Descriptor | Possible Corresponding ICD-10 Codes (for Initial Encounter) | ICD-10 Descriptor |
|------------|--|---|---|
| 722.93 | | M46.45 | Discitis, unspecified, thoracolumbar region |
| (cont'd) | | | |
| 723.1 | Cervicalgia | M54.2 | Cervicalgia (Excludes 1 Cervicalgia due to intervertebral disc disorder M50) |
| 723.2 | Cervicocranial Syndrome | M53.0 | Cervicocranial syndrome (Posterior cervical sympathetic syndrome) |
| 723.3 | Cervicobrachial Syndrome (Diffuse) | M53.1 | Cervicobrachial syndrome (Excludes 2 Cervical disc disorder (M50 and thoracic outlet syndrome (M54.0)) |
| 723.4 | Brachial neuritis or radiculitis Not Otherwise Specified (NOS) | M54.12 | Radiculopathy, cervical region (Excludes 1 radiculopathy with cervical disc disorder (M50.1)) |
| | | M54.13 | Radiculopathy, cervicothoracic region (Excludes 1 radiculopathy with cervical disc disorder (M50.1)) |
| 723.5 | Torticolis unspecified | M43.6 | Torticolis |
| 723.8 | Other syndromes affecting cervical | M53.82 | Other specified dorsopathies, cervical region |
| 724.02 | Spinal stenosis of lumbar region without claudication | M48.06 | Spinal stenosis, lumbar region |
| | | M48.05 | Spinal stenosis, thoracolumbar region |
| | | M48.07 | Spinal stenosis, lumbosacral region |
| 724.1 | Pain in thoracic spine | M54.6 | Pain in thoracic spine (Excludes 1 Pain in thoracic spine due to intervertebral disc disorder (M51)) |
| 724.2 | Lumbago | M54.5 | Low back pain (Loin pain, Lumbago NOS) Excludes 1 low back strain (S39.012), lumbago due to intervertebral disc displacement (M51.2-) and lumbago with sciatica (M54.4-)) |
| 724.3 | Sciatica | M54.30 | Sciatica, unspecified side |
| | | M54.31 | Sciatica, right side Excludes lesion of sciatic nerve (G57.0), sciatica due to intervertebral disc disorder (M54.4-) |
| | | M54,32 | Sciatica, left side |

| ICD-9 Code | ICD-9 Descriptor | Possible Corresponding ICD-10 Codes (for Initial Encounter) | ICD-10 Descriptor |
|-------------------|--|---|---|
| 724.3 (cont'd) | | M54.40 | Lumbago with sciatica, unspecified side |
| | | M54.41 | Lumbago with sciatica, right side |
| | | M54.42 | Lumbago with sciatica, left side |
| 724.4 | Thoracic or lumbosacral neuritis or radiculitis unspecified NOS | M54.14 | Radiculopathy, thoracic region (Excludes 1 radiculopathy with lumbar and other disc disorder (M51.1-) and radiculopathy with spondylosis (M47.2-)) |
| | | M54.15 | Radiculopathy, thoracolumbar region (Excludes 1 radiculopathy with lumbar and other disc disorder (M51.1-) and radiculopathy with spondylosis (M47.2-)) |
| | | M54.16 | Radiculopathy, lumbar region (Excludes 1 radiculopathy with lumbar and other disc disorder (M51.1-) and radiculopathy with spondylosis (M47.2-)) |
| | | M54.17 | Radiculopathy, lumbosacral region (Excludes 1 radiculopathy with lumbar and other disc disorder (M51.1-) and radiculopathy with spondylosis (M47.2-)) |
| 724.5 | Backache unspecified NOS | M54.89 | Other dorsalgia |
| | | M54.9 | Dorsalgia, unspecified Backache NOS, Back pain NOS |
| 724.6 | Disorders of sacrum | M43.27 | Fusion of spine, ankylosis of spinal joint, lumbosacral Excludes 1 ankylosing spondylitis (M45.0-). Excludes 2 arthrodesis status Z98.1 |
| | | M43.28 | Fusion of spine, ankylosis of spinal joint, sacral and sacrococcygeal region. Excludes 1 ankylosing spondylitis (M45.0-). Excludes 2 arthrodesis status Z98.1 |
| | | M53.2X7 | Spinal instabilities, lumbosacral region |
| | | M53.3 | Sacrococcygeal disorders, not elsewhere classified (NEC). Coccygodynia |
| 724.8 | Other back symptoms | M54.08 | Panniculitis affecting region of neck and back, sacral and sacrococcygeal. Excludes 1 lupus panniculitis (L93.2), Panniculitis NOS (M79.3), elapsing (Weber-Christian) panniculitis (M35.6) |

| ICD-9 Code | • | Possible Corresponding ICD-10 Codes (for Initial Encounter) | ICD-10 Descriptor |
|------------|---|---|--|
| 724.9 | Other unspecified back disorders NOS | M43.8X9 | Other specified deforming dorsopathies, site unspecified Excludes 2 kyphosis (M40) and scoliosis (M41) |
| | | M53.9 | Dorsopathy, unspecified |
| 726.1 | Disorders of Bursae and tendons in shoulder region unspecified. Rotator cuff syndrome NOS | M75.100 | Unspecified rotator cuff tear or rupture of unspecified shoulder, not specified as traumatic |
| | | M75.101 | Unspecified rotator cuff tear or rupture of |
| | | M75.102 | right shoulder, not specified as traumatic Unspecified rotator cuff tear or rupture of left shoulder, not specified as traumatic |
| | | M75.50 | Bursitis of unspecified shoulder |
| | | M75.51 | Bursitis of right shoulder |
| | | M75.52 | Bursitis of left shoulder |
| 726.2 | Shoulder region dis NEC. Periarthritis of shoulder. Scapulohumeral fibrositis | M75.30 | Calcific tendinitis of unspecified shoulder |
| | | M75.31 | Calcific tendinitis of right shoulder |
| | | M75.32 | Calcific tendinitis of left shoulder |
| | | M75.40 | Impingement syndrome of unspecified shoulder |
| | | M75.41 | Impingement syndrome of right shoulder |
| | | M75.42 | Impingement of left shoulder |
| 726.32 | Lateral epicondylitis elbow region | M77.10 | Lateral epicondylitis, unspecified elbow |
| | | M77.11 | Lateral epicondylitis, right elbow |
| | | M77.12 | Lateral epicondylitis, left elbow |
| 726.5 | Enthesopathy of hip region | M70.60 | Trochanteric bursitis or tendinitis, unspecified hip |

| ICD-9 Code | ICD-9 Descriptor | Possible Corresponding ICD-10 Codes (for Initial Encounter) | ICD-10 Descriptor |
|-------------------|---|---|--|
| 726.5 (cont'd) | | M70.61 | Trochanteric bursitis or tendinitis, right hip |
| | | M70.62 | Trochanteric bursitis or tendiinitis, left hip |
| | | M70.70 | Other bursitis of hip, unspecified hip. Ischial bursitis |
| | | M70.71 | Other bursitis of hip, right hip. Ischial bursitis |
| | | M70.72 | Other bursitis of hip, left hip. Ischial bursitis |
| | | M76.10 | Psoas tendinitis, unspecified hip |
| | | M76.11 | Psoas tendinitis, right hip |
| | | M76.12 | Psoas tendinitis, left hip |
| | | M76.20 | Iliac crest spur, unspecified hip |
| | | M76.21 | Iliac crest spur, right hip |
| | | M76.22 | Iliac crest spur, left hip |
| 726.90 | Enthesopathy of unspecified site | M77.9 | Enthesopathy, unspecified. Bone spur NOS, Periarthritis NOS, Capsulitis NOS, and Tendinitis NOS |
| 728.2 | Muscular wasting and disuse atrophy, NEC | M62.50 | Muscle wasting and atrophy, NEC, unspecified site. (This group of codes has been made specific pertaining to joints, spine (traumatic) and unspecified. See ICD-10 Code sets for specificity.) |
| 728.71 | Plantar fascial fibromatosis. Plantar fasciitis | M72.2 | Plantar fascial fibromatosis |
| 728.85 | Spasm of muscle | M62.40 | Contracture of muscle, unspecified site. This group of codes has been divided into specific sites. There are 24 sites listed. See ICD-10 code set for specific codes. |
| | | M62.838 | Other muscle spasms |
| 728.9 | Unspecified disorder of muscle, ligament and fascia | M53.82 | Other specified dorsopathies, cervical region |

| ICD-9 Code | ICD-9 Descriptor | Possible Corresponding ICD-10 Codes (for Initial Encounter) | ICD-10 Descriptor |
|------------|--|---|---|
| 728.9 | | M53.83 | Other specified dorsopathies, cervicothoracic |
| (cont'd) | | | region |
| | | M53.84 | Other specified dorsopathies, thoracic region |
| | | M53.85 | Other specified dorsopathies, thoracolumbar region |
| | | M53.86 | Other specified dorsopathies, lumbar region |
| | | M53.87 | Other specified dorsopathies, lumbosacral |
| | | M53.88 | Other specified dorsopathies, sacral and sacrococcygeal |
| 729.1 | Fibromyalgia, Myalgia and myositis unspecified | M60.9 | Myositis, unspecified |
| | • | M79.1 | Myalgia Myofascial pain syndrome. Excludes 1 fibromyalgia (M79.7) and myositis (M60). |
| | | M79.7 | Fibromyalgia, fibromyositis, fibrositis, and myofibrositis. |
| 729.2 | Neuralgia, neuritis and radiculitis unspecified | M54.10 | Radiculopathy, site unspecified |
| | | M79.2 | Neuralgia and neuritis, unspecified. Excludes 1 brachial radiculitis NOS (M54.1), lumbosacral radiculitis NOS (M54.1), mononeurapathies (G56-G58), radiculitis NOS (M54.1), sciatica (M54.3-M54.4). |
| 729.4 | Fascitis unspecified | M72.9 | Fibroblastic disorder, unspecified. Fascitis NOS, fibromatosis NOS. |
| 729.5 | Pain in limb | M79.609 | Pain in unspecified limb. Pain in limb NOS. |
| 734 | Flat foot, pes planus | M21.40 | Flat foot, pes planus acquired, unspecified foot |
| | | M21.41 | Flat foot, pes planus acquired, right foot |
| | | M21.42 | Flat foot, pes planus acquired, left foot |
| 736.79 | Other acquired deformities of ankle and foot NEC | M21.6X9 | Other specified deformities of unspecified foot |
| | | M21.6X1 | Other specified deformities of right foot |

| ICD-9 Code | ICD-9 Descriptor | Possible Corresponding ICD-10 Codes (for Initial Encounter) | ICD-10 Descriptor |
|------------|---|---|---|
| 736.79 | | M21.6X2 | Other specified deformities of left foot |
| (cont'd) | | | |
| 736.81 | Unequal leg length (acquired) | M21.759 | Unequal limb length (acquired), unspecified femur |
| | | M21.751 | Unequal limb length (acquired), right femur |
| | | M21.752 | Unequal limb length (acquired), left femur |
| | | M21.761 | Unequal limb length (acquired), right tibia |
| | | M21.762 | Unequal limb length (acquired), left tibia |
| | | M21.763 | Unequal limb length (acquired), right fibula |
| | | M21.764 | Unequal limb length (acquired), left fibula |
| | | M21.769 | Unequal limb length (acquired), unspecified tibia and fibula |
| 737.10 | Kyphosis NOS | M40.00 | Postural kyphosis, site unspecified Excludes 1 osteochondrosis of spine (M42) |
| | | M40.03 | Postural kyphosis, site cervicothoracic region. Excludes 1 osteochondrosis of spine (M42) |
| | | M40.04 | Postural kyphosis, thoracic region Excludes 1 osteochondrosis of spine (M42) |
| | | M40.05 | Postural kyphosis, thoracolumbar region Excludes 1 osteochondrosis of spine (M42) |
| | | M40.209 | Unspecified kyphosis, site unspecified |
| | | M40.202 | Unspecified kyphosis, cervical region |
| | | M40.203 | Unspecified kyphosis, cervicothoracic region |
| | | M40.204 | Unspecified kyphosis, thoracic region |
| | | M40.205 | Unspecified kyphosis, thoracolumbar region |
| 737.30 | Scoliosis (and kyphoscoliosis) idiopathic | M41.20 | Other idiopathic scoliosis, site unspecified |

| ICD-9 Code | ICD-9 Descriptor | Possible Corresponding ICD-10 Codes (for Initial Encounter) | ICD-10 Descriptor |
|------------|--|---|---|
| 737.30 | | M41.22 | Other idiopathic scoliosis, cervical region |
| (cont'd) | | | |
| | | M41.23 | Other idiopathic scoliosis, cervicothoracic region |
| | | M41.24 | Other idiopathic scoliosis, thoracic region |
| | | M41.25 | Other idiopathic scoliosis, thoracolumbar region |
| | | M41.26 | Other idiopathic scoliosis, lumbar region |
| | | M41.27 | Other idiopathic scoliosis, lumbosacral region |
| 737.43 | Scoliosis associated with other conditions | M41.40 | Neuromuscular scoliosis, site unspecified. Scoliosis associated with Cerebral Palsy, Friedreich's ataxia, poliomyelitis and other neuromuscular disorders. CODE ALSO UNDERLYING CONDITION. |
| | | M41.41 | Neuromuscular scoliosis, occipito-atlanto-axial-region. Scoliosis associated with Cerebral Palsy, Friedreich's ataxia, poliomyelitis and other neuromuscular disorders. CODE ALSO UNDERLYING CONDITION. |
| | | M41.42 | Neuromuscular scoliosis, cervical region. Scoliosis associated with Cerebral Palsy, Friedreich's ataxia, poliomyelitis and other neuromuscular disorders. CODE ALSO UNDERLYING CONDITION. |
| | | M41.43 | Neuromuscular scoliosis, cervicothoracic region. Scoliosis associated with Cerebral Palsy, Friedreich's ataxia, poliomyelitis and other neuromuscular disorders. CODE ALSO UNDERLYING CONDITION. |
| | | M41.44 | Neuromuscular scoliosis, thoracic region. Scoliosis associated with Cerebral Palsy, Friedreich's ataxia, poliomyelitis and other neuromuscular disorders. CODE ALSO UNDERLYING CONDITION. |

| ICD-9 Code | ICD-9 Descriptor | Possible | ICD-10 Descriptor |
|------------|-------------------|---------------|---|
| | • | Corresponding | _ |
| | | ICD-10 Codes | |
| | | (for Initial | |
| | | Encounter) | |
| 737.43 | | M41.45 | Neuromuscular scoliosis, thoracolumbar |
| (cont'd) | | | region. Scoliosis associated with Cerebral |
| | | | Palsy, Friedreich's ataxia, poliomyelitis and |
| | | | other neuromuscular disorders. CODE |
| | | | ALSO UNDERLYING CONDITION. |
| | | | |
| | | M41.46 | Neuromuscular scoliosis, lumbar region. |
| | | | Scoliosis associated with Cerebral Palsy, |
| | | | Friedreich's ataxia, poliomyelitis and other |
| | | | neuromuscular disorders. CODE ALSO |
| | | | UNDERLYING CONDITION. |
| | | M41.47 | Neuromuscular scoliosis, lumbosacral region. |
| | | | Scoliosis associated with Cerebral Palsy, |
| | | | Friedreich's ataxia, poliomyelitis and other |
| | | | neuromuscular disorders. CODE ALSO |
| | | | UNDERLYING CONDITION. |
| | | | |
| | | M41.50 | Other secondary scoliosis, site |
| | | | unspecified |
| | | M41.52 | Other secondary scoliosis, cervical region |
| | | M41.53 | Other secondary scoliosis, cervicothoracic |
| | | | region |
| | | M41.54 | Other secondary scoliosis, thoracic region |
| | | | |
| | | M41.55 | Other secondary scoliosis, thoracolumbar |
| | | | region |
| | | M41.56 | Other secondary scoliosis, lumbar region |
| | | M41.57 | Other secondary scoliosis, lumbosacral |
| | | | region |
| 738.4 | Acquired | M43.00 | Spondyloysis, site unspecified. Excludes 1 |
| | spondylolisthesis | | congenital spondylolysis (!76.2), |
| | • | | spondylolisthesis, (M43.1). |
| | | M43.01 | Spondylolysis, occipito-atlanto-axial region |
| | | | |
| | | M43.02 | Spondylolysis, cervical region |
| | | M43.03 | Spondylolysis, cervicothoracic region |
| | | 17145.05 | Spondylorysis, corviconioracie region |
| | | M43.04 | Spondylolysis, thoracic region |
| | | | |

| ICD-9 Code | ICD-9 Descriptor | Possible Corresponding ICD-10 Codes (for Initial Encounter) | ICD-10 Descriptor |
|-------------------|--|---|--|
| 738.4 (cont'd) | | M43.05 | Spondylolysis, thoracolumbar region |
| (13.33) | | M43.06 | Spondylolysis, lumbar region |
| | | M43.07 | Spondylolysis, lumbosacral region |
| | | M43.08 | Spondylolysis, sacral and sacrococcygeal region |
| | | M43.09 | Spondylolysis, multiple sites in spine |
| | | M43.10 | Spondylolisthesis, site unspecified |
| | | M43.11 | Spondylolisthesis, occipito-atlanto-axial region |
| | | M43.12 | Spondylolisthesis, cervical region |
| | | M43.13 | Spondylolisthesis, cervicothoracic region |
| | | M43.14 | Spondylolisthesis, thoracic region |
| | | M43.15 | Spondylolisthesis, thoracolumbar region |
| | | M43.16 | Spondylolisthesis, lumbar region |
| | | M43.17 | Spondylolisthesis, lumbosacral region |
| | | M43.18 | Spondylolisthesis, sacral and sacrococcygeal region |
| | | M43.19 | Spondylolisthesis, multiple sites in spine |
| 739.0 | Nonallopathic lesion of head NEC | M99.00 | Segmental and somatic dysfunction of head region |
| 739.1 | Nonallopathic lesion of cervical region NEC | M99.01 | Segmental and somatic dysfunction of cervical region |
| 739.2 | Nonallopathic lesion of thoracic region NEC | M99.02 | Segmental and somatic dysfunction of thoracic region |
| 739.3 | Nonallopathic lesion of lumbar region NEC | M99.03 | Segmental and somatic dysfunction of lumbar region |
| 739.4 | Nonallopathic lesion of sacral and sacrococcygeal region NEC | M99.04 | Segmental and somatic dysfunction of sacral region |

| ICD-9 Code | ICD-9 Descriptor | Possible | ICD-10 Descriptor |
|------------|-------------------------|---------------|---|
| ICD-9 Code | icb-a pescriptor | Corresponding | ICD-10 Descriptor |
| | | ICD-10 Codes | |
| | | (for Initial | |
| | | Encounter) | |
| 739.5 | Nonallopathic lesion of | M99.05 | Segmental and somatic dysfunction of pelvic |
| | pelvic region NEC | | region |
| 739.6 | Nonallopathic lesion of | M99.06 | Segmental and somatic dysfunction of lower |
| | lower extremity NEC | | extremity |
| 739.7 | Nonallopathic lesion of | M99.07 | Segmental and somatic dysfunction of upper |
| | upper extremity NEC | | extremity |
| 739.8 | Nonallopathic lesion of | M99.08 | Segmental and somatic dysfunction of rib |
| | rib cage NEC | | cage |
| 756.12 | Spondylolisthesis | Q76.2 | Congenital spondylolisthesis, congenital |
| | congenital | | spondylolysis Excludes 1 spondylolisthesis |
| | | | (acquired) (M43.1-) and spondylolysis |
| 781.92 | Abnormal posture | R29.3 | (acquired) (M43.0-) Abnormal posture |
| 761.92 | Abhormai posture | R29.3 | Abhormal posture |
| 782.0 | Disturbance of skin | R20.0 | Anesthesia of skin |
| | sensation | | |
| | | R20.1 | Hypoesthesia of skin |
| | | | |
| | | R20.2 | Paresthesia of skin, formication, pins and |
| | | D20.2 | needles, tingling of skin |
| | | R20.3 | Hyperesthesia |
| | | R20.8 | Other disturbance of skin sensation |
| | | R20.9 | Unspecified disturbances of skin sensation |
| | | 120.9 | Onspectified distarbances of skin sensation |
| 784.0 | Headache | G44.1 | Vascular headache, NEC Excludes 2 cluster |
| | | | headache (G44.0), complicated headache |
| | | | syndromes (G44.5-), drug-induced headache |
| | | | (G44.4-), migraine (G43), other specified |
| | | | headache syndromes (G44.8-), post-traumatic |
| | | | headache (G44.3-), tension-type headache |
| | | | (G44.2-) |
| | | D.C.1 | H 1 1 F 11 1 100 F 11 1 |
| | | R51 | Headache, Facial pain NOS. Excludes 1 |
| | | | Atypical face pain (G50.1), migraine and other headache syndromes G43-G44), |
| | | | trigeminal neuralgia (G50.0) pain NOS |
| 839.00 | Closed dislocation | S13.101A | Dislocation of unspecified cervical vertebrae, |
| 337.00 | cervical vertebra NOS | 213.10111 | initial encounter |
| 839.08 | Closed dislocation, | S13.101A | Dislocation of unspecified cervical vertebrae, |
| | multiple cervical | | initial encounter |
| | vertebrae, | | |

| ICD-9 Code | ICD-9 Descriptor | Possible | ICD-10 Descriptor |
|------------|-------------------------|----------------------------|--|
| | | Corresponding ICD-10 Codes | |
| | | (for Initial | |
| | | Encounter) | |
| 839.20 | Closed dislocation, | S33.101A | Dislocation of unspecified lumbar vertebrae, |
| | lumbar vertebra | | initial encounter |
| 839.21 | Closed dislocation | S23.101A | Dislocation of unspecified thoracic vertebra, |
| | thoracic vertebra | | initial encounter |
| 839.42 | Closed dislocation | S33.2xxA | Dislocation of sacroiliac and sacrococcygeal |
| 0.40.0 | sacrum | G 42 50 A | joint, initial encounter |
| 840.0 | Acromioclavicular | S43.50xA | Sprain of unspecified acromioclavicular |
| | joint sprain | S43.51xA | joint, ligament, initial encounter |
| | | 543.31XA | Sprain of right acromioclavicular joint, |
| | | S43.52xA | ligament, initial encounter Sprain of left acromioclavicular joint, |
| | | D+3.3∠AA | ligament, initial encounter |
| 840.9 | Sprain of unspecified | S43.409A | Unspecified sprain of unspecified shoulder |
| 0.10.5 | site of shoulder and | 513.10311 | joint, initial encounter |
| | upper arm NOS | | 3 |
| | 11 | S43.401A | Unspecified sprain of right shoulder joint, |
| | | | initial encounter |
| | | S43.402A | Unspecified sprain of left shoulder joint, |
| | | | initial encounter |
| 843.8 | Sprain of hip and thigh | S73.199A | Other sprain of unspecified hip, initial |
| | NEC | | encounter |
| | | S73.191A | Other sprain of right hip, initial encounter |
| | | S73.192A | Other sprain of left hip, initial encounter |
| 843.9 | Sprain of unspecified | S73.109A | Unspecified sprain of unspecified hip, initial |
| | site of hip and thigh | | encounter |
| | NOS | | |
| | | S73.101A | Unspecified sprain of right hip, initial |
| | | | encounter |
| | | S73.102A | Unspecified sprain of left hip, initial |
| | | A.F. 1. 1. | encounter |
| | | S76.919A | Strain of unspecified muscles, fascia and |
| | | | tendons at thigh level, unspecified thigh, |
| | | 0760114 | initial encounter |
| | | S76.911A | Strain of unspecified muscles, fascia and |
| | | | tendons at thigh level, right thigh, initial encounter |
| | | S76.912A | Strain of unspecified muscles, fascia and |
| | | 570.712A | tendons at thigh level, left thigh, initial |
| | | | encounter |
| 844.9 | Sprain of unspecified | S83.90xA | Sprain of unspecified site of unspecified |
| | 1 | | |

| ICD-9 Code | ICD-9 Descriptor | Possible Corresponding ICD-10 Codes (for Initial Encounter) | ICD-10 Descriptor |
|------------|---|---|---|
| 844.9 | | S83.91xA | Sprain of unspecified site of right knee, |
| (cont'd) | | | initial encounter |
| | | S83.92xA | Sprain of unspecified site of left knee, initial encounter |
| | | S86.919A | Strain of unspecified muscle(s) and tendon(s) at lower leg level, unspecified leg, initial encounter |
| | | S86.911A | Strain of unspecified muscle(s) and tendon(s) at lower leg level, right leg, initial encounter |
| | | S86.912A | Strain of unspecified muscle(s) and tendon(s) at lower leg level, left leg, initial encounter |
| 845.00 | Sprain of ankle NOS | S93.409A | Sprain of unspecified ligament of ankle, sprain of ankle NOS, sprained ankle NOS, initial encounter |
| | | S93.401A | Sprain of unspecified ligament of right ankle, initial encounter |
| | | S93.402A | Sprain of unspecified ligament of left ankle, initial encounter |
| | | S96.919A | Strain of unspecified muscle and tendon at ankle and foot level, unspecified foot, initial encounter |
| | | S96.911A | Strain of unspecified muscle and tendon at ankle and foot level, right foot, initial encounter |
| | | S96.912A | Strain of unspecified muscle and tendon at ankle and foot level, left foot, initial encounter |
| 846.0 | Lumbosacral joint ligament sprain | S33.8xxA | Sprain of other parts of lumbar spine and pelvis, initial encounter |
| 846.1 | Sacroiliac sprain | S33.6xxA | Sprain of sacroiliac joint, initial encounter |
| 846.8 | Other specified sites of sacroiliac region sprain NEC | S33.8xxA | Sprain of other parts of lumbar spine and pelvis, initial encounter |
| 847.0 | Sprain of neck | S13.4xxA | Sprain of ligaments of the cervical spine, initial encounter. Sprain of atlantoaxial joints, sprain of longitudinal ligament, cervical, sprain of atlanto-occipital joints, whiplash injury of cervical spine |

| ICD-9 Code | ICD-9 Descriptor | Possible Corresponding ICD-10 Codes (for Initial Encounter) | ICD-10 Descriptor |
|------------|--------------------|---|--|
| 847.0 | | S13.8xxA | Sprain of joints and ligaments of other parts |
| (cont'd) | | | of neck, initial encounter |
| 847.1 | Sprain of thoracic | S23.3xxA | Sprain of ligaments of thoracic spine, initial |
| | region | | encounter |
| | | S23.8xxA | Sprain of other specified parts of thorax, |
| | | | initial encounter |
| 847.2 | Sprain of lumbar | S33.5xxA | Sprain of ligaments of lumbar spine, initial |
| | region | | encounter |
| 847.3 | Sprain of sacrum | S33.8xxA | Sprain of other parts of lumbar spine and |
| | | | pelvis, initial encounter |
| 848.3 | Sprain of ribs | S23.41xA | Sprain of ribs, initial encounter |