

7-DAY  
TREATMENT

**Cream**



Cream with 1 Reusable Applicator

# MONISTAT<sup>®</sup> 7

Miconazole Nitrate Vaginal Cream (2%) — Vaginal Antifungal

**TAMPER-EVIDENT  
UNIT DO NOT USE  
IF SEAL OVER  
TUBE HAS BEEN  
PUNCTURED.**

# MONISTAT<sup>®</sup> 7

Miconazole Nitrate Vaginal Cream (2%) — Vaginal Antifungal

- ✓ CURES most vaginal YEAST INFECTIONS
- ✓ Relieves associated external itching and irritation

Net Wt. 1.59 oz (45 g) Tube + 1 Reusable Applicator



Dist. by Insight Pharmaceuticals LLC, Tarrytown, NY 10591  
A Prestige Consumer Healthcare company  
©2019 Trade dress is owned by Insight Pharmaceuticals LLC.  
All rights reserved. MNUS022103

If you have any  
questions or  
comments,  
please call  
**1-877-MONISTAT**  
(1-877-666-4782)



Exp  
Lot

<p><b>Drug Facts</b> (continued)</p> <p>if you do not get complete relief ask a doctor before using another product</p> <p>Stop use and ask a doctor if</p> <ul style="list-style-type: none"> <li>symptoms do not get better in 3 days</li> <li>symptoms last more than 7 days</li> <li>you get a rash or hives, abdominal pain, fever, chills, nausea, vomiting, or foul-smelling vaginal discharge</li> </ul> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p>	<p><b>Warnings</b></p> <p>For vaginal use only</p> <p>Do not use if you have never had a vaginal yeast infection diagnosed by a doctor</p> <p>Ask a doctor before use if you have</p> <ul style="list-style-type: none"> <li>vaginal itching and discomfort for the first time</li> <li>lower abdominal, back or shoulder pain, fever, chills, nausea, vomiting, or foul-smelling vaginal discharge. You may have a more serious condition.</li> <li>vaginal yeast infections often (such as once a month or 3 in months). You could be pregnant or have a serious underlying medical cause for your symptoms, including diabetes, or a weakened immune system.</li> <li>been exposed to the human immunodeficiency virus (HIV) that causes AIDS</li> </ul> <p>Ask a doctor or pharmacist before use if you are taking the prescription blood thinning medicine warfarin, because bleeding or bruising may occur.</p> <p>When using this product</p> <ul style="list-style-type: none"> <li>do not use tampons, douches, spermicides or other vaginal products. Condoms and diaphragms may be damaged and fail to prevent pregnancy or sexually transmitted diseases (STDs).</li> <li>mild increase in vaginal burning, itching or irritation may occur</li> </ul>
<p><b>Directions</b></p> <p>before using this product read the enclosed consumer information leaflet for complete directions and information</p> <ul style="list-style-type: none"> <li>adults and children 12 years of age and over: applicator: insert 1 applicatorful into the vagina at bedtime for 7 nights in a row. Wash applicator after use.</li> <li>use the same tube of cream if you have itching and irritation on the skin outside the vagina. Squeeze a small amount of cream onto your fingertip. Apply the cream onto the itchy, irritated skin outside the vagina. Use 2 times daily for up to 7 days, as needed.</li> <li>children under 12 years of age: ask a doctor</li> </ul>	<p><b>Other information</b></p> <ul style="list-style-type: none"> <li>do not use if seal over tube opening has been punctured</li> <li>do not purchase if carton is open</li> <li>store at 20°-25°C (68°-77°F)</li> </ul>
<p><b>Inactive ingredients</b></p> <p>benzoic acid, cetyl alcohol, isopropyl myristate, polysorbate 60, potassium hydroxide, propylene glycol, purified water, stearyl alcohol</p>	<p><b>Questions?</b></p> <p>If you have any questions or comments, please call 1-877-666-4782</p>

# MONISTAT<sup>®</sup> 7

Miconazole Nitrate Vaginal Cream (2%) — Vaginal Antifungal

OPEN HERE


# MONISTAT<sup>®</sup> 7

Miconazole Nitrate Vaginal Cream (2%) — Vaginal Antifungal

7-DAY  
TREATMENT

**Cream**

Cream with  
7 Disposable Applicators



# MONISTAT<sup>®</sup> 7

Miconazole Nitrate Vaginal Cream (2%) – Vaginal Antifungal

**TAMPER-EVIDENT  
UNIT DO NOT USE  
IF SEAL OVER  
TUBE HAS BEEN  
PUNCTURED.**

# MONISTAT<sup>®</sup> 7

Miconazole Nitrate Vaginal Cream (2%) – Vaginal Antifungal

- ✓ CURES most vaginal YEAST INFECTIONS
- ✓ Relieves associated external itching and irritation

Net Wt. 1.59 oz (45 g) Tube + 7 Disposable Applicators



Dist. by Insight Pharmaceuticals LLC, Tarrytown, NY 10591  
A Prestige Consumer Healthcare company  
©2019 Trade dress is owned by Insight Pharmaceuticals LLC.  
All rights reserved. MNUS025103

If you have any  
questions or  
comments, please call  
**1-877-MONISTAT**  
(1-877-666-4782)



Exp  
Lot

<b>Drug Facts</b>	
<b>Active ingredients</b>	Miconazole nitrate 2% ..... Vaginal antifungal
<b>Purpose</b>	Vaginal antifungal
<b>Uses</b>	<ul style="list-style-type: none"> <li>■ treats vaginal yeast infections</li> <li>■ relieves external itching and irritation due to a vaginal yeast infection</li> </ul>
<b>Warnings</b>	<p>For vaginal use only</p> <p><b>Do not use if you have never had a vaginal yeast infection diagnosed by a doctor.</b></p> <p><b>Ask a doctor before use if you have</b></p> <ul style="list-style-type: none"> <li>■ vaginal itching and discomfort for the first time</li> <li>■ lower abdominal, back or shoulder pain, fever, chills, nausea, vomiting, or foul-smelling vaginal discharge. You may have a more serious condition.</li> <li>■ vaginal yeast infections often (such as once a month or 3 in 6 months). You could be pregnant or have a serious underlying medical cause for your symptoms, including diabetes or a weakened immune system.</li> <li>■ been exposed to the human immunodeficiency virus (HIV) that causes AIDS</li> </ul> <p><b>Ask a doctor or pharmacist before use if you are taking the</b> prescription blood thinning medicine warfarin, because bleeding or bruising may occur.</p>
<b>When using this product</b>	<ul style="list-style-type: none"> <li>■ do not use tampons, douches, spermicides or other vaginal products. Condoms and diaphragms may be damaged and fail to prevent pregnancy or sexually transmitted diseases (STDs).</li> <li>■ do not have vaginal intercourse</li> <li>■ mild increases in vaginal burning, itching or irritation may occur if you do not get complete relief ask a doctor or before using another product</li> </ul>
<b>Questions?</b>	If you have any questions or comments, please call 1-877-666-4782
<b>Other information</b>	<ul style="list-style-type: none"> <li>■ do not use if seal over tube opening has been punctured</li> <li>■ do not purchase if carton is open</li> <li>■ store at 20°-25°C (68°-77°F)</li> </ul>
<b>Inactive ingredients</b>	potassium hydroxide, propylene glycol, purified water, stearyl alcohol, benzoic acid, cetyl alcohol, isopropyl myristate, polysorbate 60
<b>Directions</b>	<p>before using this product read the enclosed consumer information leaflet for complete directions and information</p> <ul style="list-style-type: none"> <li>■ adults and children 12 years of age and over:</li> <li>■ applicators: insert 1 applicatorful into the vagina at bedtime for 7 nights in a row. Throw applicator away after use.</li> <li>■ use the same tube of cream if you have itching and irritation on the skin outside the vagina. Squeeze a small amount of cream onto your fingertip. Apply the cream onto the itchy, irritated skin outside the vagina. Use 2 times daily for up to 7 days as needed.</li> <li>■ children under 12 years of age: ask a doctor.</li> </ul>
<b>Drug Facts (continued)</b>	<p><b>Stop use and ask a doctor if</b></p> <ul style="list-style-type: none"> <li>■ symptoms do not get better in 3 days</li> <li>■ symptoms last more than 7 days</li> <li>■ you get a rash or hives, abdominal pain, fever, chills, nausea, vomiting, or foul-smelling vaginal discharge</li> </ul> <p><b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.</p>

**MONISTAT<sup>®</sup> 7**  
Miconazole Nitrate Vaginal Cream (2%) – Vaginal Antifungal

**MONISTAT<sup>®</sup> 7**  
Miconazole Nitrate Vaginal Cream (2%) – Vaginal Antifungal

7-DAY  
TREATMENT  
COMBINATION PACK

Cream



Cream with  
7 Disposable Applicators

plus External Cream  
for Itch Relief

# MONISTAT<sup>®</sup> 7

Miconazole Nitrate Vaginal Cream (2%) — Vaginal Antifungal

COMBINATION PACK

TAMPER-EVIDENT UNIT  
DO NOT USE IF SEAL OVER TUBE  
HAS BEEN PUNCTURED.

# MONISTAT<sup>®</sup> 7

Miconazole Nitrate Vaginal Cream (2%) — Vaginal Antifungal

COMBINATION PACK

Exp  
Lot

- ✓ CURES most vaginal YEAST INFECTIONS
- ✓ Relieves associated external itching and irritation

Net Wt. 1.59 oz (45 g) Tube + 0.32 oz (9 g) Tube + 7 Disposable Applicators

MONISTAT<sup>®</sup> 7  
Miconazole Nitrate Vaginal Cream (2%) — Vaginal Antifungal  
COMBINATION PACK



Dist. by Insight Pharmaceuticals LLC, Tarrytown, NY 10591  
A Prestige Consumer Healthcare company  
©2019 Trade dress is owned by Insight Pharmaceuticals LLC.  
All rights reserved. MNUS001108


If you have any  
questions or  
comments, please call  
**1-877-MONISTAT**  
(1-877-666-4782)

<b>Drug Facts</b>	<b>Active Ingredients</b> Miconazole nitrate 2% (external cream) ..... Vaginal antifungal Miconazole nitrate 2% (external cream) ..... Vaginal antifungal
<b>Uses</b> ■ treats vaginal yeast infections ■ relieves external itching and irritation due to a vaginal yeast infection	<b>Warnings</b> <b>Do not use if you have never had a vaginal yeast infection diagnosed by a doctor.</b> <b>Ask a doctor before use if you have</b> ■ vaginal itching and discomfort for the first time ■ lower abdominal, back or shoulder pain, fever, chills, nausea, vomiting, or foul-smelling vaginal discharge. You may have a more serious condition. ■ vaginal yeast infections often (such as once a month or 3 in 6 months). You could be pregnant or have a serious underlying medical cause for your symptoms, including diabetes, or a weakened immune system. ■ been exposed to the human immunodeficiency virus (HIV) that causes AIDS <b>Ask a doctor or pharmacist before use if you are taking the</b> prescription blood thinning medicine warfarin, because bleeding or bruising may occur. <b>When using this product</b> or brushing may occur.
<b>Directions</b> before using this product read the enclosed consumer information leaflet for complete directions and information ■ adults and children 12 years of age and over: ■ applicator: insert 1 applicator into the vagina at bedtime for 7 nights in a row. Throw applicator away after use. ■ external cream: squeeze a small amount of cream onto your fingertip. Apply the cream onto the itchy, irritated skin outside the vagina. Use 2 times daily for up to 7 days, as needed. ■ children under 12 years of age: ask a doctor.	<b>Drug Facts (continued)</b> <b>Stop use and ask a doctor if</b> ■ symptoms do not get better in 3 days ■ symptoms last more than 7 days ■ you get a rash or hives, abdominal pain, fever, chills, nausea, vomiting, or foul-smelling vaginal discharge <b>If pregnant or breast-feeding,</b> ask a health professional before use. <b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.
<b>Other information</b> ■ do not use if seal over tube opening has been punctured ■ do not purchase if carton is open ■ store at 20°-25°C (68°-77°F)	<b>Questions? If you have any questions or comments,</b> please call 1-877-666-4782
<b>Inactive ingredients</b> benzoic acid, cetyl alcohol, isopropyl myristate, polysorbate 60, potassium hydroxide, propylene glycol, purified water, stearyl alcohol	

MONISTAT<sup>®</sup> 7  
Miconazole Nitrate Vaginal Cream (2%) — Vaginal Antifungal

3-DAY  
TREATMENT  
COMBINATION PACK

Ovule®



3 Ovule® Inserts



Plus External Cream  
for Itch Relief

# MONISTAT® 3

COMBINATION PACK

Miconazole Nitrate Vaginal Insert (200 mg) and  
Miconazole Nitrate Vaginal Cream (2%) — Vaginal Antifungal

**TAMPER-EVIDENT  
UNIT DO NOT USE  
IF PRINTED SEALED  
POUCH AND SEAL  
OVER TUBE ARE  
TORN, OPENED OR  
INCOMPLETELY  
SEALED**

CRTN-0905

# MONISTAT® 3

COMBINATION PACK

Miconazole Nitrate Vaginal Insert (200 mg) and  
Miconazole Nitrate Vaginal Cream (2%) — Vaginal Antifungal

- ✓ CURES most vaginal YEAST INFECTIONS
- ✓ Relieves associated external itching and irritation

3 OVULE® Inserts Net Wt. 2.5 g each + 0.32 oz (9 g) Tube



3 63736 44860 8

Dist. by Insight Pharmaceuticals LLC, Tarrytown, NY 10591  
A Prestige Consumer Healthcare company  
©2019 Trade dress is owned by Insight Pharmaceuticals LLC.  
All rights reserved. MNUS036103

If you have any  
questions or  
comments, please call  
**1-877-MONISTAT**  
(1-877-666-4782)



Exp  
Lot

<p><b>Drug Facts</b> (continued)</p> <p><b>Active ingredients</b> Miconazole nitrate (200 mg in each vaginal insert). Vaginal antifungal Miconazole nitrate 2% (external cream). Vaginal antifungal</p> <p><b>Purpose</b> relieves external itching and irritation due to a vaginal yeast infection</p> <p><b>Uses</b> treats vaginal yeast infections relieves external itching and irritation due to a vaginal yeast infection</p> <p><b>Warnings</b> For vaginal use only</p> <p><b>Do not use if you have never had a vaginal yeast infection diagnosed by a doctor.</b></p> <p><b>Ask a doctor before use if you have</b> vaginal itching and discomfort for the first time lower abdominal, back or shoulder pain, fever, chills, nausea, vomiting, or foul-smelling vaginal discharge. You may have a more serious condition.</p> <p>vaginal yeast infections often (such as once a month or 3 in 6 months). You could be pregnant or have a serious underlying medical cause for your symptoms, including diabetes, or a weakened immune system.</p> <p>been exposed to the human immunodeficiency virus (HIV) that causes AIDS</p> <p><b>Ask a doctor or pharmacist before use if you are taking the</b> prescription blood thinning medicine warfarin, because bleeding or bruising may occur.</p> <p><b>When using this product</b> do not use tampons, douches, spermicides or other vaginal products. Condoms and diaphragms may be damaged and fail to prevent pregnancy or sexually transmitted diseases (STDs).</p> <p>do not have vaginal intercourse mild increase in vaginal burning, itching or irritation may occur if you do not get complete relief ask a doctor before using another product</p>	<p><b>Directions</b> before using this product read the enclosed consumer information leaflet for complete directions and information</p> <p>adults and children 12 years of age and over: vaginal insert: with a disposable applicator, place the insert into the vagina at bedtime. Throw applicator away after use. external cream: squeeze a small amount of cream onto your fingertip. Apply the cream onto the itchy, irritated skin outside the vagina. Use 2 times daily for up to 7 days, as needed.</p> <p>children under 12 years of age: ask a doctor</p> <p><b>Other information</b> do not use if printed sealed pouches containing vaginal inserts are torn, open or incompletely sealed do not use if seal over tube opening has been punctured do not use if purchase if carton is open store at 20°-25°C (68°-77°F) do not purchase if carton is open</p> <p><b>Inactive ingredients</b> vaginal insert: gelatin, glycerin, hydrogenated vegetable oil base, titanium dioxide external cream: benzoic acid, cetyl alcohol, isopropyl myristate, polysorbate 60, potassium hydroxide, propylene glycol, purified water, stearyl alcohol</p> <p><b>Questions?</b> If you have any questions or comments, please call 1-877-666-4782</p>
--	---

**MONISTAT® 3**  
COMBINATION PACK  
Miconazole Nitrate Vaginal Insert (200 mg) and  
Miconazole Nitrate Vaginal Cream (2%) — Vaginal Antifungal

**MONISTAT® 3**  
COMBINATION PACK  
Miconazole Nitrate Vaginal Insert (200 mg) and  
Miconazole Nitrate Vaginal Cream (2%) — Vaginal Antifungal

3-DAY  
TREATMENT  
COMBINATION PACK

**Suppository**

Vaginal Suppositories  
with 3 Applicators

plus External Cream  
for Itch Relief

**MONISTAT<sup>®</sup> 3**  
COMBINATION PACK

Miconazole Nitrate Vaginal Suppositories (200 mg) and  
Miconazole Nitrate Vaginal Cream (2%) — Vaginal Antifungal

**TAMPER-EVIDENT UNIT**  
DO NOT USE IF  
**PRINTED SUPPOSITORY**  
BLISTERS OR SEAL  
OVER TUBE ARE TORN,  
OPENED OR  
INCOMPLETELY  
SEALED

CRTN-0911

**MONISTAT<sup>®</sup> 3**  
COMBINATION PACK

Miconazole Nitrate Vaginal Suppositories (200 mg) and  
Miconazole Nitrate Vaginal Cream (2%) — Vaginal Antifungal

- ✓ CURES most vaginal YEAST INFECTIONS
- ✓ Relieves associated external itching and irritation

3 Suppositories Net Wt. 2.5 g each + 0.32 oz (9 g) Tube



Dist. by Insight Pharmaceuticals LLC,  
Tarrytown, NY 10591  
A Prestige Consumer Healthcare company  
©2019 Trade dress is owned by  
Insight Pharmaceuticals LLC.  
All rights reserved. MNUS028103

If you have any  
questions or  
comments, please call  
**1-877-MONISTAT**  
(1-877-666-4782)

**Drug Facts**

**Active ingredients**  
Miconazole nitrate 2% (external cream) ... Vaginal antifungal  
Miconazole nitrate (200 mg in each suppository) ... Vaginal antifungal

**Purpose**  
Miconazole Nitrate Vaginal Cream (2%) — Vaginal Antifungal  
Miconazole Nitrate Vaginal Suppositories (200 mg) and  
Miconazole Nitrate Vaginal Cream (2%) — Vaginal Antifungal

**Uses**  
■ relieves vaginal yeast infections  
■ relieves external itching and irritation due to a vaginal yeast infection

**Warnings**  
For vaginal use only  
Do not use if you have never had a vaginal yeast infection diagnosed by a doctor.  
Ask a doctor before use if you have  
■ vaginal itching and discomfort for the first time  
■ lower abdominal, back or shoulder pain, fever, chills, nausea, vomiting, or foul-smelling vaginal discharge. You may have a more serious condition.  
■ vaginal yeast infections often (such as once a month or 3 in 6 months). You could be pregnant or have a serious underlying medical cause for your symptoms, including diabetes, or a weakened immune system.  
■ been exposed to the human immunodeficiency virus (HIV) that causes AIDS  
Ask a doctor or pharmacist before use if you are taking the prescription blood thinning medicine warfarin, because bleeding or bruising may occur.  
When using this product  
■ do not use tampons, douches, spermicides or other vaginal products. Condoms and diaphragms may be damaged and fail to prevent pregnancy or sexually transmitted diseases (STDs).  
■ do not have vaginal intercourse  
■ do not use tampons, douches, spermicides or other vaginal products. Condoms and diaphragms may be damaged and fail to prevent pregnancy or sexually transmitted diseases (STDs).  
■ mild increase in vaginal burning, itching or irritation may occur using another product  
■ if you do not get complete relief ask a doctor before

**Directions**  
■ before using this product read the enclosed directions and information  
■ adults and children 12 years of age and over:  
■ **suppositories:** insert 1 suppository into the vagina at bedtime for three nights in a row. Throw applicator away after use.  
■ **external cream:** squeeze a small amount of cream onto your fingertip. Apply the cream onto the itchy, irritated skin outside the vagina. Use 2 times daily for up to 7 days, as needed.  
■ children under 12 years of age: ask a doctor

**Other information**  
■ do not use if printed suppository blisters are torn, open or incompletely sealed  
■ do not use if seal over tube opening has been punctured  
■ do not purchase if carton is open  
■ store at 20°-25°C (68°-77°F)

**Inactive ingredients**  
suppository: hydrogenated vegetable oil base  
external cream: benzoic acid, cetyl alcohol, isopropyl myristate, polyisobutene 60, potassium hydroxide, propylene glycol, purified water, stearyl alcohol

**Questions? If you have any questions or comments,**  
please call 1-877-666-4782

**MONISTAT<sup>®</sup> 3**  
COMBINATION PACK  
Miconazole Nitrate Vaginal Suppositories (200 mg) and  
Miconazole Nitrate Vaginal Cream (2%) — Vaginal Antifungal

Exp  
Lot

3-DAY  
TREATMENT

**Prefilled Cream  
Applicator**

3 Ready-to-Use Prefilled Applicators



# MONISTAT® 3

Miconazole Nitrate Vaginal Cream (4%) — Vaginal Antifungal

**TAMPER-EVIDENT  
UNIT DO NOT USE  
IF PRINTED  
APPLICATOR  
WRAPPER IS TORN,  
OPENED OR  
INCOMPLETELY  
SEALED**

# MONISTAT® 3

Miconazole Nitrate Vaginal Cream (4%) — Vaginal Antifungal

✓ CURES most vaginal YEAST INFECTIONS

3 Prefilled Applicators Net Wt. 0.18 oz (5 g) each



Dist. by Insight Pharmaceuticals LLC, Tarrytown, NY 10591  
A Prestige Consumer Healthcare company  
©2019 Trade dress is owned by Insight Pharmaceuticals LLC.  
All rights reserved. MNUS009103

If you have any  
questions or  
comments,  
please call  
**1-877-MONISTAT**  
(1-877-666-4782)

NON-VARNISH AREA



Exp  
Lot

**Drug Facts**  
Miconazole nitrate 4%.....Vaginal antifungal

**Active ingredient**  
Miconazole nitrate 4%.....Vaginal antifungal

**Purpose**  
Vaginal antifungal

**Uses**  
treats vaginal yeast infections

**Warnings**  
For vaginal use only  
Do not use if you have never had a vaginal yeast infection diagnosed by a doctor.  
Ask a doctor before use if you have  
■ vaginal itching and discomfort for the first time  
■ lower abdominal, back or shoulder pain, fever, chills, nausea, vomiting, or foul-smelling vaginal discharge. You may have a more serious condition.  
■ vaginal yeast infections often (such as once a month or 3 in 6 months). You could be pregnant or have a serious underlying medical cause for your symptoms, including diabetes, or a weakened immune system.  
■ been exposed to the human immunodeficiency virus (HIV) that causes AIDS  
■ Ask a doctor or pharmacist before use if you are taking the prescription blood thinning medicine warfarin, because bleeding or bruising may occur.

**When using this product**  
■ do not use tampons, douches, spermicides or other vaginal products. Condoms and diaphragms may be damaged and fall to prevent pregnancy or sexually transmitted diseases (STDs).  
■ do not have vaginal intercourse  
■ mild increase in vaginal burning, itching or irritation may occur if you do not get complete relief ask a doctor before using another product

**Ask a doctor or pharmacist before use if you are taking the**  
prescription blood thinning medicine warfarin, because bleeding or bruising may occur.

**Other information**  
■ do not use if printed applicator wrapper is torn, open or incompletely sealed  
■ do not purchase if carton is open  
■ store at 20°-25°C (68°-77°F)

**Inactive ingredients**  
benzoic acid, cetyl alcohol, isopropyl myristate, polysorbate 60, potassium hydroxide, propylene glycol, purified water, stearyl alcohol

**Questions? If you have any questions or comments,**  
please call 1-877-666-4782

**Drug Facts**  
Miconazole Nitrate Vaginal Cream (4%) — Vaginal Antifungal

**MONISTAT® 3**  
Miconazole Nitrate Vaginal Cream (4%) — Vaginal Antifungal

**Directions**  
before using this product read the enclosed consumer information leaflet for complete directions and information  
adults and children 12 years of age and over:  
■ insert 1 applicatorful into the vagina at bedtime for 3 nights in a row. Throw applicator away after use.  
■ children under 12 years of age: ask a doctor

**Other information**  
■ do not use if printed applicator wrapper is torn, open or incompletely sealed  
■ do not purchase if carton is open  
■ store at 20°-25°C (68°-77°F)


**Inactive ingredients**  
benzoic acid, cetyl alcohol, isopropyl myristate, polysorbate 60, potassium hydroxide, propylene glycol, purified water, stearyl alcohol

**Questions? If you have any questions or comments,**  
please call 1-877-666-4782

**MONISTAT® 3**  
Miconazole Nitrate Vaginal Cream (4%) — Vaginal Antifungal

3-DAY  
TREATMENT  
COMBINATION PACK

**Prefilled Cream  
Applicator**



3 Ready-to-Use  
Prefilled Applicators

plus External Cream  
for Itch Relief

# MONISTAT® 3

COMBINATION PACK

Miconazole Nitrate Vaginal Cream (4%) and  
Miconazole Nitrate Vaginal Cream (2%) — Vaginal Antifungal

**TAMPER-EVIDENT  
UNIT DO NOT USE IF  
PRINTED APPLICATOR  
WRAPPER OR SEAL  
OVER TUBE ARE  
TORN, OPENED OR  
INCOMPLETELY  
SEALED**

# MONISTAT® 3

COMBINATION PACK

Miconazole Nitrate Vaginal Cream (4%) and  
Miconazole Nitrate Vaginal Cream (2%) — Vaginal Antifungal

Exp  
Lot

- ✓ CURES most vaginal YEAST INFECTIONS
- ✓ Relieves associated external itching and irritation

3 Prefilled Applicators Net Wt. 0.18 oz (5 g) each + 0.32 oz (9 g) Tube

**MONISTAT® 3**  
COMBINATION PACK  
Miconazole Nitrate Vaginal Cream (4%) and  
Miconazole Nitrate Vaginal Cream (2%) — Vaginal Antifungal



Dist. by Insight Pharmaceuticals LLC, Tarrytown, NY 10591  
A Prestige Consumer Healthcare company  
©2019 Trade dress is owned by Insight Pharmaceuticals LLC.  
All rights reserved. MNUS013106

If you have any  
questions or  
comments, please call  
**1-877-MONISTAT**  
(1-877-666-4782)

**Drug Facts**

**Active ingredient:** Miconazole nitrate 4% (external cream), Miconazole nitrate 2% (external cream), Vaginal antifungal

**Purpose:** Vaginal antifungal

**Uses:** treats vaginal yeast infections; relieves external itching and irritation due to a vaginal yeast infection

**Warnings:** For vaginal use only; Do not use if you have never had a vaginal yeast infection diagnosed by a doctor; Ask a doctor before use if you have vaginal itching and discomfort for the first time; lower abdominal, back or shoulder pain, fever, chills, nausea, vomiting, or foul-smelling vaginal discharge. You may have a more serious condition; vaginal yeast infections often (such as once a month or 3 in 6 months). You could be pregnant or have a serious underlying medical cause for your symptoms, including diabetes, or a weakened immune system; been exposed to the human immunodeficiency virus (HIV) that causes AIDS; Ask a doctor or pharmacist before use if you are taking the prescription blood thinning medicine warfarin, because bleeding or bruising may occur;

**When using this product:** do not use tampons, douches, spermicides or other vaginal products. Condoms and diaphragms may be damaged and fail to prevent pregnancy or sexually transmitted diseases (STDs); do not have vaginal intercourse; mild increase in vaginal burning itching or irritation may occur; if you do not get complete relief ask a doctor before using another product

**Other information:** do not use if printed applicator wrapper is torn, open or incompletely sealed; do not use if seal over tube opening has been punctured; do not purchase if carton is open; do not purchase if carton is open; store at 20°-25°C (68°-77°F)

**Inactive ingredients:** benzoic acid, cetyl alcohol, isopropyl myristate, polyorbate 60, potassium hydroxide, propylene glycol, purified water, stearyl alcohol

**Questions? If you have any questions or comments,** please call 1-877-666-4782

**Drug Facts (continued)**

**Stop use and ask a doctor if:** symptoms do not get better in 3 days; you get a rash or hives, abdominal pain, fever, chills, nausea, vomiting, or foul-smelling vaginal discharge; if pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions:** before using this product read the enclosed consumer information leaflet for complete directions and information; adults and children 12 years of age and over: applicators: insert 1 applicator into the vagina at bedtime for 3 nights in a row. Throw applicator away after use; external cream: squeeze a small amount of cream onto your fingertip. Apply the cream onto the itchy, irritated skin outside the vagina. Use 2 times daily for up to 7 days, as needed; children under 12 years of age: ask a doctor

**MONISTAT® 3**  
COMBINATION PACK  
Miconazole Nitrate Vaginal Cream (4%) and  
Miconazole Nitrate Vaginal Cream (2%) — Vaginal Antifungal

1-DAY  
TREATMENT  
COMBINATION PACK

Day or Night™ OVULE®

Ovule® Insert

plus External Cream  
for Itch Relief

**MONISTAT® 1**  
COMBINATION PACK  
Miconazole Nitrate Vaginal Insert (1200 mg) and  
Miconazole Nitrate Vaginal Cream (2%) — Vaginal Antifungal

**TAMPER-EVIDENT  
UNIT DO NOT USE  
IF PRINTED SEALED  
POUCH AND SEAL  
OVER TUBE ARE  
TORN, OPENED OR  
INCOMPLETELY  
SEALED**

CRTN-0904

**MONISTAT® 1**  
COMBINATION PACK  
Miconazole Nitrate Vaginal Insert (1200 mg) and  
Miconazole Nitrate Vaginal Cream (2%) — Vaginal Antifungal

**MAXIMUM  
STRENGTH  
OVULE®**

1 OVULE® Insert Net Wt. 2.6 g + 0.32 oz (9 g) Tube



Dist. by Insight Pharmaceuticals LLC, Tarrytown, NY 10591  
A Prestige Consumer Healthcare company  
©2019 Trade dress is owned by Insight Pharmaceuticals LLC.  
All rights reserved. MNUS019104

If you have any  
questions or  
comments, please call  
**1-877-MONISTAT**  
(1-877-666-4782)

NO -  
ISH ARE

LOT  
EXP



**Drug Facts**

**Active Ingredients**  
Miconazole nitrate 1200 mg (in vaginal insert)..... Vaginal antifungal  
Miconazole nitrate 2% (external cream)..... Vaginal antifungal

**Purpose**  
If pregnant or breast-feeding, ask a health professional before use.  
Keep out of reach of children. If swallowed, get medical help or contact a  
Poison Control Center right away.

**Directions**  
before using this product read the enclosed consumer information leaflet for  
complete directions and information  
adults and children 12 years of age and over:  
vaginal insert: with the applicator, place the vaginal insert into the vagina.  
Throw away applicator.  
external cream: squeeze a small amount of cream onto your fingertip. Apply  
the cream onto the itchy, irritated skin outside the vagina. Use 2 times daily  
for up to 7 days as needed.  
children under 12 years of age: ask a doctor

**Warnings**  
For vaginal use only  
Do not use if you have never had a vaginal yeast infection diagnosed  
by a doctor.  
Ask a doctor before use if you have  
lower abdominal, back or shoulder pain, fever, chills, nausea, vomiting, or  
four-smelling vaginal discharge. You may have a more serious condition.  
vaginal yeast infections often (such as once a month or 3 in 6 months). You  
could be pregnant or have a serious underlying medical cause for your  
symptoms, including diabetes or a weakened immune system.  
been exposed to the human immunodeficiency virus (HIV) that causes AIDS.  
Ask a doctor or pharmacist before use if you are taking the prescription blood  
thinning medicine warfarin, because bleeding or bruising may occur.  
When using this product  
do not use tampons, douches, spermicides or other vaginal products.  
Condoms and diaphragms may be damaged and fail to prevent pregnancy or  
sexually transmitted diseases (STDs).  
do not have vaginal intercourse  
mid increase in vaginal burning, itching or irritation may occur  
if you do not get complete relief ask a doctor before using another product.  
Stop use and ask a doctor if  
symptoms do not get better in 3 days  
symptoms last more than 7 days  
you get a rash or hives, abdominal pain, fever, chills, nausea, vomiting.

**Other information**  
do not use if sealed pouch is torn, open or incompletely sealed  
do not use if seal over tube opening has been punctured  
do not purchase if carton is open  
store at 20°-25°C (68°-77°F)  
this is a 1-dose treatment. Most women do not get complete relief of their  
symptoms in just 1 day. Most women get some improvement in 1 day and  
complete relief by 7 days.  
**Inactive ingredients**  
vaginal insert: gelatin, glycerin, lecithin, mineral oil, titanium dioxide,  
white petrolatum  
external cream: benzoic acid, cetyl alcohol, isopropyl myristate, polysorbate  
60, potassium hydroxide, propylene glycol, purified water, stearyl alcohol

**Questions?** If you have any questions or comments,  
please call 1-877-666-4782

**MONISTAT® 1**  
COMBINATION PACK  
Miconazole Nitrate Vaginal Insert (1200 mg) and  
Miconazole Nitrate Vaginal Cream (2%) — Vaginal Antifungal

1-Day Treatment  
MAXIMUM STRENGTH OVULE®

**MONISTAT® 1**  
COMBINATION PACK  
Miconazole Nitrate Vaginal Insert (1200 mg) and  
Miconazole Nitrate Vaginal Cream (2%) — Vaginal Antifungal



-----  
**This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.**  
-----

/s/  
-----

KAREN M MAHONEY  
01/28/2020 04:42:50 PM